


# Z. P. METCALF



LIBRARY OF




1885\_1956













# TABLE OF CONTENTS TO PLATES.

# VOLUME IV.

# INSECTA-ZOOPHYTES.

INSECTA.

Place I. Fig. 1.—Intestinal canal of Aphrophora spumaria, Suckow. A.—Œsophagus. D.—Crop. D, D.—Divisions of the ventriculus. E.—Ilium. H.—Colon. K, K.—Biliary vessels.

Fig. 2.—Intestinal canal of the maggot of Musca Cannaria, Suckow, marked the same as above. N, N, are the salivary vessels with their simple outlets, O.

Fig. 3.—a. A portion of the biliary vessels much magnified.

Fig. 3.—Intestinal canal of the perfect fly marked as before.
Fig. 4.—Intestine of the caterpillar of Gastropacha Pini, Suckow, marked similarly. F, is the clavate gut. O, O, are the spinning vessels.

Fig. 5 .- Intestinal canal of PONTIA BRASSICE, Herold. C .- The sucking stomach. G .- The cocum, &c. marked as before.

Fig. 6.—Proventiculus of the DYTISCUS MARGINALIS.

Plate 2. Fig. 1.-Intestinal canal of the larva of CALOSOMA SYCOPHANTA, marked as before. H .- The internal longitudinally folded colon to which the last segment of the larva is still attached.

Fig. 2.-Intestinal canal of the perfect beetle, Suckow. D .- Ventricu-

lus. D\* .- A portion covered with glands.

Fig. 3.—Intestinal canal of the larva of DYTISCUS MARGINALIS, marked the

Fig. 4.—Intestinal canal of the perfect beetle, similarly marked.

Plate 3. Fig. 1.—Single salivary vessel of NEPIS CINEREA, Ramd. a.—Duct. b. -Glands. c.-Glandular vessel.

Fig. 2.—Second salivary vessel of NEPA CINEREA, Ramd. a, b .- Double duct of the auxiliary gland. d .- Auxiliary gland. e, e .- Chief gland.

Fig. 3.—Salivary vessel of BLAPS, Leon, Duf.
Fig. 4.—Auxiliary gland of TABANUS, Ramd. b.—Duct.
Fig. 5.—Auxiliary gland of CICADA, Leon, Duf. a, a, a, a.—Glandular
bags. b, b.—Ducts. c, c.—Glandular vessels.
Fig. 6.—Ventral salivary gland of LEPTIS, Ramd. a, a.—The two

glandular bags. b .- Œsophagus. c .- Outlet of the sucking stomach. d .- Commencement of the Ventriculus.

Fig. 7 .- Ventral salivary glands of Bombylius, marked the same.

Fig. 8.—Ventral salivary glands of Chrysotoxum, Ramd., the same. Fig. 8\*.—Lateral view of the heart of Melolontha vulgaris. a, a,— Orifices of the heart, 1-9.-Ventriculi. B .- End of the heart. C .- Aorta.

Fig. 9.—Commencement of the heart, with the muscular wings of MELOLONTHA VULGARIS. a, a.—Muscular wings. b, b.— Orifices in them, in front of each aperture of the heart.

Fig. 10.—Spiracle of the abdomen of DYTISCUS MARGINALIS.

Fig. 11.—Portion of a trachea. a, a.—External tunic. b, b.—Spiral filament which forms the second tunic. c, c.-Third, or mucous

Fig. 12 .- A portion of the tunic of the air-bag of MUSCA VOMITORIA. magnified.

- Plate 4. Fig. 1 .- Spiracle of ORYCTES NASICORNIS, seen from the front. a, a,-The projecting margin. b, b .- Horny plates, which form its lips.
  - Fig. 2.—The same, seen from the side. a.—Projecting margin. b, b.— The separated integument in the vicinity of the spiracle. c, c. -Posterior projecting margin of the spiracle. d, d.-The two horny triangles, which lie on one side of the main stem of the trachea, which join at \*, and are moved by the broad muscle,
  - e. f, f, f.—Branches of the trachess.

    Fig. 3.—The same, from beneath. a, a.—External projecting margin. b, b .- Separated integrment. c .- Spot where the apex of the lower triangle articulates with the margin of the spiracle that projects inwardly. d .- The lower horny triangle. f, f, f.-
  - Stems of the tracheæ. Fig. 4.—Spiracle of the larva of CETONIA ALRATA. a, a.—The external darkly-coloured margin, which is decorated with paler elliptical spots.  $b,\,b.$ —The central paler horny plate. c.—Margin of the true aperture.  $d,\,d.$ —Branches of traches.
  - Fig. 5 .- Last abdominal segment, with the ovipositor A, of SIREX JUVEN-
  - cvs. B, B.—Lateral margins of the last largest segment. Fig. 6.—Apex of the abdomen, from the side. The ovipositor, b, projects from the two valves, a.
  - Fig. 7.-Apex of the ovipositor, seen from above. c .- The divided dentate apex of the sheath. d, d .- The two dentate seta within the
  - sheath. Fig. 8.- The ovipositor, from the side. c.- The upper channel. d.- The single lower seta.
  - Fig. 9.-From beneath. c, c.-Sheath. d, d.-Setw.
  - Fig. 10 .- One seta, to exhibit the shape of the teeth upon it.
  - Fig. 11.—Transverse section of the ovipositor. a, a.—The external valves. c.—The sheath. d, d.—The setw. e.—Central free channel.
  - Fig. 12.—Apex of the ovipositor. a.—The upper channel. b.—The fine seta.
  - Fig 13.-Section of the mere ovipositor. a.-Channel, b.-Seta. c. -Canal.
  - Fig. 14.—Section of the ovipositor, with the valves. a.—Channel. b.— Seta. c, c.-Valves. e.-Canal.
  - Fig. 15 .- Last bent segment of an ovipositor of CYNIPS QUERCIFOLIA, with the two hairy processes originating from the internal surface.
  - Fig. 16.—The ovipositor. a, a.—Valves. b, b.—External channel of the setæ. c .- Central finer seta.

  - Fig. 17.—The external. b, b, and the central seta. c, alone. Fig. 18.—Section. a, a.—Valves. b, b.—External setw. c.—Central
- Plate 5. Fig. 1 .- United testes of PONTIA BRASSICE.

  - Fig. 2.—Testes of LIBELLULA, Suckow. Fig. 3.—Testes of Appropriate Spendagal.
  - Fig. 4.—Testes of Tripcla crocata, Suckow.

  - Fig. 5 .- Testes of RANATRA LINEARIS.
  - Fig. 6 .- Half of the poison vessel of APIS MELLIFICA. Fig. 7.—Testes of Dytiscus Marginalis. a.—Large knob. b.—Small knob of the duct.
    - Fig. 7. b. Testes of SILPHA OBSCURA, L. Daf.
  - Fig. 8 .- Testes of HYDROPHILLS PICEUS, Suckow.
  - Fig. 9 .- Testes of Tichhodes, Suckow.
  - Fig. 10.—Testes of Locusta VIRIDISSIMA
    - Fig. 11.—Testes of STAPHYLINGS, L Duf.

| Plate 5. Fig. 12.—Testes and duct of MUSCA DEVIENS, Suckow. Fig. 13.—Testes and duct of SEMBLIS BICAUDATA, Suckow. Fig. 14.—Testes and duct of APATE, L. Duf. |                        |
|---|------------------------|
| Fig. 15.—Testes and duct of EDEMERA, L. Duf.  |                        |
| Fig. 16.—Testes and duct of PIMELIA, L. Duf.  |                        |
| Fig. 17.—Testes and duct of Lytta Vesicatoria, Brandt.  | .—Testes.              |
| b.—First gum-vessel, b, b.—Second ditto. a*.—E distension at the connecting point of the duct.  | ag-snaped              |
| Fig. 18.—Testes of Lamia Edilis.  |                        |
| Fig. 19.—Testes of Prionus, L. Duf.   |                        |
| Fig. 20.—Testes of CICADA, L. Duf.  |                        |
|   | III. Page              |
| Plate 6. Fig. 1.—Therates basilis, D'Urv.   | . 366                  |
| Fig. 2.—Anatomical details of Megacephala Carolina, Latr.   | . 368                  |
| Fig. 3.—Trycondyla aptera, Latr.  | . 369                  |
| Fig. 4.—CTENOSTOMA ICHNEUMONEUM, Dej.   | . 368                  |
| Fig. 5.—Colliuris modesta, Dej.   | . 368                  |
| Fig. 6.—Manticora maxillosa, Latr. Fig. 7.—Cicindela tenuipes, Guer.  | . 365                  |
| Fig. 8.—Head of Oxychella Tristis, Dej.   | . 366                  |
| rig. c.—Head of Oxichella Inisiis, Dej.   | . 366                  |
| Plate 7. Fig. 1Mouth of ANTHIA DECAS-GUTTATA, Latr  | . 370                  |
| Fig. 2.—GRAPHIPTERUS MULTI-GUTTATUS, Latr.  | . 370                  |
| Fig. 3.—Casnonia senegalensis, St. Farq. and Serv.  | . 373                  |
| Fig. 4.—Brachinus Jurinei, Dej.   | . 372                  |
| Fig. 5.—TRICHOGNATHUS MARGINATUS, Latr.   | . 375                  |
| Fig. 6.—Mouth and Tarsus of GALERITA AMERICANA, Latr.   | . 375                  |
| Fig. 7.—Head and Corslet of ZUPHIUM OLENS, Latr   | . 373                  |
| Fig. 8.—Helluo costatus, Latr   | . 374                  |
| Fig. 9.—DRIPTA RUFICOLLIS, Dej.   | . 374                  |
| Fig. 10.—AGRA SPLENDIDA, Latr.  | . 376                  |
| Fig. 11.—Lebia flavomaculata, Guer  | . 377                  |
| Plate 9 Fig. 1 Danie pro crianninicovi arres Cur  | 20#                    |
| Plate 8. Fig. 1.—Panageus quadrimaculatus, Cuv. Fig. 2.—Pamborus alternans, Latr.   | . 397                  |
| Fig. 3.—ELATER BICRUCIATUS, Cuv.  | • 39 <b>9</b><br>• 428 |
| Fig. 4.—Onitis subflavus, Peron and Les. (male) . Vol.  |                        |
| Fig. 5.—CETONIA BICORNIS, female  | . 32                   |
| Fig. 6.—HELLUO COSTATUS, Bonn Vol.  | III. 374               |
|   | IV. 115                |
|   |                        |
| Plate 9. Fig. I GOLIATH BARBICORNIS, MacLeay. male (The Horned Golid  | uth) 31                |
| Fig. 2.—BUPRESTIS SCUTELLATUS (The Armed Buprestis) Vol. 1  | II. 422                |
| Fig. 3.—Lucanus serricornis (The Serrated Lucanus) Vol. 1   |                        |
| Fig. 4.—CETONIA BICORNIS, Peron and Les. male (The Two-horn   |                        |
| Cetonia) Fig. 5.—Hispa marginata* (The Marginated Chesnut-Fly)  | . 32                   |
| Fig. 6.—HELEUS PERFORATA, Peron and Les. (The Perforated Held   |                        |
| of New Holland)   | . 257                  |
| Fig. 7.—Brentus Appendiculatus, M. Cattoire .   | . 84                   |
|   |                        |
| Plate 10. Fig. 1.—Testes of NEPA CINEREA, Swamm.  |                        |
| Fig. 2.—Testes of MELOLONTHA VULGARIS, Suckow.  |                        |
| Fig. 3.—Auxiliary testes of Hydroph riceus, Suckow.   |                        |
| Fig. 4.—Auxiliary testes of Locusta Viridissima. a.—Superior  |                        |
| culus of vessels. b.—Retainer, clothed on the surface   | with                   |
| small processes, into which the duct, c, opens. d   | Sperm                  |
| bladder.  |                        |

<sup>\*</sup> This species is a Fabrician Alurnus.

Plate 10. Fig. 5 .- Ducts of the genitalia of Donacia Aquatica, Suckow, without appendages.

Fig. 6.—Ducts of the genitalia of PARYGANEA OLERACEA. a.—Vasa deferentia. b .- Vesica seminalis.

Fig. 7 .- Ducts of the genitalia of DYTICUS MARGINALIS, marked the same.

Fig. 8 .- Ducts of the genitalia of Aprs Mell., Brandt. a, a .- Vesica seminalis. b, b .- Clavate gum-vessels.

Fig. 9 .- Ducts of the genitalia of Melolontha vul Garis, Suckow. a, a. -Ducts of the vesica seminalis. b, b.-Gum-vessels, with their distension.

Fig. 10 .- Ducts of the genitalia of Hydrophilus piceus, Suckow. a, a. —Vasa deferentia.  $a^*$ ,  $a^*$ .—Vesica seminalis. a, a.— Ends of the auxiliary testes.  $b^*$ ,  $b^*$ .—The first furcate gum-vessel. b, b .- The second simple ones.

Fig. 11.—Ducts of the genitalia of LAMIA EDILIS, Fab. a, a .- Vesica seminalis. b - Furcate gum-vessel, with unequal branches.

 Fig. 12.—Organs of Vanessa Urricæ, Swamm., male. a.—United testes. a. a. —Vasa deferentia, into which the gumvessels, b, b, open.
 Fig. 13.—Gum-vessel of Calosoma sycophanta, Suckow. a.—Vasa deferentia of one side, which opens into the gum-vessel b, b, of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side; that of the other side and the ductus ejanuary of the side and the side a culatorious is cut off.

Fig. 14.—Ducts of the genitalia of TIPULA CROCATA, Suckow. a, a .-Vasa deferentia. b .- Gum-vessels.

Plate 11. Fig. 1 .- Apex of the abdomen of a CICADA. A .- Last dorsal segment. B .- Basal joint of the sheath of the ovipositor. C .- Terminal joint. D .- Last ventral segment.

Fig. 2.-Ovipositor with the valves from beneath. B, B.-Basal joints of the valves. C, C .- Terminal joints. D .- The ovipositor.

Figs. 3, 4, 7, 8.—Male organs of a CARARUS.

Fig. 3.-Prepuce from beneath. a, a .- The horny ridges of the prepuce. b .- The horny plate which lies in the lower portion of the prepuce. c .- Process in which the penis lies. d .- Last dorsal segment.

Fig. 4.-Prepuce from above, as taken from the ventral cavity. a.-The horny ridges which distend the bag of the prepuce. b.—The process of the prepuce, in which the penis lies. c.—Apex of this process, into which the vasa deferentia extends. d.-Last dorsal segment.

Fig. 5 .- Apex of the sheath of the ovipositor of a CICADA from above, toothed on the margin, furrowed in the centre, emarginate at the apex to receive the points of the setæ, which form the true apex of the ovip sitor.

Fig. 5. a.-Section. a, a.-The valves. b, b.-The sheath. c.-The setæ.

Fig. 6.—Section of the mere ovipositor. a, a.—The sheath. b.—The

Fig. 7 .- The penis of a CARABUS from beneath. a .- Aperture of the penis, whence the sperm flows.

Fig. 8.—Penis from above, with a, lateral moveable process, b, in which the muscles are inserted.

Figs. 9, 10 .- Ovipositor of CIMBEX VARIABILIS.

Fig. 9.—The valves opened from beneath. A, A.—The last dorsal seg-ment. a, a.—External valves. b, b.—Internal valves, or saws. c -Central short process.

Fig. 10.—An internal valve. b.—Furrow. a.—Lower surface of the valve. b .- Superior surface.

Plate 11. Figs. 11, 12, 13, 15, 17, 18 .- Ovipositor of LOCUSTA.

Fig. 11.—Apex of the abdomen of Locusta viribissima. A.—Last dorsal segment. B.—Last ventral segment. C.—Ovipositor.

Fig. 12.—One half of the sheath seen from the exterior of Locusta

Fig. 13.—The same from the inner surface. a.—Superior half of the valve. c.—Lower half. b.—Central, smaller, inner valve of the same side.

Fig. 14.—Setw of the ovipositor of a Cicada from the inner side to show the central channel.

Fig. 15.—External view of the ovipositor of a Locusta. a.—Upper half.

c.—Lower half.

Fig. 16.—Apex of the ovipositor of a Cicada from beneath. a, a.—
Superior distended sheath, with teeth on the margin b, b.
—The lower sette pushed upwards, so that they project beyond the apex of the sheath.

Fig. 17.—The ovipositor of a Locusta from within. a.—Upper half. c.—Lower half. b.—Internal valve, indicated here only as

a projecting ridge.

Fig. 18 .- The jointed ovipositor of Chaysis, Kirby and Spence.

Plate 12. Figs. 1-6 .- Male organs of Dyticus MARGINALIS.

Fig. 1.—View of them beneath, with the last divided ventral plate. A, A.—The two halves of the ventral plate. B, B.—Muscles that affixed them to the preceding one. C, C.—Horny ridges, which partly serve these for insertion. D, D.—Muscles which unite the transverse ridge with the ventral plates. a.—A horny ring lying beneath in the prepuce. g, g.—Muscles that move the peuis. f.—Vasa deferentia.

move the peuis. f.—Vasa deferentia.

Fig. 2.—Penis and prepuce separated from the last ventral plate, seen from beneath. a.—A horny ring that distends the prepuce. b.—Horny plate which lies in it. i.—Membranous portion of the prepuce. d.—Sheath of the penis. e.—Penis. g, g.—

Muscles which move the penis. f.—Vasa deferentia.

Fig. 3.—The same from above. a, a.—Horny ring of the prepuce, running at the margin, and connected with the penis by muscles, h, h. i.—Membranous portion of the prepuce. k.—Horny plate lying in the upper part of the prepuce. l.—Horny scale to which the ends of the borny arch of the prepuce are attached. e.—Penis. g, g.—Muscles which move the penis. f.—Vasa deferentia.

Fig. 4.—The same seen from the left side. a.—Horny ring of the preduce. b.—Horny scale lying in the lower portion. The

rest as in the preceding.

Fig. 5.—The penis, after the removal of the prepuce. a, a.—Membranous portion of the prepuce, which is drawn back by horny ridges, b, which are connected with the horny ring of the prepuce c, c, by means of muscles, at its upper margin. d, d, —Valves of the penis e.—Penis.

Fig. 6.—Penis, quite free. a.—Ridge which lies in the penis, and closes its aperture. b.—Lower channel, in which the ridge or bone

Figs. 7-10.—Male organs of Hydrophilus piceus.

Fig. 7.—Prepuce from above. M.—The removed colon. d, d.—Last dorsal segment, with three fenestrations. b, b.—Horny ring which distends the prepuce. E, E.—Sheaths of the penis.

| INSECTA.   |
|--|
| Plate 12. Fig. 8.—The same, from beneath. a.—Horny plates, which lie in the lower portion of the prepuce, whence the ridges proceed which affix themselves to the apex of the last ventral plate, e, e. c.—Other horny ridges. b, b.—As fig. 7. d, d.—Last dor-                |
| sal segment, E.—Sheath of the penis.  Fig. 9.—The free penis, from above, more magnified than fig. 8. A, A.  —Reflexed margins of the horny plate. A.—As in fig. 10.  B.—Membranous portion of the penis. E, E.—Sheaths of the penis, consisting of horn                       |
| Fig. 10.—Free penis, from beneath. A.—A cordiform borny plate, to<br>which the sheaths are attached. E, E.—The sheaths of the<br>penis. F.—Penis.  |
| Figs. 11, 12.—Sexual organs of Callichroma moscharum. Fig. 11.—A.—Prepuce, supported by a horny ridge, C, which distends into a horny plate, B, upon the upper surface of the prepuce. D.—Penis. E.—Vasa deferentia. F.—Ridge, by means of which the penis is pushed forwards. |
| Fig. 12.—Free penis, seen from the left side. a.—Lower horny tip of the penis. b.—Upper ditto, c.—Vasa deferentia.   |
| Figs. 13-16.—Male organs of BLATTA ORIENTALIS.  Fig. 13.—View from above. b.—Left horny plate covering them. d.— Penis.  |
| Fig. 14.—The same from beneath. c.—Right horny plate. b.—Left. a.—Upper. d.—Penis.   |
| Fig. 15.—The superior covering plate, consisting of several horny pieces, and provided with a hooked process.  |
| Fig. 16.—The right covering plate, composed of two pieces. a.—The principal plate.   |
| Plate 13. Fig. 1.—Siagona Europæa, Dej. Vol. III. Page   |
| Fig. 2.—Oxystomus Sancti-Hilarii, Latr   |
| Fig. 3.—Scapterus Guerini, Dej   |
| Fig. 4.—Enceladus gigas, Bon 378   |
| Fig. 5.—Apotomus Rufus, Latr   |
| Fig. 6.—Hinder foot of Dischirius Thoracius, Latr 382  |
| Fig. 7.—Morio simplex, Dej   |
| Fig. 9.—Antennæ of Ozena Rogerii, Dej  |
| Fig. 10.—DITOMUS VIOLACEUS, Latr   |
| Fig. 11.—Head of Ditomus Calydonius, Latr 383  |
| Fig. 12.—Cyclosemus flexuosus, Latr  |
| Plate 14. Fig. 1.—HARPALUS TRICOLOR, Guer  |
| Fig. 2.—Trigonotoma viridicollis, Dej  |
| Fig. 3.—Elytra of Feronia navarica, Latr   |
| Fig. 4.—Elytra and Tarsus of Feronia Melanaria, Latr. 388 Fig. 5.—Cephalotes Rufipes, Latr   |
| Fig. 5.—CEPHALOTES RUFIPES, Latr   |
| Fig. 7.—Mormolyce phyllodes, Hag 392   |
| Fig. 8.—Hinder Foot and Jaw of ZABRUS GIBBUS, Latr 387   |
| Fig. 9.—Antennæ of Sphodrus terricola, Latr  |
| Fig. 10.—Hinder Foot of Feronia Hottentota, Latr 390   |
| Fig. 11.—Hinder Tarsus and Foot of Licinus Agricola, male 596<br>Fig. 12.—Head of Loricera Pilicornis, Latr. 398   |
| Fig. 13.—CYNTHIA ABAXOIDES, Latr   |
| Fig. 14.—Panagæus fulgipennis, Latr  |
| Fig. 15.—Omophron saturalis, Guer  |
|  |

. 413

| INSECTA.  |       | Vol. I | II. Page |
|---|-------|--------|----------|
| Plate 15. Fig. 1.—SPHÆRODERUS NITIDICOLLIS, Chev. |       |        | . 399    |
| Fig. 2.—CALOSOMA RUFIPENNE, Dej .                 |       |        | . 402    |
| Fig. 3.—Cychrus italicus, Bon                     |       |        | . 399    |
| Fig. 4.—Pamborus alternans, Latr.                 |       |        | . 399    |
| Fig. 5.—Head of Pogonophorus .                    |       |        | . 403    |
| Fig. 6 Hinder Tarsus of PELOPHILA                 |       |        | . 404    |
| Fig. 7.—Canabus ratilans, Latr                    |       |        | . 401    |
| Fig. 8.—Pelecium cyanipes, Kirby                  |       | •      | . 397    |
| Fig. 9.—Masorœus Luxatus, Dej.                    | •     | •      |          |
|   |       | •      | . 406    |
| Fig. 10.—Palpi of the principal Bembidion         | •     | •      | . 405    |
| Plate 16 Fig. 1 D I                               |       |        | 400      |
| Plate 16. Fig. 1.—Dytiscus LHERMINIERI, Chev      |       |        | . 409    |
| Fig. 2.—Dytiscus serricornis, Payk.               |       | **     | 409      |
| Fig. 3.—Hinder Foot of Colymbetes .               |       |        | . 410    |
| Fig. 4.—Hinder Foot of Hydroporus Planus,         | Latr. |        | . 410    |
| Fig. 5.—Hygrobia Hermanni, Latr                   |       |        | . 410    |
| Fig. 6 Noterus Crassicornis, Clairy.              |       |        | .' 411   |
| Fig. 7.—HALIPLUS ELEVATUS                         |       |        | . 411    |

Plate 17. Fig. 1 .- The left covering horny plate, with the penis of CALLICHROMA MOSCHATUM. b - The upwards bent penis, furnished at the end with a hook.

Figs. 2-4.—Male organs of CIMBEX VARIABILIS.

Fig. 8.—Gyrinus sulcatus, Dej.

Fig. 2.—From below. a, a, a, a.—The external sheaths, each consisting of a lower horny and a superior membranous portion. b, b. -The penis, likewise consisting of two halves.

Fig. 3.—The left half of the sexual apparatus, seen from without. a .-Horny basal portion of the sheath. b .- Membranous appendage. c, c .- Halves of the valvular penis.

Fig. 4.—The same from within, marked similarly. d.—Outlet of the vasa. deferentia.

Figs. 5-7 .- Male organs of VESPA GERMANICA seen from beneath.

Fig. 6.—Penis, from the side, distended like a spoon anteriorly, c, with a barb, a, by which it hangs attached during copula.

Fig. 7 .- The same, from above, marked similarly. b .- Internal passage

of the penis.

Figs. 8, 9, 10.—Male organs of Dellerhila Galli.

Fig. 8.—Lateral view of the whole apex of the abdomen. a, a.—Horny ring to which the external sheath is affixed. b.—External sheath of the left side. c .- Penis. e .- Anus.

Fig. 9 -Sheath of the right side seen from within.

Fig. 10.-Free penis, a, with the aperture c, and the muscles b, which attaches it.

Figs. 11, 12 .- Male organs of CERCOPIS VULNERATA.

Fig. 11.-The sexual apparatus, enclosed in valves, seen from the left side.

Fig. 12.-The opened sexual apparatus, seen from above. The external valves are removed. a, a .- The internal valves. b, b .-The horny penis, consisting of two parts, bent outwards.

Fig. 13 .- Ovaria of EPHEMERA MARGINATA. Fig. 14 .- Ovaria of Phasma GIGAS, Müll.

Fig. 15 .- Ovaria of GRYLLUS MIGRATORIUS.

Fig. 16 .- Ovaria of Meloe proscarabeus.

Fig. 17 .- Anterior aperture of the penis of Dellephila Galil, seen from above.

Plate 18. Fig. 1 .- Ovaria of GRYLLOTALPA VULGARIS, Müll.

Fig. 2 .- Ovaria of LEPISMA, Trev.

Fig. 3.-Internal sexual organs of HIPPOBOSCA, L. Duf. a, a .- Ovaries. b .- Uterus. c,-Conducting vessels.

|           | INSECIA.  |          |             |         |
|-----------|---|----------|-------------|---------|
| Plate 18. | Fig. 4.—Ovary of Anthidium, Suckow.   |          |             |         |
|           | Fig. 5 Ovary of Tinea Evonymella, Suckow  | 7.       |             |         |
|           | Fig. 6.—Ovary of Musca Carnaria, Suckow.  |          |             |         |
|           | Fig. 7.—Ovary of Aphrophora spumaria, Suc   | kow.     |             |         |
|           | Fig. 8 Ovary of Lucanus Parallelopipedus,   | Suckow   |             |         |
|           | Fig. 9.—Uterus without appendage of TIPULA C  | ROCATA,  | Suckow.     |         |
|           | Fig. 10 Uterus with an appendage of ANTHID  | IUM MAN  | ICATUM, Su  | ckow.   |
|           | a.—The spermatheca.   |          |             |         |
|           | Fig. 11 Uterus with an appendage of Hydr  | SULTHION | PICEUS, Su  | ckow.   |
|           | a.—The spermatheca, into which  |          |             |         |
|           | evacuates.  |          |             |         |
|           | Fig. 12Uterus with an appendage of Melolo   | ONTHA V  | LGARIS, SU  | ckow.   |
|           | a.—Spermatheca, b.—Gum-vesse  |          |             |         |
|           | end of the sheath, into which the   | knob of  | the penis i | nserts  |
|           | itself.   |          |             |         |
|           | Fig. 13 Uterus with an appendage of Xx  | LOCOPA.  | Suckow.     | a       |
|           | Spermatheca. b.—Gum-vessel.   | ,        |             |         |
|           | Fig. 14.—Uterus with an appendage of Sire   | x Sneke  | w a _Sr     | erma.   |
|           | theca, with the two ears. b.—Gui  |          |             | C. III. |
|           | Fig. 15.—Uterus with an appendage of HAR  |          |             | a       |
|           | Sack-shaped distended sheath. b.  | -Gum     | vaccal      |         |
|           | Fig. 16.—Uterus of Lucanus, Suckow. a   |          |             | d       |
|           | Double gum-vessel.  | -Sperme  | ineca. a,   | u       |
|           | Fig. 17.—Uterus of GRYLLOTALPA VULGARIS, St   | nakom    | « Snorma    | thoan   |
|           | b, b.—Gum-vessels.  | uckow.   | aSperma     | ineca.  |
|           |   | Tum Lam  |             |         |
|           | Fig. 18 —Uterus of LEPISAMA, Trev. b, b — C<br>Fig. 19.—Poison-vessels of APIS MELLIFICA, S | Juni-bag | S           |         |
|           |   | ожащи.   | a, a.—sec   | lenna   |
|           | vessels. b.—Poison-bladder.   |          |             |         |
|           |   |          | Vol. III.   | Page    |
| Plate 19. | Fig. 1.—Oxyporus rufus, Lin   |          |             | . 414   |
|           | Fig. 2.—Head of ASTRAPŒUS ULMINEUS, Oliv.   |          |             | . 414   |
|           | Fig. 3.—STAPHYLINUS TATARICUS, Fisc.  |          |             | . 415   |
|           | Fig. 4LATHROBIUM ELONGATUM, Lin.  |          |             | . 416   |
|           | Fig. 5.—PAEDERUS RUFICOLLIS, Fab  |          |             | . 416   |
|           | Fig. 6.—PROCIRRUS LEPEBURI, Latr.   |          |             | . 416   |
|           | Fig. 7.—Head of an EVAESTHETUS .  |          |             | . 417   |
|           | Fig. 7.—Head of an EVAESTHETUS Fig. 8.—Stenus biguttatus, Lin.                              |          |             | . 417   |
|           | Fig. 9.—Anterior Tarsus of a STILICUS .   |          |             | . 416   |
|           | Fig. 10.—OXYTELUS TRICORNIS, Fab.   |          |             | . 417   |
|           | Fig. 11.—Osorius Brasiliensis, Guer.  |          |             | . 417   |
|           | Fig. 12.—ZYROPHORUS STRIATUS, Leach   |          |             | . 418   |
|           | 2.6. 22.  | •        |             |         |
|           | TO I Hard of December 1 Property I at-  |          |             | 410     |
| Plate 20. | Fig. 1.—Head of PROGNATHA RUFIPENNE, Latr.  |          | •           | . 418   |
|           | Fig. 2.—Coprophilus Rugosus, Grav.  | •        | •           | . 418   |
|           | Fig. 3.—LESTEVA DICHROA, Latr.  | •        | •           | . 418   |
|           | Fig. 4.—MICROPEPLUS MAILLEI, Dej.   | •        | •           | . 418   |
|           | Fig. 5.—ALEOCHARA CANALICULATA, Fab.  |          | •           | . 419   |
|           | Fig. 6.—Lomechusa paradoxa, Grav.   | •        | •           | . 419   |
|           | Fig. 7.—OMALIUM BLATTOIDES, Grav.   |          | •           | . 418   |
|           | Fig. 8.—Tachinus atricapillus, Fab.   | •        | •           | . 419   |
|           | Fig. 9.—Tachiporus marginatus, Grav.  | •        | •           | . 420   |
|           |   |          |             |         |
| Plate 21. | Fig. 1.—Buprestris bicolor, Latr.   |          |             | . 422   |
|           | Fig. 2 Anatomy of Buprestris Gigas, Fab.  |          |             | . 422   |
|           | Fig. 3.—BUPRESTRIS RUBRIPENNIS, Guer.   |          |             | . 422   |
|           | Fig. 4BUPRESTRIS LALANDII, Guer   |          |             | . 423   |
|           | Fig. 5.—APHANISTICUS EMARGINATUS, Latr.   |          |             | . 423   |
|           | Fig. 6 TRACHYS CRUENTATA, Fab   |          |             | . 423   |
|           | Fig. 7.—MELASIS BUPRESTOIDE, Oliv.  |          |             | . 424   |
|           |   |          |             |         |

| TABLE OF THE PLATES.  | ix       |
|---|----------|
| INSECTA. Vol. I   | II. Page |
| Plate 22. Fig. 1.—EUCNEMIS CAPUCINUS, Man.  | . 425    |
| Fig. 2.—Prerotarsus histrio, Latr.  | . 425    |
| Fig. 3.—Anatomical details of GALBA MARMORATA, Guer   | . 425    |
| Fig. 4.—Adelocera Chabannii, Guer.  | . 425    |
| Fig. 5.—Pachyderes reficultis, Guer.  | . 426    |
| Fig. 6.—CEROPHYTUM ELATEROIDES, Latr  | . 427    |
| Fig. 7.—Throscus dermestoides, Latr.; Elater dermestoides   | . 423    |
| Fig. 8.—CHELONARIUM UNDATUM, Latr.  | . 425    |
| Fig. 9.—CRYPTOSTOMA DENTICORNIS, Fab.; Elater denticornis   |          |
| Fig. 10 — Head and Corolet of Longo page 10 - Head and Longo page 10 - | . 427    |
| Fig. 10.—Head and Corslet of Lob EDERUS MONILICORNIS, Guer. Fig. 11.—Nematodes Filum, Latr.; Eunemis filum  | . 427    |
| Pig. 12. Memarobes Fillow, Latr.; Eunemis nium  | . 427    |
| Fig. 12.—Head of HEMIRHIPUS PLABELLICORNIS, Latr.; Ela  |          |
| flabellicornis  | . 427    |
| Fig. 13.—Antennæ of CTENICERA HEMATODES, Latr.  | 127      |
| Fig. 14.—ELATER PLAGIATUS, Germ.  | . 423    |
| Fig. 15.—Campylus denticollis, Fisc.  | . 429    |
| Fig. 16.—Antennæ of Phyllocerus flavipennis, Dej.   | . 429    |
|   | . 120    |
| Plate 23. Fig. 1.—Physodactylus Henningh, Fisc.   | . 430    |
| Fig. 2.—Cebrio fuscus, Gory   |          |
| Fig. 3.—Antennæ of Cebrio Gigas, (female)   | . 430    |
|   | . 430    |
| Fig. 4.—Antennæ of Anelastes Drurii, Kirby  | . 431    |
| Fig. 5.—Callirhipis Goryi, Guer.  | . 131    |
| Fig. 6.—Anatomical details of Callirhipis Dejeanii, Latr.   | . 431    |
| Fig. 7.—RHIPICERA CYANEA, Guer.   | . 431    |
| Fig. 8.—Antennæ of Rhipicera, (female)  | . 431    |
| Fig. 9.—Ptilodactyla elaterina, Illig.  | . 432    |
| Fig. 10.—ELODES PALLIDUS, Latr  | . 432    |
| Fig. 11.—Hinder foot of a SCYRTES   | . 432    |
| Fig. 12.—EUBRIA PALUSTRIS, Germ.  |          |
|   | . 433    |
| Plate 24. Fig. 1.—Lycus latissimus, Fab   | . 121    |
| Fig. 2.—Head of Dictyoptera sanguinea, Latr.; Lampyris sa   | 434      |
| rig. 2.—Head of Dictropreka Sanguinea, Latr.; Lampyris sa   |          |
| guioea, Lin.  | . 434    |
| . Fig. 3.—Antennæ of OMALISUS SATURALIS, Geoff  | . 431    |
| Fig. 4.—Drilus flavescens, (female)   | . 437    |
| Fig. 5.—Driles flavescens, (male)   | . 437    |
| Fig. 6.—Drilus ruficollis, Dej  | . 438    |
| Fig. 7.—LAMPYRIS SAVIGNYI, Kirby  | . 436    |
| Fig. 8.—Antennæ of Amydetes, Hoff.  | . 436    |
| Fig. 9 Anatomical details of CLADOPHERUS RUFICOLLIS, Guer.  | . 439    |
| Fig. 10.—Silus Tricolor, Guer   | . 439    |
|   |          |
| Fig. 11.—MALTHINUS BIGUTTATUS, UNV.   | . 439    |
| Fig. 12.—Anatomical details of CordyLocera antennata, Guer.   | . 440    |
|   |          |
| late 25. Fig. 1.—MALACHIUS RUFICOLLIS, Fab.   | . 439    |
| Fig. 2.—Dasytes trifasciatus, Guer  | . 440    |
| Fig. 3.—Zygia oblonga, Fab  | . 440    |
| Fig. 4.—MELYRIS VIRIDIS   | . 440    |
| Fig. 5.—Melyris abdominalis, Fab.   | . 440    |
| Fig. 6.—Pelecophora nigrolinata, Guer   | 441      |
| Fig. 7.—CYLIDRUS BUGUETH, Guer.   |          |
| Fig. 8.—Tillus Rubricollis, Guer.   | . 441    |
|   | . 412    |
| Fig. 9.—TILLUS UNIFASCIATUS, Fab.   | . 442    |
| Fig. 10.—Priocera variegata, Kirby  | . 442    |
| Fig. 11.—Axiana analis, Kirby   | . 442    |
| Fig. 12.—EURYPUS RUBENS, Kirby  | . 442    |
| Fig. 13.—THANASIMUS BOMBYCINUS, Chev  | . 443    |
| c   |          |
|   |          |

|           | INSECTA.   | Vol. III.  | Page  |
|-----------|--|------------|-------|
| Plate 25. | Fig. 14.—THANASIMUS FORMICARIUS, Fab.                  |            | . 443 |
|           | Fig. 15.—Opilo mollis, Latr                            |            | . 448 |
|           | Fig. 16.—CLERUS OLIVIERII, Chev.                       |            | . 443 |
|           | Fig. 17.—CLERUS ALVEARIUS, Fab.                        |            | . 443 |
|           | Fig. 18.—Necrobia violacea, Lin                        |            | . 444 |
|           | Fig. 19.—Necrobia Ruficollis, Fab.                     |            | . 444 |
|           | Fig. 20.—Enoplium viridipenne, Kirby .                 |            | . 44  |
|           |  |            |       |
|           | Fig. 1.—Ptinus italicus, Chev.                         |            | . 445 |
|           | Fig. 2.—PITILINUS SERRATICORNIS, Oliv.                 |            | . 446 |
|           | Fig. 3.—XYLETINUS PALLENS, Stev.                       |            | . 446 |
|           | Fig. 3, a, b, c.—Anatomical details of XYLETINUS PE    | CTINATUS   |       |
| ,         | Fab.   | •          | . 446 |
|           | Fig. 4.—Ochina sanguinicollis, Zicgl.                  | •          | . 446 |
|           | Fig. 5.—Dorcatoma Rubens, Chev.                        | •          | . 446 |
| 3         | Fig. 6.—GIBBIUM SCOTIAS, Oliv.; Ptinus scotias, Fab.   |            | . 445 |
|           | Fig. 7.—Anatomical details of Anobium Pertinax, Lin    |            | . 446 |
|           | Fig. 8.—Atractocerus molorchoides, Guer.               | •          | . 447 |
|           | Fig. 9.—Hylecætus Javanus, Chev                        |            | . 448 |
|           | Fig. 10.—Lymexylon navale, Oliv.                       |            | . 448 |
|           | Fig. 11.—Cupes capitata, Fab                           |            | . 448 |
|           | Fig. 12.—Rhysodes costatus, Chev.                      |            | . 448 |
| m         |  |            |       |
|           | Fig. 1.—Mastigus fuscus, Klug.                         | •          | . 450 |
|           | Fig. 2.—Scymœnus Helwegii, Latr.                       |            | . 450 |
|           | Fig. 3.—Anatomical details of Scydmenus Hirticolli     | s, Gyl.    | . 450 |
|           |  |            | . 451 |
| 1         | Fig. 5.—HISTER MANDIBULARIS, Chev.                     |            | . 452 |
|           | Fig. 6.—Anatomical details of Hister QUADRI-MACULA     |            |       |
| ]         | Fig. 7.—Sphærites Glabratus; Hister glabratus, Fab.    |            | . 453 |
|           | Fig. 8.—Necrophorus maritimus, Esch.                   |            | . 455 |
| 1         | Fig. 9.—Necrophorus germanicus, Lin                    |            | . 455 |
|           | Fig. 10.—SILPHA GRANIGERA, Chev.                       |            | . 455 |
|           | Fig. 11.—Necrodes LITTORALIS, Lin.; Silpha littoralis, | Fab.       | . 453 |
| 1         | Fig. 12.—Necrophilus hydrophiloides, Esch.             |            | . 457 |
| ]         | Fig. 13.—Agyrtes castaneus, Fab.                       |            | . 457 |
|           | Fig. 14.—Scaphidium nigripes, Chev.                    |            | . 457 |
|           | Fig. 15.—Scaphidium quatuor-maculatum, Oliv.           |            | . 457 |
|           |  |            |       |
| Plate 28. | Fig. 1.—Colobicus marginatus, Latr                     |            | . 459 |
|           | Fig. 2.—THYMALUS MARGINICOLLIS, Chev.                  |            | . 459 |
|           | Fig. 3 Anatomical details of THIMALUS LIMBATUS, Fab    |            | . 459 |
|           | Fig. 4.—IPS FASCIATA, Oliv.                            |            | . 459 |
|           | Fig. 5 Anatomical details of IPS QUATUOR-PUNCTATA, I   | Ierbst.    | . 459 |
|           | Fig. 6.—NITIDULA PERUVIANA, Guer.                      |            | . 460 |
|           | Fig. 7 Anatomical details of NITIDULA IMPERIALIS, Fa   | .b.        | . 460 |
|           | Fig. 8.—CERCUS PULICARIUS, Latr                        |            | . 460 |
|           | Fig. 9.—Byturus tomentosus, Fab.                       |            | . 460 |
|           | Fig. 10.—Dacne femoralis, Chev                         |            | . 460 |
|           | Fig. 11.—Chyptophagus nigripennis, Payk.               | <u>.</u> . | . 461 |
|           | Fig. 12.—Anatomical details of CRYPTOPHAGUS POPULI,    | Payk.      | . 461 |
| T1 + 00   |  |            | 403   |
|           | Fig. 1.—Aspidiphorus orbiculatus, Gyl.                 |            | . 461 |
|           | Fig. 2.—Dermestes carnivorus, Fab.                     |            | . 462 |
| 1         | Fig. 3.—MEGATOMA UNDATA. Latr.                         | 73.1       | . 462 |
| I         | Fig. 4.—Anatomical details of MEGATOMA TRIFASCIATA,    | rab.       | . 462 |
| 1         | Fig 5 - Attacenus serra. Fab.                          |            | . 463 |

| INSECTA.  | Vol   | . III. | Page  |
|---|-------|--------|-------|
| Plate 29. Fig. 6.—Anthrenus capensis, Fab                       |       |        | . 463 |
| Fig. 7.—Anatomical details of Nosodendron Fascicul              | LARE  | Oliv   | . 464 |
| Fig. 8.—Byrrhus alpinus, Gory                                   |       |        | . 464 |
| Fig. 9 Anatomical details of BYRRHUS DENNII, Kirby              | r ,   |        | . 464 |
| Fig. 10.—TRINODES HIRTUS, Fab.; Anthrenus hirtus                |       |        | . 464 |
| Fig. 11.—HETEROCERUS MARGINATUS, Fab.                           |       |        | . 466 |
| Fig. 12.—Foot of BYRRHUS CONCOLOR, Sturm.                       |       | •      | . 464 |
|   |       |        |       |
| Plate 30. Fig. 1.—Potamophilus orientalis, Gory .               |       |        | . 466 |
| Fig. 2.—Dryops prolifericornis, Fab.                            |       |        | . 467 |
| Fig. 3.—Anatomical details of Elmis Volckmari, Panz             |       |        | . 467 |
| Fig. 4.—Macronychus quadri-tuberculatus, Mül.                   |       |        | . 467 |
| Fig. 5.—Georissus pygmæus, Gyl                                  |       |        | . 467 |
| Fig. 6.—Elophorus nubilus, Fab.                                 |       |        | . 468 |
| Fig. 7.—Anatomical details of ELOPHORUS FENNICUS, F             | avk.  |        | . 468 |
| Fig. 8.—Antennæ of Hydrochus Elongatus, Fab.; Elo               |       | s elo  | n-    |
| gatus   |       |        | . 469 |
| Fig. 9.—Palpi of Ochthebius hybernicus, Curt.                   |       |        | . 469 |
| Fig. 10.—Anatomical details of Hydræna testacea, C              | urt.  |        | 469   |
| Fig. 11.—Spercheus sulcatus, Gory                               |       |        | . 469 |
| Fig. 12.—Anatomical details of Spercheus emarginat              | us. F | ab.    | 469   |
| Fig. 13.—GLOBARIA NITIDA, Guer. A new species                   |       |        | 470   |
| Fig. 14.—HYDROPHILUS SPINIPENNIS, Gory .                        |       |        | 471   |
| Fig. 15.—Sphæridium dimidiatum, Gory                            |       |        | 472   |
|   | Vol   | . IV   | Page  |
| Plate 31. Fig. 1.—Ateuchus Ægyptiorum, Latr.                    | 101   |        | . 5   |
| Fig. 2.—Anatomical details of ATEUCHUS SACER, Latr              |       |        | 5     |
| Fig. 3.—Circellium Hemisphericum, Latr.                         |       | •      | 6     |
| Fig. 4.—Coprobius viridis, Latr.                                | '     |        | 6     |
| Fig. 5.—Eurysternus fædus, Guer.                                | •     |        | 6     |
|   | '     | •      |       |
| Fig. 6.—Ontophagus rarus, Guer.                                 | •     | •      | . 7   |
| Fig. 7.—Anatomical details of Ontophagus vacca, Lat             | r.    |        | 7     |
| Fig. 8.—Phaneus imperator, Chev.                                | ,     |        | 8     |
| Fig. 9.—Oniticellus formosus, Chev.                             |       |        | . 7   |
| Fig. 10.—Copris bellator, Chev.                                 |       |        | 8     |
| Fig. 11.—Aphodius sipunctatus, Fab.                             | •     | •      | 9     |
| Plate 32. No. 1.—Exhibits parts of the thorax of Carabus Glabra | TUS.  |        |       |

Fig. 1.-Prothorax from above.

Fig. 2. - Prothorax from beneath.

Fig. 3.—Prosternum from the inner surface.

Fig. 4.—The omium. b.—The external surface. b\*. The reflexed margin which is attached to the inner surface of the pronotum.

Fig. 5.—Lateral view of the prosternum. c, c.—Its two internal scale-shaped processes.

Fig. 6.—Meso and Metathorax seen from above. R, R.—The rudimentary wings. b.—The same from beneath. S, S.—The first abdominal segment. S\*, S\*.—The second ditto. K, K.—Coxe of the posterior legs. T, T.—Trochanters.

Fig. 7.—Anterior view of the mesosternum. f.—Two processes which form the fork, and between which the nervous cord lies.

Fig. 8.—Anterior wings of the scapula seen from the surface. b.—The reflexed margin which lies against the posterior wings.

Fig. 9.—Posterior wings of the scapula seen from the surface. b\*.—The reflexed margin which lies against the margin of the anterior wing, and forms the suture in which both meet together.

Vol. IV. Page

# INSECTA.

Plate 32. No. 2 .- Parts of the skeleton of DYTISCUS.

Fig. 1.—Internal portion of the head. a, a.—The two ridges which proceed from the throat and enclose the cerebellum. c.—The tentorium. d.—A band, consisting of two halves, upon which the anterior portion of the cerebellum rests. e, e.—Two hooked processes, which encompass the αsophagus in front of the cerebrum. f, f.—A borny ridge to which the labrum is attached. g.—The tongue. h.—A borny semicircular bone, to which the tongue is attached. b, b.—The orbits.

Fig. 2.—The prothorax seen from beneath. b, b .- The omia.

Fig. 3.—The prosternum from behind. a, a.—The jugularia. b, b.—Internal processes of the prosternum.

Fig. 4.—The omium seen from the surface. b.—The external surface. b\*.—The reflexed margin which lies against the surface of the pronotum.

Fig. 5.-Prosternum from the side. b.-The internal processes.

Fig. 6.—Coxe, trochanters and femur of the intermediate leg. a.—
Audouin's trochantinus.

Fig. 7 .- Meso and metathorax from above.

Fig. 8 .- The same from beneath

Fig. 9.—Mesosternum exposed, so as to show its internal processes. E.—

The body of the vertebra whence the arches proceed which encompass the nervous cord. b, b, are the transverse processes. a.—The processus spinosus, consisting of two halves.

Fig. 10. - Anterior wing of the scapula (D).

Fig. 11.—Posterior wing of the scapula (D\*). b.—The reflexed margin which forms the suture with that of the anterior wing.

Fig. 12.—The connate coxe seen from the front to exhibit the process springing from them. b, b —The anterior processes. a, a, —The posterior, with their furneate brauches\*\*.

## Plate 32. No. 3. - Portions of the skeleton of Buprestis Mariana.

Fig. 1.— Prothorax from beneath. A, A.—Reflexed margin of the pronotum. B.—Prosternum. b, b.—The small round plates which correspond to the anterior wings of the scapulæ in Carabus and Dytiscus.

Fig. 2.—The same from the front. a, a.—The jugularia.

Fig. 3 .- Prosternum from the side,

Fig. 4.- Upper view of the meso and metathorax.

Fig. 5 .- The same from beneath.

Fig. 6-8.—Mesosternum and scapulæ in their natural situation. b.—
Mesosternum (E, E).

Figs. 7, 8 .- Anterior wings of the scapulæ (D, D).

Fig. 9.—Prosternum from within. a, a.—Internal processes.

Fig. 10.—Metathorax from within. b, b.—The anterior teeth. a, a.—
The posterior.

Fig. 11 .- The same from the side.

Fig. 12.—Meso and metathorax of HISTER CADAVERINUS seen from beneath.

S.—First abdominal segment.

Fig. 13.—The same from above.

| Plate 33. | Fig. 1.—ORYCTES CHEVROLATII, Guer.          |        |       |  | 15  |
|-----------|---|--------|-------|--|-----|
|           | Fig. 2.—AGACEPHALA FURCATA, Guer.           |        |       |  | 15  |
|           | Fig. 3.—SCARABÆUS MENTOR, Guer.             |        |       |  | 16  |
|           | Fig. 4 - Anotomical details of County Price | CERRON | The L |  | 7.0 |

| TABLE OF THE PLATES.   |          | xiii |
|--|----------|------|
| INSECTA. V   | ol. IV.  | Page |
| Plate 33. Fig. 5.—PILEURUS CRIBRATUS, Chevr.   |          | . 17 |
| Fig. 6.—Hexodon reticulatus, Oliv.   |          | . 17 |
| Fig. 7.—Cyclocephala frontalis, Chevr.   |          | . 17 |
| Fig. 8.—Anatomical details of Cyclocephala Geminata  | , Fab.   |      |
| Melolonthæ geminata  |          | . 18 |
|  |          |      |
| late 34. Fig. 1.—LEUCOTHYREUS NITIDICOLLIS, Guer.  |          | . 21 |
| Fig. 2.—Anatomical details of Anoplognathus Latreill   | E1, Sch. |      |
| Fig. 3.—Geniates barbatus, Kirby   |          | . 21 |
| Fig. 4.—Apogonia gemellata, Kirby  |          | . 21 |
| Fig. 5.—Melolontha Flavida, Gory   |          | . 22 |
| Fig. 6.—Antennæ of Melolontha vulgaris   |          | . 22 |
| Fig. 7.—Antennæ of Rhisotrogus Pini, Latr.   |          | . 23 |
| Fig. 8.—Ceraspis decora, Gory  |          | . 24 |
| Fig. 9.—Anatomical details of Ceraspis albida, Serv. Fig. 10.—Areoda Kirbii, Mac Leay  |          | . 24 |
| Fig. 11.—Sebica flavimana, Gory  | •        | . 24 |
| Fig. 12.—Anatomical details of Serica variabilis, Latr.  |          | 24   |
| Fig. 13.—DIPHUCEPHALA FURCATA, Guer.   |          | 24   |
| Fig. 14.—Macrodactylus saturalis, Chev.  | •        | 25   |
| The American State of the Control of |          | . 20 |
| Plate 35. Fig. 1.—Plectris tomentosa, Lep. Serv.   |          | . 25 |
| Fig. 2.—Popilia nitidicollis, Gory   |          | 25   |
| Fig. 3.—Anisoplia saturalis, Guer.   |          | 25   |
| Fig. 4.—Euchlora Viridana, Guer  |          | 25   |
| Fig. 5.—Lepisia rupicola, Serv   |          | 25   |
| Fig. 6.—DICRANIA VELUTINA, GORY  |          | 26   |
| Fig. 7.—HOPLIA FARINOSA, Fab   |          | . 26 |
| Fig. 8.—Dichelus dentipes, Serv  |          | 28   |
|  |          |      |
| late 35. bis. Fig. 1.—GLAPHYRUS RUFIPENNIS, Gory .   |          | . 27 |
| Fig. 2.—Amphicoma bombyliformis, Pall.   |          | 27   |
| Fig. 3.—Anatomical details of Amphicoma Lasserii   |          | 27   |
| Fig. 4.—Anthipna abdominalis, Esch.  |          | 27   |
| Fig. 5.—CHASMOPTERUS HIRTULUS, Illig.  |          | 28   |
| Fig. 6.—Pachyenemus crassipes, Serv.   | •        | 28   |
| Fig. 7.—Lepitrix abbreviatus, Serv.  |          | 28   |
| Fig. 8.—Monochelus gonager, Serv.  |          | 27   |
| Fig. 9.—Anisonynx nasua, Wied.   |          | 29   |
| late 36 Ein 1 Charlemanner was grown & Perch monor   | ***      | 31   |
| late 36. Fig. 1.—Cremastochellus hirtus, Gory & Perch. monogr<br>Fig. 2.—Anatomical details of Cremastochellus elon  | GATUS,   | 31   |
| Oliv   | GAIUS,   | 31   |
| Fig. 3.—Trichius zebra, Oliv.  |          | 30   |
| Fig. 4.—Anatomical details of Trichius Fasciatus, Fab.   |          | 30   |
| Fig. 5.—Goliath Micans, G. & P. Oliv.  |          | 31   |
| Fig. 6.—PLATYGNIA ZAIRICA, Mac Leay .  |          | 31   |
| Fig. 7.—Cetonia Baxii, G. & P  |          | 31   |
| Fig. 8.—Anatomical details of CETONIA AURATA, Fab.   |          | 33   |
| Fig. 9.—Gymnetis nervosa, G. & P   |          | 32   |
| Fig. 10.—Macronota & Gregia, G. & P  |          | 32   |
| 2.0  |          |      |
| late 37. Fig. 1 SINODENDRON CYLINDRICUM, Lin. Fab. ; Scarabæu  | s cylin- |      |
| dricus .   |          | 34   |
| Fig. 2.—ÆSALUS SCARABŒIDES, Fab.   |          | 34   |
| Fig. 3.—Lucanus cinnomomeus, Guer.   |          | 34   |
| Fig. 4.—PTATYCERUS AURICULATUS. Gory   |          | 36   |
| Fig. 5 LAMPRIMA ENEA, Latr.: Lethrus æneus, Fab.   |          | 34   |

F

| INSECTA.   | Vol. IV.  | Page |
|--|-----------|------|
| Plate 37. Fig. 6.—Pholidotus Humboldii, Sch.; Lamprina Hum | boldii    | . 35 |
| Fig. 7.—Passalus pentaphyllus, Palis-Bauv.                 |           | . 37 |
| Fig. 8.—Anatomical details of Passalus interruptus,        | Fab.      | . 37 |
| T  |           |      |
| Plate 38. Fig. 1.—PIMELIA VESTITA, Gory                    | •         | . 40 |
| Fig. 2.—Anatomical details of PIMELIA SERICEA              |           | . 40 |
| Fig. 3:—Enodius gibbus, Fab.                               |           | . 41 |
| Fig. 4.—Zophosis testudinarius, Oliv.                      |           | . 41 |
| Fig. 5.—NYCTELIA LUCZOTII, Chev                            | •         | . 41 |
| Fig. 5, c, d.—Anatomical details of NYCTELIA BRUNNIPE      | s, Latr.  | . 42 |
| Fig. 6.—Hegeter tagenioides, Gory                          |           | . 42 |
| Fig. 7.—Tentyria punctipennis, Lefebvre .                  |           | . 42 |
| Fig. 8.—Akis Goryi, Guer.                                  |           | . 43 |
| Fig. 9.—ELENOPHORUS AMERICANUS, Lacord.                    | • ,       | . 43 |
| Fig. 10.—Eurychora rugosula, Guer.                         |           | . 43 |
| Fig. 11.—Anatomical details of Eurychora ciliata           |           | . 43 |
| Fig. 12.—Adelostoma rugosa, Gory .                         |           | . 43 |
|  |           |      |
| Plate 38. bis. Fig. 1.—TAGENIA ORIENTALIS, Gory            |           | . 44 |
| Fig. 2.—Psammeticus costatus, Guer                         |           | . 41 |
| Fig. 3.—Scaurus rugosus, Latr                              |           | . 45 |
| Fig. 4.—Scotobius granosus, Lacord                         |           | . 45 |
| Fig. 5.—Sepidium vestitum, Gory                            |           | . 45 |
| Fig. 6.—TRACHYNOTUS VITTATUS, Latr                         |           | . 45 |
| Fig. 7Moluris Luteipes, Guer                               |           | . 45 |
| ,  |           |      |
| Plate 39. Fig. 1.—Oxura setosa, Kirby                      |           | . 46 |
| Fig. 2.—ACANTHOMERA GRATILLA, Guer. Herbst                 |           | . 46 |
| Fig. 3.—Misolampus Hoffmansegii, Guer                      |           | . 47 |
| Fig. 4.—BLAPS MORTISAGA, Fab                               |           | . 47 |
| Fig. 5Mouth and Antennæ of BLAPS SULCATA, Fab.             |           | . 47 |
| Fig. 6.—Gonopus tibialis, Latr                             |           | 48   |
| Fig. 7.—Anomalipes dentipes, Latr. Fab.                    |           | 48   |
| Fig. 8.—Corslet of Machla villosa, Herbst                  |           | 48   |
| Fig. 9.—Scotinus Brasiliensis, Gory                        |           | 48   |
| Fig. 10.—Mouth and Antennæ of Asyda Lævigata, Fal          | •         | 49   |
| Fig. 11.—Tarsus and Antennæ of OPATRINUS CHLATRATI         | te Doi    | 49   |
| Fig. 12.—Tarsus of Heliophilus Hispanicus, Dej.            | , Dej     | 49   |
| Fig. 13.—Pedinus Gibbosus, Gory                            |           | 49   |
| Fig. 14.—Anatomical details of BLAPSTINUS PUNCTATUS        | Sah       | 50   |
| Fig. 15.—Platyscelis gages, Fisc.                          | , Sen.    | 50   |
| rig. 10.—I LATISCELIS GAGES, risc.                         |           | 50   |
| Plate 40. Fig. 1.—CRYPTICUS GIBBULUS, Sch                  |           | 51   |
| Fig. 2.—OPATRUM ELONGATUM, Guer.                           |           | 51   |
| Fig. 3.—Corticus celtis, Germ.                             |           | 52   |
| Fig. 4.—Anatomical details of Orthocerus muticus, Lati     | · · Hiena |      |
|  | ·, IIIspa | 52   |
| Fig. 5.—Chiroscelis bifenestrata, Lam.                     |           | 52   |
| Fig. 6.—Toxicum curvicorne, Chev.                          |           | 52   |
| Fig. 7.—Boros thoracicus, Gyl.                             |           | 52   |
| Fig. 8.—Calcar elongatus, Herbst.                          |           | 53   |
| Fig. 9.—Upis ceramboides, Fab.                             |           | 53   |
| Fig. 10.—Anatomical details of TENEBRIO MOLITOR, Lin.      |           | 53   |
| Fig. 11.—HETEROTARSUS TENEBRIOIDES, Guer                   |           | 53   |
| Fig. 12.—TENEBRIO OBSCURUS, Fab.                           |           | 53   |
| 116, 12, 12, 12, 12, 12, 12, 12, 12, 12, 12                |           | 50   |
| Plate 41, Fig. 1.—DIAPERIS BIPUSTULATA, Brul. Lap          |           | 55   |
| Fig. 2.—Hyppophleus castaneus, Fab.                        |           | 53   |
| 1.6. 2. IIII OI II LOCO CASTAMOO, 2                        |           | -00  |

|            | TNOTIONA   | 77-1 137 | D. a. |
|------------|--|----------|-------|
|            |  | Vol. 1V. |       |
|            | Fig. 3.—Trachyscelis aphodioides, Latr.                |          | . 56  |
|            | Fig. 4.—Leiodes cinnamomea, Panz.                      |          | . 56  |
|            | Fig. 5.—Tetratoma gungorum, Fab                        |          | . 56  |
|            | Fig. 6.—Eledona corneta, Fab                           |          | . 57  |
|            | Fig. 7.—Cossyphus moniliferus, Chev                    |          | . 57  |
|            | Fig. 8.—NILIO LANATUS, Germ                            |          | . 58  |
|            | Fig. 9.—EPITRAGUS LINEATUS, Chev                       |          | . 59  |
|            | Fig. 10.—CNODALON ATRUM, Chev                          |          | . 60  |
|            | Fig. 11.—SPHENISCUS PICTUS, Chev                       |          | . 60  |
|            | 2.6.22.  |          |       |
| Plata 42   | Fig. 1.—AMARYGMUS CUPRINUS, Esch                       |          | . 60  |
| I late 42. | Fig. 2.—SPHEROTUS CURVIPES, Kirby                      |          | C1    |
|            |  | •        | . 61  |
|            | Fig. 3.—HELOPS SATURALIS, Germ.                        |          | . 61  |
|            | Fig. 4.—Anatomical details of HELOPS LANIPES, Fab.     | •        | . 61  |
|            | Fig. 5.—Lena Pinelia, Fab.                             | D l.     |       |
|            | Fig. 6 STENOTRACHELUS ÆNEUS, Latr.; Dryops æneus,      | rayk.    | . 62  |
|            | Fig. 7.—Strongylium serraticorne, Chev.                |          | . 62  |
|            | Fig. 8.—Pitho depressus, Fab                           | •        | . 62  |
|            | Fig. 9.—Castela serrata, Chev                          |          | . 63  |
|            | Fig. 10HALLOINENUS HUMERALIS, Latr                     |          | . 64  |
|            | Fig. 11.—Anatomical details of Orchesia Micans, Latr.  |          | . 64  |
|            |  |          |       |
| Plate 43.  | Fig. 1.—Dircea discolor, Fab                           |          | . 65  |
|            | Fig. 2.—MELANDRYA RUFIPES, Chev                        |          | . 65  |
|            | Fig. 3.—Serropalpus striatus, Latr                     |          | . 65  |
|            | Fig. 4.—Conopalpus flavicolle, Gyt                     |          | . 65  |
|            | Fig. 5.—CALOPUS SERRATICORNIS, Fab                     |          | . 67  |
|            | Fig. 6 DYTILUS LÆVIS, Fisch                            |          | . 67  |
|            | Fig. 7.—ÆDEMERA PODAGRARIÆ, Fab                        |          | . 67  |
|            | Fig. 8.—Stenostoma Rostratum, Char.                    |          | . 67  |
|            | Fig. 9.—Myeterus pulverulentus, Chev                   | •        | . 68  |
|            | Fig. 10.—Head of RHINOMACER ATTELABOIDES, Fab.         |          | . 68  |
|            | Fig. 11.—Rhinosimus ruficollis, Fab.                   |          | . 68  |
|            | 11g. 11.—Ithinostmus kuricullis, Pau                   |          | . 00  |
| Plate 41   | Fig. 1.—LAGRIA GIGAS, Guer                             |          | . 70  |
| 1 late 44. |  | •        | . 70  |
|            | Fig. 2.—Statira caraboides, Guer.                      |          | . 71  |
|            | Fig. 3.—Pyroohroa coccinea, Fab                        | •        | . 71  |
|            | Fig. 4.—RIPIPHORUS RUFIPENNIS, Chev                    |          |       |
|            | Fig. 5.—Myodites Americanus, Guer.                     | •        | . 72  |
|            | Fig. 6.—Pelbcotoma Frivaldiskii, Sturm.                |          | . 72  |
|            | Fig. 7.—Mordella picta, Chev.                          |          | . 72  |
|            | Fig. 8.—SCRAPTIA DUBIA, Oliv                           |          | . 73  |
|            | Fig. 9.—Notoxus fasciatus, Chev                        |          | . 73  |
|            | Fig. 10.—Cissites testaceus, Latr                      |          | . 74  |
|            |  |          |       |
| Plate 45.  | Fig. 1.—Antennæ of Cerocoma Schæfferi, Lin             |          | . 75  |
|            | Fig. 2.—HYCLŒUS DECIM-GUTTATUS, Chev                   |          | . 76  |
|            | Fig. 3.—Antennæ of Aritnæma Duodecim-Punctata, C.      | hev.     | . 76  |
|            | Fig. 4.—MYLABRIS MYOPS, Chev                           |          | . 76  |
|            | Fig. 5.—Antennæ of ŒNAS AFFER, Fab.                    |          | . 76  |
|            | Fig. 6Meloe cordillieræ, Chev                          |          | . 77  |
|            | Fig. 7.—Anatomical details of Meloe Brevicollis, Panz. |          | . 77  |
|            | Fig. 8.—TETRAONYX VENTRALIS, Chev.                     |          | . 77  |
|            | Fig. 9.—Cantharis sulcifrons, Chev                     |          | . 77  |
|            |  |          | . 79  |
|            | Fig. 10.—Anatomical details of Cantharis Vessicatori.  |          |       |
|            | Fig. 11.—ZONITIS PUNCTICOLLIS, Chev.                   | 0.027777 | . 79  |
|            | Fig. 12.—Anatomical details of NEMOGNATHA CHRY         | SOMELIN. | Α,    |
|            | Fab.; Zonitis chrysomelina                             | •        | . 79  |
|            | Fig. 13.—LEPTOPALPUS CHEVROLATII, Guer.                |          | . 79  |

|           | INSECTA.  |     | Vol. | IV. I |      |
|-----------|---|-----|------|-------|------|
| Plate 45  | Fig. 14.—GNATHIUM FLAVICOLLE, Chev.   |     |      |       | 7    |
|           | Fig. 15.—SITARIS HUMERALIS, Fab.  |     |      |       | 80   |
| 701       | ER I D  |     |      |       | 0.6  |
| Plate 46. |   |     |      | •     | 85   |
|           | Fig. 2.—RHÆBUS GEBLERI, Fisch   |     |      |       | 83   |
|           | Fig. 3.—Anthribus Garnotii, Guer.   |     | •    |       | -    |
|           | Fig. 4.—Attelabus falcatus, Guer.   |     |      | •     |      |
|           | Fig. 5.—RILINOTIA HÆMOPTERA, KIRBY  |     | •    | •     | 8    |
|           | Fig. 6.—Eurhinus conicus, Guer.   |     |      |       | 8    |
|           | Fig. 7.—Brentus Italicus, Latr.   |     |      | •     |      |
|           | Fig. 7.—Brentus Italicus, Latr. Fig. 8.—Ceocephalus furcillatus, Schu. Fig. 9.—Antennæ of Ulocerus, cinereus, Lat |     |      | •     | - 8- |
|           | Fig. 9.—Antennæ of Ulocerus, Cinereus, Lat  | r.  |      |       | 8    |
|           | Fig. 10.—CYLAS LONGICULLIS, Chev.   |     |      |       | 8-   |
| Di-1- 47  | Fig. 1. Parameter ages and Char   |     |      |       | 85   |
| Plate 47  | Fig. 1.—Brachycerus oculatus, Chev.   |     |      |       |      |
|           | Fig. 2.—Cyclomus coronatus, Schn.   |     |      | •     | 85   |
|           | Fig. 3.—CYPHUS ILLUSTRIS, Chev.   | •   |      |       | 86   |
|           | Fig. 4.—Cyphus dives, Illig.  |     |      |       | 86   |
|           | Fig. 5.—LEPTOCERUS MACILENTUS, Chev.  |     | •    |       | 87   |
|           | Fig. 6.—PACHYRHYNCHUS PROFANUS, Esch  |     |      |       | 87   |
|           | Fig. 7.—Syzygops cyclops, Schn.   |     |      |       | 87   |
|           | Fig. 8.—RHYTIRRHINUS INFORMIS, Chev.  | •   |      |       | 88   |
|           | Fig. 7.—Syzygops cyclops, Schn. Fig. 8.—Rhytirrhinus informis, Chev. Fig. 9.—Cleonus Guttatus, Chev.              |     |      |       | - 88 |
|           | Fig. 10.—LIXUS VITTAGER, Godet . Fig. 11.—Mouth of Chlorophanus viridis, Sc                                       |     |      |       | 89   |
|           | Fig. 11.—Mouth of Chlorophanus viridis, Sc  | hn. | •    | •     | 89   |
| 701 . 40  | T: 1 7 G G  |     |      |       | 0.0  |
| Plate 48. | Fig. 1.—Lemosaccus Chevrolatii, Guer.   |     |      |       | 89   |
|           | Fig. 2.—Bagous binodosus, Gyl.  | •   | •    |       | 89   |
|           | Fig. 3.—Brachonyx indigena, Gyl   |     |      |       | 90   |
|           | Fig. 4.—BALANINUS NUCUM, Lin.   |     | •    |       | 90   |
|           | Fig. 5.—Heilipus peplus, Schu   |     |      |       | 90   |
|           | Fig. 6.—Alcides preustus, Guer  |     |      |       |      |
|           | Fig. 7.—Myorhinus albolineatus, .   |     |      |       | 90   |
|           | Fig. 8.—Cionis pulverosus, Pareys .   |     |      |       | 90   |
|           | Fig 9.—Tachygonus horridus, Chev  |     |      |       | 90   |
|           | 771 - 77  |     |      |       |      |
| Plate 49. | Fig. 1.—Cholus flavo-fasciatus, Chev.   | •   | •    |       | 91   |
|           | Fig. 2.—Camptorhynchus flattuarius, Gern  | 1.  |      |       | 91   |
|           | Fig. 3.—Centrinus curvirostris, Chev.   |     |      |       | 91   |
|           | Fig. 4.—Zygobs Rubricollis, Chev  |     |      |       | 91   |
|           | Fig. 5.—CENTORHYNCHUS SII, Chev   |     |      |       | 91   |
|           | Fig. 6 HYDATICUS COMARII, Schn  |     |      |       | 92   |
|           | Fig. 6.—HYDATICUS COMARII, Schn. Fig. 7.—Diorymerus altus, Germ.  |     |      |       | 92   |
|           | Fig. 8 -MECOPUS TRILINEATUS, Guer.  |     |      |       | 92   |
|           | Fig. 9.—Gorgus bispinosus, Chev.  |     |      |       | 92   |
|           | Fig. 10.—Tylodes PTINIOIDES, Gyl  |     |      |       | 92   |
|           |   |     |      |       |      |
| Plate 50. | Fig. 1.—Anchonus suillus, Fab   |     |      |       | 92   |
|           | Fig. 2.—RHINA BARBIROSTRIS, Fab.  |     |      |       | 93   |
|           | Fig. 3.—CALANDRA GUERINI, Chev  |     |      |       | 93   |
|           | Fig. 4.—CALANDRA TAITENSE, Guer.  |     |      |       | 93   |
|           |   |     |      |       | 93   |
|           | Fig. 6.—CERCIDOCERUS NIGROLATERALIS, Guer   |     |      |       | 93   |
|           | Fig. 7.—Cossonus ephippiger, Guer   |     |      |       | 93   |
|           | Fig. 8 DRYOPTHORUS LYMEXILON, Fab.  |     |      |       | 93   |
|           | Fig. 9 TRIGONOTARSUS CALANDROIDES, Guer.  |     |      |       | 93   |
|           |   |     |      |       |      |
| Plate 51. | Fig. 1 Scolytus Flavicornis, Chev   |     |      |       | 95   |
|           | Fig. 2.—Antennæ of HYLURGUS PINIPERDA   |     |      |       | 95   |
|           |   |     |      |       |      |

|           | TABLE OF THE PLATES.   |           | xvii  |
|-----------|--|-----------|-------|
|           | INSECTA.   | Vol. IV.  | Page  |
| Plate 51. | Fig. 3.—Antednæ of Camptocerus æneipennis, Oliv.                       |           | . 95  |
|           | Fig. 4.—Phloiotribus oleæ, Latr  |           | . 95  |
|           | Fig. 5.—Antennæ of Tomicus bispinus, Meg                               |           | . 95  |
|           | Fig. 6.—PLATYPUS POEYI, Guer   |           | . 95  |
|           | Fig. 6.—PLATYPUS POEYI, Guer Fig. 7.—Mouth of PLATYPUS CYLINDRUS, Fab. |           | . 96  |
|           | Fig. 8.—Paussus curvicornis, Chev                                      |           | . 96  |
|           | Fig. 9.—Paussus microcephalus  |           | . 96  |
|           | Fig. 10Anatomical details of PAUSSUS MICROCEPH                         | ialits an | d     |
|           | PAUSSUS PENTAPLATARTHRUS .   |           | . 96  |
|           | Fig. 11.—PLATYRHOPALUS MELLEI, West .                                  |           | . 96  |
|           | Fig. 12.—Antenna of CERAPTERUS LATIPES, West                           |           | . 96  |
|           | Fig. 13.—Bostrichus Dupourii, Latr .                                   |           | . 97  |
|           | Fig. 14.—CIS INÆQUIDENS, Chev.   |           | . 97  |
|           | Fig. 15.—Nemosoma elongatum, Lin.                                      |           | . 97  |
|           | Fig. 16.—SYNCHITA UNDATA, Guer.  |           | . 98  |
|           | ,                                |           |       |
| Plate 52. | Fig. 1.—Cucujus mandibularis, Gory .                                   |           | . 102 |
|           | Fig. 2.—Anatomical details of Cucujus Depressus, Fab.                  |           | . 102 |
|           | Fig. 3.—Brontes spinicollis, Gory                                      |           | . 102 |
|           | Fig. 4.—Anatomical details of Brontes Flavipes, Fab.                   |           | . 102 |
|           | Fig. 5.—Dendrophagus Crenatus, Payk.                                   |           | . 102 |
|           | Fig. 6 Spondylus buprestoides, Fab                                     |           | . 105 |
|           | Fig. 7.—PARANDRA LINEOLA, GOTY   |           | . 103 |
|           | Fig. 8.—Prionus Desmarestit, Guer.                                     |           | . 105 |
|           |  |           |       |
|           | Fig. 9.—Anacolus sanguineus, Serv.                                     | •         | . 106 |
|           | Fig. 10.—Prionapterus staphilinus, Guer.                               | •         | . 106 |
| D1.4. 59  | Fig. 1. I receive any contract Con-                                    |           | 107   |
| rate 33.  | Fig. 1.—Lissonotus unifasciatus, Gory                                  | •         | . 107 |
|           | Fig. 2.—MEGADERUS STIGMA, Fab.   | •         | . 107 |
|           | Fig. 3.—TRACHYDERES NIGROFASCIATUS, Gory                               |           | . 108 |
|           | Fig. 4.—Anatomical details of TRACHYDERES SUCCINCTUS                   | , Fab.    | . 108 |
|           | Fig. 5.—Lophonocerus Barbicornis, Oliv.                                |           | . 108 |
|           | Fig. 6.—Callichroma speciosa, Gory .                                   |           | . 109 |
|           | Fig. 7.—ACANTHOPTERUS TRIPUNCTATUS, Gory                               |           | . 110 |
|           | Fig. 8.—Anatomical details of Acanthopterus budensi                    | s, Goeze  |       |
|           | Fig. 9.—Antennæ of CERAMBYX HEROS, Fab.                                |           | . 110 |
|           | Fig. 10.—Cerambyx hemipterus, Oliv.                                    |           | . 110 |
|           |  |           |       |
| Plate 54. | Fig. 1.—CERAMBYX RUFIPENNIS, Gory .                                    |           | . 111 |
|           | Fig. 2.—CERAMBYX SPECULIFER, Gory .                                    |           | . 111 |
|           | Fig. 3.—CERAMBYX HIRTIPES, Oliv.                                       |           | . 111 |
|           | Fig. 4.—Callidium insubrecum, Ziegler                                  |           | . 112 |
|           | Fig. 5.—Certalium ruficolle, Fab.                                      |           | . 112 |
|           | Fig. 6.—OBRIUM FERRUGINEUM, Fab.                                       |           | . 112 |
|           | Fig. 7.—RHINOTRAGUS COCCINEUS, Gory .                                  |           | . 113 |
|           | Fig. 8.—NECYDALIS MAJOR, Lin   |           | . 113 |
|           | Fig. 9.—STENOPTERUS ELEGANS, Klug.                                     |           | . 113 |
|           | 8  | •         |       |
| Plate 55. | Fig. 1.—Acrocinus trochlearis, Gory .                                  |           | . 115 |
|           | Fig. 2.—LAMIA AUROCINCTA, GOTY   |           | . 115 |
|           | Fig. 3.—TETRAOPES DIMIDIATA, Gory                                      |           | . 116 |
|           | Fig. 4.—SAPERDA ALBICANS, Guer   | •         |       |
|           | Fig. 5.—Anatomical details of Saperda Atkinsoni, Cu                    | etic      | . 117 |
|           | Fig. 6.—Antennæ of Distichocera Maculicollis, Kirby                    |           | . 114 |
|           | Fig. 7.—Tinesisternus bizonulatus, Guer.                               |           |       |
|           | Fig. 8.—Tracocerus bidentatus, Donov.                                  | •         | . 114 |
|           |  |           | . 114 |
|           | Fig. 9.—Leptocera bilineata, Gory .                                    | *         | . 114 |
| Plate 56  | Fig 1 Drayocepre cyanere Fab . Stonadama annu-                         | 10        | 710   |
| Late 00,  | Fig. 1.—Desmocerus cyaneus, Fab.; Stenoderus cyaneu                    | 15        | ; I19 |
|           |  |           | CL .  |

| INSECTA.  Plate 56. Fig. 2.—Vesperus græcus, Guer.  Fig. 3.—Rhagium bifasciatum, Fab.  Fig. 4.—Rhamnusium salicis, Fab.  Fig. 5.—Toxotus meridianus, Fab.  Fig. 6.—Pachyya Laportii, Guer.  Fig. 7.—Stendberus ceramboides, Kirby  Fig. 8.—Leptura annulata, Gory  |           | Vol.    | IV. 1 | Page  |
|--|-----------|---------|-------|-------|
| Plate 56. Fig. 2VESPERUS GRÆCUS, Guer.   |           |         |       | 120   |
| Fig. 3.—Rhagium bifasciatum, Fab.  |           |         |       | 120   |
| Fig. 4.—RHAMNUSIUM SALICIS, Fab.   |           | :       |       | 120   |
| Fig. 5.—Toxotus meridianus, Fab.   |           |         |       | 120   |
| Fig. 6.—PACHYTA LAPORTH, Guer  |           |         |       | 120   |
| Fig. 7.—Stenoderus ceramboides, Kirby .  |           |         |       | 121   |
| Fig. 8.—LEPTURA ANNULATA, Gory .   |           |         |       | 121   |
|  |           |         |       |       |
| Plate 57. Fig. 1.—MEGALOPUS UNIFASCIATUS, Gory .   |           |         |       | 123   |
| Fig. 2.—SAGRA CYANEA, Dalm.  |           |         |       | 123   |
| Fig. 3.—Anatomical details of Sagra splendida, F   | ab.       |         |       | 123   |
| Fig. 4.—Orsodacna violacea, Chev.  |           |         |       | 123   |
| Fig. 3.—AGRA OTABEA, DAMIN.  Fig. 3.—ANATOMICAL details of SAGRA SPLENDIDA, F Fig. 4.—ORSODACKA VIOLACEA, Chev. Fig. 5.—PSAMMECHUS BIPUNCTATUS, F. BOUDIER Fig. 6.—DONACIA FERNICA, Gyl. Fig. 7.—Anatomical details of DONACIA SAGITTARI Fig. 8.—Hinder Tarsus of Hæmonia Zoskwræ, Gyl Fig. 9.—Petauristes Crassipes, Oliv. Fig. 10.—CRIOCERIS DORVCUS, GUCT. Fig. 11.—ANCHENIA BETULÆ, Fab. Fig. 12.—MEGASCELIS PRASINA, Chev.  |           |         |       | 123   |
| Fig. 6.—Donacia pennica, Gyl.  |           |         |       | 124   |
| Fig. 7.—Anatomical details of Donacia Sagittari.   | Æ, Fa     | ıb.     |       | . 124 |
| Fig. 8.—Hinder Tarsus of Hæmonia zosturæ, Gyl  | l.        |         |       | . 124 |
| Fig. 9.—Petauristes crassipes, Oliv.   |           |         |       | . 124 |
| Fig. 10.—Crioceris dorycus, Guer   |           |         |       | , 125 |
| Fig. 11.—Anchenia betulæ, Fab.   |           |         |       | . 125 |
| Fig. 10.—Crioceris dorycus, Guer. Fig. 11.—Anchenia betulæ, Fab. Fig. 12.—Megasuelis prasina, Chev.  |           |         |       | . 126 |
|  |           |         |       |       |
| Plate 58. Fig. 1.—Aluenus corallinus, Vigors .   |           |         |       | . 127 |
| Fig. 2.—Oxycephala cornigera, Guer   |           |         |       | . 128 |
| Fig. 3.—Hispa Fabricii, Guer   |           |         |       | . 128 |
| Fig. 4.—Anatomy of the foot of Chalepus spinipes   | , Fab     |         |       | . 12  |
| Fig. 5.—Cassida Longicornis, Fab.  |           |         |       | . 129 |
| Fig. 6.—Anatomical details of Cassida discors, Fal   | b.        |         |       | . 129 |
| Fig. 7.—Antennæ of CRYPTOCEPHALUS SPECIOSUS.   | Guer.     |         |       | . 129 |
| Fig. 8.—CLYTHRA PARCHERON, Gory  |           |         |       | . 130 |
| Fig. 9.—CHLAMYS CAPREA, Klug.  |           |         |       | . 130 |
| Fig. 10.—LAMPROSOMA CORRUSCA, GORV   |           | •       |       | . 130 |
| Fig. 11.—Chorages Sheppardi, Kirby   |           |         |       | . 13  |
| Fig. 12.—EURYOPE OUADRI-MACULATA, Oliv.  |           |         |       | . 13  |
| Fig. 13.—EUMOLPUS CYANEUS, Fab.  |           |         |       | 13    |
| Fig. 12.—MEGASCELIS PRASINA, Chev.  Plate 58. Fig. 1.—ALUENUS CORALLINUS, VIGOTS Fig. 2.—ONYCEPHALA CORNIGERA, GUET Fig. 3.—HISPA FARRICH, GUET. Fig. 4.—Anatomy of the foot of CHALEPUS SPINIPES Fig. 5.—CASSIDA LONGICORNIS, Fab. Fig. 6.—Anatomical details of CASSIDA DISCOPS, Fal Fig. 7.—Antenne of Chyptocephalus speciosts, if Fig. 8.—CLYPTRA PRACHERON, GOTY Fig. 9.—CHLAMYS CAPREA, Klug. Fig. 10.—LAMPROSOMA CORRISCA, GOTY Fig. 11.—CHORAGUS SHEPPARDI, Kirby Fig. 12.—EURYOFE QUADRI-MACLIATA, Oliv. Fig. 13.—EUROLPUS CYANEUS, Fab. |           |         |       |       |
|  |           |         |       | . 13  |
| Fig. 2.—Podontia affinis, Germ.  | •         |         | •     | . 13  |
| Fig. 3 Phyliocharis Bigingta Guer  |           |         |       |       |
| Fig. 4 Physicocharis splendens Guer  | •         |         | •     | 19    |
| E. 5 Darvehora Metri-Programa Chor   |           | •       |       | 10    |
| Tie C Polym of Daryphona and year Chay   | •         |         | •     | . 10  |
| Pig. 0.—I dipæ of Dokt Flora Abt aca, Olice.   |           | •       |       | 10    |
| Fig. 2.—PODONTIA AFFINIS, GERM. Fig. 3.—PHYLLOCHARIS BICINCTA, GUER. Fig. 4.—PHYLLOCHARIS SPLENDENS, GUER. Fig. 5.—DORYPHOBA MULTI-PUNCTATA, Chev. Fig. 6.—Palpæ of DoryPHOBA ADINCA, Chev. Fig. 7.—PAROPSIS OCTO-LINEATA, GORY Fig. 8.—TIMARCHA BALEARICA, GORY Fig. 9.—CHRYSONELA HUNBEALIS, GORY Fig. 10.—Palpæ of CHRYSONELA SINGUINALENTA   | •         |         |       | . 10  |
| Fig. 0.—I MARCHA BALEARICA, GOLY   |           | •       |       | . 10  |
| Fig. 9.—CHRYSOMELA REMERALIS, GOLY   | Time      |         |       | . 10  |
|  |           |         |       | • 13  |
| Fig. 11.—PHEDON CYANOPTERUS, GOTY Fig. 12.—PRASOCURIS HANOVERIANA, Fab.  | •         |         | •     |       |
| Fig. 12.—PRASOCURIS MANOVERIANA, Fab   |           | *       |       | . 13  |
| Die to it Die 1 Angress neuern Chan  |           |         |       | 7.0   |
| Plate 59. bis. Fig. 1.—Adortum Basale, Guer.   |           | C       |       | . 13  |
| Fig. 2.—Anatomical details of Adorium bipune Fig. 3.—Galeruca dimidiata, Guer.   | o i A I l | , NI, U | uev.  |       |
| Fig. 5.—GALLERUA DIMIDIATA, Guer.  | W. M. W.  | nl.     |       | . 13  |
| Fig. 4.—Anatomical details of GALERUCA VIBU  | KNI,      | Layk    |       | . 13  |
| Fig. 5.—Antennæ of Galeruca quadri-macti   | ATA,      | Lin.    |       | . 13  |
| Fig. 6.—Luferus cinctellus, Chev.  | o         |         |       | . 13  |
| Fig. 7.—Anatomical details of Luperus Brassi   | CÆ, I     | anz.    |       | . 13  |
| Fig. 8.—Octogonotes quadri-lineatus, Che   | ٧.        |         |       | . 1:  |
| Fig. 9.—Octogonotes thoracters, Bose, Fig. 10.—Œdionychis figuratis, Chev,   |           |         |       | . 13  |
| Fig. 10.—CEDIONYCHIS FIGURATIS, Chev,  |           |         |       | . 13  |
| Fig. 11.—Psylloides Anglica, Chev.   |           |         | -     | 12    |

# TABLE OF THE PLATES.

|           | INSECTA.   | Vol.  | V. Page        |
|-----------|--|-------|----------------|
| Plate 59  | bis. Fig. 12.—DIBOLIA BOREALIS, Chev.  |       | . 136          |
|           | Fig. 13.—Altica Chevrolatii, Guer  |       | . 136          |
|           | Fig. 14.—Longitarses dorsalis, Fab   | •     | . 137          |
| Plate 60  | Fig. 1 - Francis Programmes Chan A nomenaging  |       | 1:27           |
| 1 fate 00 | Fig. 1.—EROTYLUS BENGALENSIS, Guer. A new species. Fig. 2.—AEGYTHUS SURINAMENSIS, Fab        |       | . 137          |
|           |  | •     | . 138          |
|           | Fig. 3.—Triplax Brunnipes, Chev.   | •     |                |
|           | Fig. 4.—Antennæ of TRIPLAX NIGRIPENNIS, Fab.   |       | . 138          |
|           | Fig. 5.—LANGURIA AFRICANA, Chev. Fig. 6.—PHALACHRUS GRANULATUS, Guer.                        | •     | . 138          |
|           |  | •     |                |
|           | Fig. 7.—EUMORPHUS HAMATUS, Guer. Fig. 8.—Dapsa trimaculata, Meg.                             |       | . 139<br>. 139 |
|           | Fig. 9.—Eudomychus tibialis, Chev.   | •     | . 139          |
|           | Fig. 10.—Anatomical details of Lycoperdina Bivistæ,  | Fab   | . 139          |
|           | Fig. 11.—Lycoperdina Lata, Chev  | cao.  | . 139          |
|           | Fig. 12.—Lithophilus rupicollis, Dahl.   |       | . 140          |
|           | 116. 14. Dilhorning kericophis, Dani.  | •     | . 140          |
| Plate 61. | Fig. 1.—Coccinelia furcifera, Guer.  |       | . 141          |
|           | Fig. 2 Anatomical details of COCCINELIA OCELLATA, Li   | n.    | . 141          |
|           | Fig. 3.—CACIDULA LITURA, Fab   |       | . 141          |
|           | Fig. 4.—SCYMNUS QUADRI-NOTTATUS, Illig   |       | . 141          |
|           | Fig. 5.—CLYPEASTER PUSILLUS, Gyl   |       | . 141          |
|           | Fig. 6METOPIAS CURCULIONOIDES, Gory .  |       | . 141          |
|           | Fig. 7.—CHENNIUM BITUBERCULATUM, Latr  |       | . 142          |
|           | Fig. 8.—Anatomical details of a Dionix .   |       | . 142          |
|           | Fig. 9.—Pythints securiger, Leach  |       | . 142          |
|           | Fig. 10.—PSELAPHUS HEISEL, Herbst  |       | . 142          |
|           | Fig. 11.—BRYAKIS LEFEBURII, Aube   |       | . 143          |
|           | Fig. 12.—BRYAXIS LONGICORNIS, Leach .  |       | . 143          |
|           | Fig. 13.—BRYAXIS ANTENNATA, Aube   |       | . 143          |
|           | Fig. 14 Publicatics Kirrii, Denny  |       | . 143          |
|           | Fig. 15.—Anatomical details of Explectus NANUS, Reich.                                       |       | . 143          |
|           | Fig. 16.—CLAVIGER FOVEOLATUS, Müll.  |       | . 143          |
|           | Fig. 17 PTILLIUM FASICULARE, Herbst  |       | . 144          |
|           |  |       |                |
| Plate 62. | Fig. 1.—Forficula croceipennis, Serv   |       | . 146          |
|           | Fig. 2.—Anatomical details of Forficula Auricularia, I                                       | in.   | . 147          |
|           | Fig. 3.—BLATTA PICTA, Fab.   |       | . 148          |
|           | Fig. 4.—Anatomical details of BLATTA ÆGYPTIACA, Fab.   |       | . 148          |
|           | Fig. 5.—EMPUSA LOBIPES, Oliv   |       | . 149          |
|           | Fig. 6.—Anatomical details of EMPUSA PAUPERATA, Fab.   |       | . 150          |
|           | Fig. 7.—Anatomical details of MANTIS RELIGIOSA, Lin.   |       | . 150          |
| 21 . 00   | 771 2 77   |       |                |
| late 63.  | Fig. 1.—Phasma annulata, Serv  |       | . 151          |
|           | Fig. 2.—Antennæ of a Bacillus Fig. 3.—Head of a Cyphograna Fig. 4.—Bacteria scaerosa, Perch. |       | . 150          |
|           | Fig. 3.—Head of a Cyphocrana   |       | . 150          |
|           | Fig. 4 —BACTERIA SCABROSA, Perch.  | a     | . 150          |
|           | Fig. 5.—Anatomical details of CLADONERUS ROSEIPENNIS,  | Guer. | . 151          |
| 210464    | Fig. 1. Commerce Commerce Com  |       | 1.00           |
| iate 01.  | Fig. 1.—GRYLLUS SERVEILLEI, Guer Fig. 2.—Anatomical details of GRYLLUS CAMPESTRIS, Fab.      |       | . 152          |
|           |  |       | . 153          |
|           | Fig. 3.—GRYLLOTALPA DIDACTYLUS, Latr.  | •     | . 152          |
|           | Fig. 4.—Anatomical details of GRYLLOTALPA VULGARIS   |       | . 152          |
|           | Fig. 5.—Tridactylus fasciatus, Perch. Fig. 6.—Myrmecophila acervorum, Panz.                  |       | . 153          |
|           | Fig. 7.—Locusta erythrosoma, Encyc.  |       | . 154          |
|           | Fig. 8.—PNEUMORA INANIS, Fab.  |       | 154            |
|           | Fig. 9.—Acrydium tarsatim, Serv,   |       | . 155          |
|           | Fig. 10.—Anatomical details of Acrypium migratorium  | •     | · 157          |
|           |  |       |                |

|           | INSECTA.  | Vol.       | IV.   | Page                                      |
|-----------|---|------------|-------|---|
| Plate 65. | Fig. 1.—Scutellera Dives, Guer. Fig. 2.—Pentatoma yolofa, Guer. Fig. 3.—Anatomical details of Pentatoma Grisea, La  |            |       | . 160                                     |
|           | Fig. 2.—Pentatoma yolofa, Guer  |            |       | . 160                                     |
|           | Fig. 3 Anatomical details of PENTATOMA GRISEA, La   | atr        |       | . 161                                     |
|           |   |            |       | . 161<br>. 161                            |
|           | Fig. 5.—PHLEA CASSIDOIDES, Serv. and St. Farg.  |            |       | . 161                                     |
|           | Fig. 6.—Coreus rubiginosus, Guer.   |            |       | . 161                                     |
|           | Fig. 4.—TESSERATONA SONNERATH, Serv. and St. Far<br>Fig. 5.—PH.E.A CASSIDOIDES, Serv. and St. Farg.<br>Fig. 6.—Coreus rubiginosus, Guer.<br>Fig. 6. a.—Antenna of a Gronocerus<br>Fig. 6. b.—Antenna of a Synomastes  |            |       | . 162                                     |
|           | Fig. 6. b.—Antennæ of a Syromastes  |            |       | . 162                                     |
|           | Fig. 7.—Antennæ of a Pachlis  |            |       | . 162                                     |
|           | Fig. 8Antennæ of a HOLHYMENIA   |            |       | . 162                                     |
|           | Fig. 9.—Aniscscelis profanus, Fab.  |            |       | . 162                                     |
|           | Fig. 10.—ALYDUS ANNULICORNIS, Guer.   |            |       | . 163                                     |
|           | Fig. 6. a.—Antennæ of a Gonocerts Fig. 6. b.—Antennæ of a Syromastes Fig. 7.—Antennæ of a Pachlis Fig. 8.—Antennæ of a Holhymenia Fig. 9.—Ansescelis Profants, Fab. Fig. 10.—Alydds anvulicionnis, Guer. Fig. 11.—Neides tipularia, Latr.   |            |       | . 163                                     |
|           | Fig. 1.—Lygeus Pæyi, Guer. Fig. 2.—Anatomical details of Lygeus apterus, Lin. Fig. 3.—Macrocherata grandis, Gray Fig. 4.—Salda erythrocephala, Serv. Fig. 5.—Head of Myodocha tipuloides, Latr. Fig. 6.—Astemma mercurialis, Guer.  |            |       |   |
| Plate 66. | Fig. 1.—Lygæus Pæyi, Guer   |            |       | . 163                                     |
|           | Fig. 2.—Anatomical details of LYGEUS APTERUS, Lin.  |            |       | . 163                                     |
|           | Fig. 3.—MACROCHERAIA GRANDIS, Gray .  |            |       | . 163                                     |
|           | Fig. 4.—SALDA ERYTHROCEPHALA, Serv  |            |       | . 163                                     |
|           | Fig. 5.—Head of Myodocha TIPULOIDES, Latr   |            |       | . 164                                     |
|           | Fig. 6.—Astemma mercurialis, Guer. Fig. 7.—Myris pulchellus, Guer. Fig. 8.—Antennæ of Capsus flavicollis, Fab.  |            |       | . 164                                     |
|           | Fig. 7.—Myris pulchellus, Guer  |            |       | . 164                                     |
|           | Fig. 8.—Antennæ of Capsus Flavicollis, Fab.   |            |       | . 164                                     |
|           | Fig. 9 Antennæ of HETER SPISSICORNIS, Latr.; Capsu  | ts spissio | corni | s 164                                     |
|           | Fig. 10.—Macrocephalus affinis, Guer.   |            |       | . 165                                     |
|           | Fig. 11.—Antennæ of Ph. CRASSIPES, Fab.   |            |       | . 165                                     |
|           | Fig. 12.—Antennæ of Ph. EROSA, Fab.   |            |       | . 165                                     |
|           | Fig. 13 -Antenna of Tingis Pyri, Fab.   |            |       | . 165                                     |
|           | Fig. 14.—Antennæ of Arabus Corticalis   |            |       | . 165<br>. 165<br>. 165                   |
|           | Fig. 15.—ARADUS LUNATUS, Fab.   |            |       | . 165                                     |
|           | Fig. 16 -Anatomical details of CIMEN LECTULARIUS.   | Lin.       |       | . 165                                     |
|           | Fig. 17 REDUCTIS AMENUS Guer.   |            |       | . 166                                     |
|           | Fig. 18.—Repuylus Personatus, Lin.  |            |       | . 166                                     |
|           | Fig. 9.—Antenne of Heter spissionnis, Lair.; Capst Fig. 10.—Macrocept-Alus affinis, Guer. Fig. 11.—Antenne of Ph. Crassipes, Fab. Fig. 12.—Antenne of Ph. Erosa, Fab. Fig. 13.—Antenne of Tings pyri, Fab. Fig. 14.—Antenne of Aradus Conticalis Fig. 15.—Aradus Lunatus, Fig. 16.—Aradus Lunatus, Fig. 16.—Anadus Lunatus, Guer. Fig. 17.—Reduvius amenus, Guer. Fig. 18.—Reduvius fersonatus, Lin. Fig. 19.—Ploiaria pallida, Guer. |            | •     | . 167                                     |
|           |   |            |       |   |
| Plate 67. | Fig. 1.—HYDROMETRA STAGNORUM, Lin   |            |       | . 167<br>. 168<br>. 168<br>. 168          |
|           | T: 0 C C  |            |       | . 168                                     |
|           | Fig 3,-Velia Rivulorum, Fab   |            |       | . 168                                     |
|           | Fig. 2.—Cerris Marginatis, Guer. Fig. 3.—Velia rivictorin, Fab. Fig. 4.—Galgulus Flavus, Guer. Fig. 5.—Naucoris Pobyl, Guer. Fig. 6.—Antennæ of Sphærodema rotundata, Lap. Fig. 7.—Nepa griska, Guer. Fig. 8.—Ranatra filifornis, Fab.  |            |       | . 168                                     |
|           | Fig. 5NAUCORIS POBYL Gur  |            |       | . 169                                     |
|           | Fig. 6 Antennæ of SPHERODEMA ROTUNDATA, Lap.  |            |       | . 169                                     |
|           | Fig. 7.—Nepa Grisea, Guer.  |            |       | . 170                                     |
|           | Fig. 8.—RANATRA FILIFORMIS, Fab.  |            |       | . 170                                     |
|           | Fig. 9.—Corixa Cubæ, Guer   |            |       | . 170                                     |
|           | Fig. 10.—NOTONECTA FURCATA, Fab   |            |       | . 169<br>. 169<br>. 170<br>. 170<br>. 170 |
|           | ,   |            |       |   |
| Plate 68. | Fig. 1.—CICADA DIARDI, Guer   |            |       | . 174<br>. 174<br>. 174                   |
|           | Fig. 2.—FULGORA LATHBURII, Kirby .  |            |       | . 174                                     |
|           | Fig. 2.—Fulgora Lathburii, Kirby Fig. 3.—Aphæna variegata, Guer.  |            |       | . 174                                     |
|           | Fig. 4.—Cixius pellucidus, Guer.  |            |       | . 174                                     |
|           | Fig. 5.—Head of Lystra Lanata, Fab  |            |       | . 174                                     |
|           | Fig. 6.—RICANIA MARGINELLA, Guer  |            |       | . 175                                     |
|           | Fig. 5.—Head of Lystra lanata, Fab. Fig. 7.—Peccloptera maculata, Guer. Fig. 8.—Head of Flata floccosa, Guer. Fig. 9.—Tettigometra virescens, Latr. Fig. 10.—Issus pectinipennis, Guer. Fig. 11.—Head of Issus coleoptratus, Fab. Fig. 12.—Head of Otiocerus Coquebebtii, Kirby Fig. 13.—Anotia coccinea, Guer. Fig. 14.—Head of Derbo Pallida, Fab.  |            |       | . 175                                     |
|           | Fig. 8.—Head of FLATA FLOCCOSA, Guer.   |            |       | . 175                                     |
| <         | Fig. 9.—Tettigometra virescens, Latr  |            |       | . 175                                     |
|           | Fig. 10.—Issus pectinipennis, Guer.   |            |       | . 176                                     |
|           | Fig. 11.—Head of Issus COLEOPTRATUS, Fab.   |            |       | . 176                                     |
|           | Fig. 12 - Head of OTIOGREUS COQUEBERTIL Kirby   |            |       | . 175                                     |
| - 0       | Fig. 13.—Anotia coccinea, Guer  |            |       | . 176                                     |
| -         | Fig. 14.—Head of DERBO PALLIDA, Fab.  |            |       | . 176                                     |
| (         | Die 15 Agraca CLANGORNIE Rah  |            |       | 176                                       |

|             | INSECTA.  | Vol. IV.    | Page   |
|-------------|---|-------------|--------|
| Plate 68.   | Fig. 16.—UGYOPS PERCHERONII, Guer   |             | . 176  |
| D           | Fig. 16.—UGYOPS PARCHERONII, Guer. Fig. 17.—Head of Delphax Minuta, Fab.  |             | . 176  |
|             |   |             |        |
| Plate 69    | Fig. 1MEMBRACIS MEXICANA, Guer  |             | . 177  |
| 1 1410 001  | Fig. 2 - Dannis appinis Guer  |             | 177    |
|             | Fig. 3 - Roomers approximate Guar   | •           | 177    |
|             | Fig. 5.—Doctoron Proximent, duct.   | •           | 1-7    |
|             | Fig 4.—CENTROTUS ANCHORAGO, Guer.   |             | . 1//  |
|             | Fig. 5.—Anatomical details of CENTROTUS CORNUTUS, Fal   | 0.          | . 177  |
|             | Fig. 6.—Anatomical details of ÆTALION RELICULATUM,  | Latr.       | . 178  |
|             | Fig. 1.—MENDRACIS MENIONA, CHEF. Fig. 2.—DANNIS AFFINIS, GUER. Fig. 3.—BOCIDION PROXINUM, GUER. Fig. 4.—CENTROTUS ANCHORAGO, GUER. Fig. 5.—Anatomical details of CENTROTUS CORNUTUS, Fal. Fig. 7.—LEDRA AURITA, Fab. Fig. 8.—CERCOPIS URVILLEI, SETV. Fig. 9.—Anatomical details of CERCOPIS SANGUINOLENTA Fig. 10.—TETTIGONIA PULCHELIA, GUER. | •           | . 178  |
|             | Fig. 8.—Cercopis Urvillei, Serv   |             | . 179  |
|             |   | Pauz.       | . 179  |
|             | Fig. 10.—Tettigonia pulchella, Guer   |             | . 180  |
|             | Fig. 11.—PSILLA GENISTÆ, Guer   |             | . 181  |
|             | Fig. 12.—Antennæ of a Livia   |             | . 181  |
|             | Fig. 13.—Thrips fasciata, Fab.  |             | 181    |
|             | Fig. 14 -Antennae of Thrips ULMI, Fab.  |             | . 181  |
|             | Fig. 15 -Apple Pos E Fah  |             | . 182  |
|             | Fig. 16 — Head of an Attrophys  | •           | . 183  |
|             | Fig. 11.—PSILIA GENISTÆ, GUER. Fig. 12.—Antennæ of a Livia Fig. 13.—TRRIPS FASCIATA, Fab. Fig. 14.—Antennæ of THRIPS ULMI, Fab. Fig. 15.—APHIS ROSÆ, Fab. Fig. 16.—Head of an Akehhodes Fig. 17.—Coccus cacti, Lin.   |             |        |
|             | rig. 17.—Coccos cacri, Lin.   | •           | . 185  |
| DI.4. #0    | Fig. 1.— LIBELLULA INDICA, Fab. Fig. 2.— Nymphæ of LIBELLULA DEPRESSA, Lin. Fig. 3.— Hinder claws of the ÆSINE of Egypt Fig. 4.— AGRION CHINENSIS, GUER. Fab. Fig. 5.— Hinder claws of AGRION VIRGO, Fab. Fig. 6.— Nymphæ and Anatomical details of AGRION PUE  |             | 100    |
| Plate 70.   | Fig. I LIBELLULA INDICA, Fab.   | •           | . 189  |
|             | Fig. 2.—Nymphæ of Libellula Depressa, Lin.  | •           | . 189  |
|             | Fig. 3.—Hinder claws of the ÆSHNE of Egypt  |             | . 190  |
|             | Fig. 4.—AGRION CHINENSIS, Guer. Fab.  | •           | . 190  |
|             | Fig. 5.—Hinder claws of Agrion virgo, Fab.  |             | . 191  |
|             | Fig. 6 Nymphæ and Anatomical details of Agrion PUE  | LLA, Lin.   | . 191  |
|             | Fig. 7.—Ephemera Limbata, Serv. Fig. 8.—Larva of Ephemera vulgata, Lin.   |             | . 193  |
|             | Fig. 8Larva of EPHEMERA VULGATA, Lin.   |             | . 193  |
|             | Fig. 19.—EPHEMERA BILOCULATA, Fab.  |             | . 193  |
|             |   |             |        |
| Plate 71.   | Fig. 1 NEMOPTERA EXTENSA, Oliv.; Nemoptera halte  | rata, Fab.  | . 191  |
|             | Fig. 2.—BITTACUS TIPULARIUS, Latr. Fig. 3.—Anatomical details of PANORPA COMMUNIS, Lin. Fig. 4.—BOREUS HIEMALIS, Lin.   |             | 19.1   |
|             | Fig. 3 -Anatomical details of PANORPA COMMUNIS. Lin.  | •           | 194    |
|             | Fig. 4.—Ropers menales Lin  |             | 101    |
|             | rig. 4.—Dorecs Hiemaris, Lin.   | •           | . 134  |
| Plate 79    | No. 1 Parts of the electron of Groupers Magroony  |             |        |
| I late / 2. | No. 1.—Parts of the skeleton of Geotrupes Nasicornis.   |             |        |
|             | Fig. 1 Pronotum from beneath, the prosternum is remove  | red. a, a   | -The   |
|             | reflexed margin.  |             |        |
|             | Fig. 2Prosternum from beneath.  |             |        |
|             | Fig. 3 The same from the side. a The internal proc  | esses       |        |
|             | Fig. 4 — Meso and metathorax from above.  |             |        |
|             | Fig. 4.—Meso and metathorax from above.<br>Fig. 5.—Mesosternum with the scapulæ. E.—Mesoster  | num D       | D      |
|             | Ala anterior scapulæ. D*, D*.—Ejusd. ala j  | num. D,     | D.—    |
|             | Ala anterior scapulae. D', D'.—Ejusu. ala j   | posterior.  |        |
|             | Fig. 6.—Meso and metathorax from below.   |             | 0.13   |
|             | Fig. 7.—Mesosternum from within. a, a, a.—The three   | e points    | of the |
|             | processus internus.   |             |        |
|             | Fig. 8.—The internal process from the side. a, a, a, -T   | he three I  | oints. |
| Plate 72.   | No. 2.—Skeleton of CETONIA AURATA.  |             |        |
|             |   |             |        |
|             | Fig. I.—Meso and metathorax from above.   |             |        |
|             | Fig. 2.—The same from beneath.  |             |        |
|             | Fig. 3.—Prosternum and scapulæ seen from the front.   |             |        |
|             | Fig. 4.—The connate sternum from within. a, a.—Proc   | . intern. n | nesos- |
|             | terni. b Proc. intern. metast.  |             |        |

Plate 72 No. 3.—Skeleton of Hydrophilus Piceus.
Fig. 1.—Pronotum from beneath. a, a.—Reflexed margin
Fig. 2.—Prosternum from beneath.
Fig. 3.—Mesonotum from above.
Fig. 4.—Metanotum from above.

|             |        | INSECTA.  |            |             |                |
|-------------|--------|---|------------|-------------|----------------|
| Plate 72.   | Fig.   | 5.—Sternum from without.  |            |             |                |
|             | Fig.   | 6 Sternum from within. a The intern                                     |            |             |                |
|             |        | sternum which ascend to the scapul                                      | æ. b, l    | Wing        | s of the       |
|             |        | processus internus metasterni.  |            |             |                |
|             | Fig.   | 7.—Sternum from the side. a, a.—The p as far as the scapulæ. b, b.—Both | ro. iut. : | mesost. as  | cending        |
|             |        | as far as the scapulæ. b, b.—Both                                       | ı wings    | of the p    | rocessus       |
|             |        | internus metast. d.—This process  | itself.    | e.—A thi    | n horny        |
|             |        | lamella which lies beneath the proc.                                    | g.—A       | n extern:   | ally visi•     |
|             |        | ble aperture which indicates the por                                    | nt of div  | rision bety | ween the       |
|             |        | two parts of the connate sternum.                                       |            |             |                |
|             | Fig.   | 8.—Parapleuræ from the inner surface, wi                                |            |             |                |
|             |        | extensor of the wing. a The plate                                       |            |             |                |
|             |        | The central petiole which is affixed to                                 | the ante   | rior main   | nervure        |
|             |        | of the wing.  |            |             |                |
| D1 . 50     | T31    | 1 M P G   |            |             | 105            |
| Plate /3.   |        | 1.—MYRMELEON PERCHERONII, Guer.   | . •        |             | . 195          |
|             |        | 2 -Larva of Myrmeleon formicarius, Li                                   | n.         |             | . 195          |
|             |        | 3.—ASCALAPHUS BRASILIANUS, Guer.  | •          | •           | . 195          |
|             |        | 4.—HEMEROBIUS CAPITATUS, Fab.   | •          |             | . 197          |
|             |        | 5.—Anatomy of the HEMEROBIUS of Egypt                                   | •          |             | . 197          |
|             | Fig.   | 6.—Sialis lutarius, Latr  | •          | *           | . 198          |
| Dlate 7/    | Fig    | 1CIMBEX PATERALIS, Guer   |            |             | . 210          |
| I late / T. |        | 2.—Anatomy of the Perga .   | •          | •           | . 210          |
|             |        | 3.—Schizocera furcata, Fab.   | •          | •           | . 211          |
|             |        | 4.—Auatomy of the Hylor   | •          | •           | . 211          |
|             |        | 5.—Anatomy of the Tenthredo .   |            | •           | . 211          |
|             |        |   | •          |             | . 212          |
|             |        | 6.—CLADIUS PALLIPES, Lep. 7.—Anatomy of CLADIUS DIFFORMIS               |            | •           | . 212          |
|             |        |   |            |             |                |
|             | Fig.   | 8.—Anatomy of the ATHALIA   |            |             | . 212          |
|             | Fig    | 9.—Anatomy of the PTERYGOPHORUS   |            |             | . 213          |
|             |        | 10.—Anatomy of the LOPHYRUS   |            | •           | . 213          |
|             | Fig.   | 11.—Anatomy of the Pamphilius .   |            |             | . 213          |
|             | Fig.   | 12.—XYELA PUSILLA, Dal. 13.—CEPHUS FLAVIVENTRIS, Lef.                   | •          | •           | . 213          |
|             |        |   |            |             | . 214          |
|             |        | 14.—Larva, &c. of CEPHUS PYGMÆUS  |            |             | . 214          |
|             | Tries. | 15.—Anatomy of a XIPHYDRIA 16.—Anatomy of a Oryssus                     |            |             | . 214          |
|             |        |   |            |             | . 214          |
|             |        | 17.—SIREX LEFEBURE  | •          | •           | . 215          |
|             | rig.   | 18.—Anatomical details of a Sirex                                       | ,          |             | . 215          |
| Plate 75.   | Fig    | 1Evania Cabæ, Guer  |            |             | . 216          |
| 1 1410 70.  |        | 2.—Abdomen of Evania Afpendigaster,                                     | r<br>Tral  |             | . 216          |
|             | Kia.   | 3.—Pelecinus polycerator, Latr.   | rao.       | •           | . 216          |
|             | Fig.   | 4.—Fœnus capensis, Serv.  |            | •           | . 216          |
|             |        | 5.—Stephanus furcatus, Serv.  |            | •           |                |
|             | Fig.   | 6.—OPHION MARGINATUS, Fab.  | •          |             | . 218<br>. 218 |
|             |        |   | •          | •           |                |
|             | Fig.   | 8.—ICHNEUMON GROSSORIUS, Gray   |            |             | . 220          |
|             | Fig    | 9.—Peltastes suarius, Gray  |            | •           | . 219          |
|             | 1.8.   | J.—I ELIASIES SCANICS, CITAY  | •          | •           | . 221          |
| Plate 76.   | Fig.   | 1ACÆNITUS ARATOR, ROSSI   |            |             | . 221          |
|             |        | 2.—AGATHIS PURGATOR, Fab.   |            |             | . 221          |
|             |        | 3.—Bracon ornator, Fab  |            |             | . 221          |
|             |        | 4.—Anatomical details of Bracon Denigr.                                 | ATOR, L.   | in.         | . 221          |
|             |        | 5VIPIO NOMINATOR, Latr  |            |             | . 222          |
|             |        | 6MICROGASTER DEPRIMATOR, Latr.  |            |             | . 222          |
|             | Fig.   | 7 Anatomical details of MICROGASTER AI                                  | VEARIUS    | s. Lin.     | . 222          |
|             | Fig.   | 8.—HELCON SPINATOR, Serv  |            | ,           | . 222          |
|             |        | 9SIGALPHUS IRRORATOR, Latr.   |            |             | . 222          |
|             | - 0    |   |            | ,           |                |

|            | TABLE OF THE FLATES.   |        |      |     | xxñi       |
|------------|--|--------|------|-----|------------|
|            | INSECTA.   |        | Vol. | IV. | Page       |
| Plate 76.  | Fig. 10.—Chelonus occulator, Jurine .  |        |      |     | . 222      |
|            | Fig. 11.—ALYSIA MANDUCATOR, Fab.   | •      | •    |     | . 222      |
| Plate 77.  | Fig. 1.—CYNIPS QUERCUS TOJÆ, Fab.  |        |      |     | . 221      |
|            | Fig. 2.—IBALIA CULTELLATOR, Fab  |        |      |     | . 221      |
|            | Fig. 3.—FIGITES SCUTELLARIS, Latr.   |        |      |     | . 224      |
|            | Fig. 4.—Chalcis Lasnierii, Guer.   |        |      |     | . 225      |
|            | Fig. 5.—Anatomical details of Chalcis Macleanii  | , Curt |      |     | . 225      |
|            | Fig. 6.—Chalcis caudatus, Guer   |        |      |     | . 225      |
|            | Fig. 7.—Leucospis pediculata, Guer   |        |      |     | . 226      |
|            | Fig. 8.—Thoracantha Latreillii, Guer.  |        |      |     | 226        |
|            | Fig. 9.—Head of an Agaon   |        |      |     | 226        |
|            | Fig. 10.—Head of DIRHINUS, Dalm.   |        |      |     | 227        |
|            | Fig. 11.—EURYTOMA COOPERII, Curt   |        |      |     | 227        |
|            | Fig. 12.—Perilampus violaceus, Fab.  |        |      |     | 227        |
|            | Fig. 13.—Antennæ of the CLEONYMUS  |        |      |     | 227        |
|            | Fig. 14.—Antenna of the Encyrtus   |        |      |     | 227        |
|            | Fig. 15.—EULOPHUS PECTINICORNIS, Fab   |        |      |     | 227        |
|            | Fig. 12.—Perilampus violageus, Fab. Fig. 13.—Antennæ of the Cleonynus Fig. 14.—Antennæ of the Encyrtus Fig. 15.—Eulophus pretinicornis, Fab. |        |      |     | ~~,        |
| Plate 78.  | Fig. 1DRYINUS CURSOR, Hal.   |        |      |     | 228        |
|            | Fig. 2.—HELORUS ANOMALIPES, Panz.  | •      |      | ,   | 229        |
|            | Fig. 3.—Sparasion frontale, Latr   |        | •    | •   | 230        |
|            | Fig. 1 Communication Cont.   | •      |      |     | 230        |
|            | Fig. 5.—PLATYGASTER BOSCH, Jurine  |        |      |     |            |
|            | Fig. 6.—MYMAR PULCHELLUS, Walk.  | •      | •    |     | 230        |
|            | Fig. 7.—Anatomical details of Teleas elation, Ha   | 1 '    |      |     | 230        |
|            | Fig. 8 - Antonno of a Clayers  |        |      |     | 230        |
|            | Fig. 8.—Antennæ of a Cinetus Fig. 9.—Chrysis Mexicana, Guer.   |        |      |     | 23()       |
|            | Fig. 10 Anatomical details of the Hanyoupers   |        |      |     | 231        |
|            | Fig. 10.—Anatomical details of the HEDYCHRUM   |        |      |     | 231        |
|            | Fig. 11.—CLEPTES THORACICA, Lap.   |        |      |     | 232        |
| Plate 79   | Fig. 1. Penson nems Lin  |        |      |     | 000        |
| I late 15. | Fig. 1.—Formica Rufa, Lin.   | •      |      |     | 236        |
|            | Fig. 2.—Atta armigera, Latr.   |        |      |     | 237        |
|            | Fig. 3.—CRYPTOCERUS ATRATUS, Latr.   | •      |      |     | 237        |
|            | Fig. 4.—MUTILLA SENEX, Guer.   |        |      |     | 238        |
|            | Fig. 5 Anatomical details of MUTILLA EPHIPPIUM,  | Fab.   |      |     | 238        |
|            | Fig. 6.—MYRMOSA MELANOCEPHALA, Latr. Fig. 7.—Methoca ichneumonides, Latr.  |        |      |     | 239        |
|            | Fig. 7.—METHOCA ICHNEUMONIDES, Latr.   |        |      |     | 239        |
|            | rig. 8.—TENGYRA SANVITALI, Latr.   |        |      |     | 240        |
|            | Fig. 9.—Myzine volveles, Latr.   |        |      |     | 241        |
|            | Fig. 10.—Scolia formosa, Guer.   |        |      |     | 211        |
|            | Fig. 11.—Sapyga varia, Latr  |        |      |     | 211        |
|            |  |        |      |     |            |
|            | Fig. 1.—Pompilus viaticus, Fab.  |        |      |     | 242        |
|            | Fig. 2.—Sphex auruonta, Guer.  |        |      |     | 242        |
|            | Fig. 3.—Ammophilus apicalis, Guer.   |        |      |     | 243        |
|            | Fig. 4.—Ampulex compressiventris, Guer.  |        |      |     | 211        |
|            | Fig. 5.—Pelopæcs lunates, Fab.   |        |      |     | 2.15       |
|            | Fig. 6.—Bembex Percuiana, Guer.  |        |      |     | 245        |
|            | Fig. 7.—Anatomical details of a Bembex   |        |      |     | 245        |
|            | Fig. 8.—Anatomical details of a Monedula   |        | -    |     | 246        |
|            | Fig. 9Lyrops auriventris, Guer.  |        |      |     | 246        |
|            | Fig. 10.—DINETUS PICTUS, Jurine  |        |      |     | 246        |
|            |  |        | •    |     | 210        |
| Plate 81.  | Fig. 1.—ASTATA BOOPS, Spin.  |        |      |     | 247        |
|            | Fig. 2.—OXYBELUS UNIGLUMIS, Fab.   |        | •    |     |            |
|            | Fig. 3.—TRYPOXYLON FIGULUS, Latr.  |        |      |     | 247        |
|            | Fig. 4.—Gorytes Mystaceus, Latr.   |        |      |     | 248<br>248 |
|            | Fig. 5.—CRABRO CEPHALOTES, Lin.  | •      |      |     |            |
|            | Fig. 6.—Mellinus arvensis, Lin   |        |      |     | 248        |
|            | 0  |        |      |     | 249        |

|            | INSECTA.  Fig. 7.—Psen ater, Latr.  Fig. 8.—A patemical details of Paul Langues and Rockner.  | Vol. IV.   | Page    |
|------------|---|------------|---------|
| Plate 81.  | Fig. 7.—PSEN ATER, Latr   |            | 249     |
|            | Fig. 8 Anatomical details of PHILLANTHUS ANDROGYNU  | s, Risso . | 250     |
|            | Fig. 9.—Cerceris bifasciata, Guer.  |            | 250     |
|            | Fig. 9.—Cerceris bifasciata, Guer.<br>Fig. 10.—Anatomical details of Cerceris Leta, Fab.  |            | 250     |
|            |   |            |         |
| Plate 89   | Fig. 1.—CELONITES APIFORMIS, LATT. Fig. 2.—CERAMIUS PONSCOLOMBII. Klug. Fig. 3.—SYMAGHIS CALIDA, Fab. Fig. 4.—EUMENES SAVIGNYI, GUET. Fig. 5.—ODYNERUS ELECANS, GUET. Fig. 6.—POLISTES LEFEBVRII, GUET. Fig. 7.—POLISTES ENDULANS, Fab.   |            | . 251   |
| 1 1410 02. | Fig 2 - CERANIUS FONSCOLOMBIL Klug.   |            | 252     |
|            | Fig. 3 -Synaghis Calina Fah   |            | 252     |
|            | Fig. 4 - EUMENES SAVIGNEL GUET  |            | 252     |
|            | Fig. 5 —ODYNERUS FIEGANS GUER   | •          | 252     |
|            | Fig. 6 —Posterne Lepenypii Guar   | •          | 253     |
|            | Fig. 7 —Por serve Minutane Fob  | •          | 253     |
|            | TIO. /.—I OLISTES NIDOLANS, I au.   | •          | . 200   |
| Plata 92   | Fig. 1.—Andrena femoralis, Guer. Fig. 2.—Anatomical details of Andrena Kirbii, Cuit. Fig. 3.—Nomia crassipes, Oliv. Fig. 4.—Panurgus ater, Lait. Fig. 5.—Xylocopa auripennis, Lep. Fig. 6.—Ceratina virilois, Guer. Fig. 7.—Megachile contuncularis, Lin. Fig. 8.—Anthidum diabema, Lait. Fig. 9.—Cœlioxys refipes, Guer. Fig. 10.—Anatomical details of Cœlioxys victis, Curt. |            | 957     |
| I late 65. | Fig. 9 -Anotomical details of ANDRENA KIRRII Curt   | •          | 957     |
|            | Fig. 2. Nouse operates Oliv   |            | 95Q     |
|            | Fig. 5.—NOMIA CRASSIPES, Onv.   | •          | 950     |
|            | Fig. 4.—I ANURGUS ATER, Latt.   | •          | 950     |
|            | Fig. 5.—AVLOCOPA AURIPENNIS, Lep  | •          | 900     |
|            | Fig. 6.—CERATINA VIRIDIS, GUEL.   | •          | . 200   |
|            | Fig. 7 MEGACHILE CENTUNCT LARIS, Lin.   | •          | . Z01   |
|            | Fig. 8.—Anthidium diadema, Latr.  | •          | . 202   |
|            | Fig. 9.—CŒLIOXYS RUFIPES, Guer.   | •          | . 262   |
|            | Fig. 10.—Anatomical details of CELIOXYS VICTIS, Curt.   |            | . 262   |
|            |   |            | 000     |
| Plate 84.  | Fig. 1.—EPEOLUS VARIEGATUS, Lin.  | •          | . 263   |
|            | Fig. 1.—EPEOLUS VARIEGATUS, LIN. Fig. 2.—CROCISA POLCHELLA, GUET. Fig. 3.—MELITUTEG A CLAVICORINS, LATT. Fig. 4.—ANTHOPHORA APICALIS, GUET.   |            | . 264   |
|            | Fig. 3.—MELITTURGA CLAVICORNIS, Latr  |            | . 265   |
|            | Fig. 4.—Anthophora apicalis, Guer.  |            | . 265   |
|            | Fig. 5.—Anatomical details of Anthophora Plaworth   | NA, Kirby  | 7. Zbb  |
|            | Fig. 6.—Centris Clypeata, Lepel.  |            | . 266   |
|            | Fig. 6.—Centris clypeata, Lepel. Fig. 7.—Macrocera Lasnierii, Guer.   |            | . 264   |
|            |   |            |         |
| Plate 85.  | Fig. I.—ACANTHOPUS SPLENDIDUS, Klug   |            | . 266   |
|            | Fig. 2.—EUGLOSSA DENTATA, Latr  |            | . 266   |
|            | Fig. 3.—Bonbus Dahlbomii, Guer  |            | . 266   |
|            | Fig. 4.—Apis Adansonii, Latr  |            | . 269   |
|            | Fig. 5 Anatomical details of APIS MELLIFICA, Lin.   |            | . 269   |
|            | Fig. 6.—MELIPONA FULVIPES, Guer.  |            | . 273   |
|            | Fig. I.—Acanthopus splendidus, Klug. Fig. 2.—Euglossa dentata, Latr. Fig. 3.—Bonbus Dahlednii, Guer. Fig. 4.—Apis Adansonii, Latr. Fig. 5.—Anatomical details of Apis mellifica, Lin. Fig. 5.—Melipona fulvipes, Guer. Fig. 7.—Trigona fasciata, Guer.  |            | 273     |
|            | 1 ig. /.— I Moodin I Moodin in, Outli   | •          | . 210   |
| Plate 86   | . Fig. 1 A portion of the hard membrane of the brain of   | Dyriscus   | MARGIA  |
| A late Oo  | NALIS.  |            |         |
|            | Fig. 2.—Brain of the caterpillar of Cossus LIGNIPERDA   | Lyonet     | Α       |
|            | Cerebrum. B.—Cerebellum. a, a.—Ner  | ups of the | 02100   |
|            | b, b.—Of the antennæ. c.—Cord round the c   | esonhague  | d d     |
|            | -Cord connecting the cerebrum and cer   | ehellum    |         |
|            | Nerves of the mandibles, the branches of the  |            |         |
|            | the lip $g(y)$ , whence a branch for a muscle, N,   | originata  | erve of |
|            | —Nerves of the maxillæ. g. g. g.—Second of  | originates | · J,J.  |
|            | - Nerves of the maxime. g. g Second t   | -ounecting | nerve   |

Cerebrum. B.—Cerebellum. a, a.—Nerves of the eyes. b, b.—Of the antenna. c.—Cord round the osophagus. d, d.—Cord connecting the cerebrum and cerebellum. e, e.—Nerves of the mandibles, the branches of the second nerve of the lip g g, whence a branch for a muscle. N, originates. f, f,—Nerves of the maxillæ. g. g.—Second connecting nerve of the labium, of which the nerve of the mandible is a branch. M, to the muscles of the maxillæ. O, O—Nerves of the muscles of the mandibles and antennæ. P, P.—Nerves of the muscles of the mandibles and antennæ. P, e.—Nerves of the muscles of the mandibles. R, R.—Nerves that distribute themselves at the posterior portion of the skull. S, S.—Nerves of the muscles of the neck, which pass into the thorax. V, V.—Connecting cords of the cerebellum and first thoracic ganglion. D.—The frontal ganglion, formed of the two branches, E E, whence the sympathetic nerve, F, originates.

Plate 86. Fig. 3 .- Cerebrum of the caterpillar of Cossus Lightenda, Lyonet. E, E .- Branches to the frontal ganglion. O .- Nerve of the muscles of the mandibles. b, b.—Nerves of the antennae. a, a.—Nerves of the eyes. c.—Cord of the cosophagus. P, P.—Nerves of muscles. A, A.—Small ganglion of the sympathetic nerve. B, B .- Branches. F .- Nervus sympathicus.

Fig. 4.—Brain of Melolontha vulgaris, Straus. A .- Cerebrum. B.—Cerebellum. a, a.—Optic nerves. b, b.—Nerves of the antennæ. d, d .- First ganglion of the sympathic system. G. G.—Second ganglion. D.—Frontal ganglion. e, e.—
Nerves of the mandibles. f, f.—Nerves of the maxillæ.
Fig. 5.—Cerebellum alone, of Melolontha vulgaris. e, e.—Nerves of

mandibles. f, f.-Nerves of maxillæ. k, k.-Connecting cord with the cerebrum. h, h .- Connecting cords to the first tho-

racic ganglia.

Fig. 6 .- Cerebrum of GRYLLUS MIGRATORIUS, with the sympathic system seen from above. A. A .- Optic nerves. B, B .- Nerves of the antennæ. a.—Frontal ganglion. b.—First ganglion, in which the odd nerve terminates. c, c.-The large gauglia. e, e .- The small ganglia, whence the sympathic nerve originates by two branches, which again unite at d\* and d\*. e, e,-Small ganglia upon the esophagus. f, f.—First ganglion upon the crop. g, g.—Second, which lies at the end of the crop. h, h.—Nerves which pass between the blind appendages.

Fig. 7 .- Brain of GRYLLUS MIGRATORIUS, seen from the front. A, A .-Optic nerves. a, a.—Nerves which pass to the frontal gang-lion. b, b.—Nerves of the antennæ. a\*, a\*, a\*.—Nerves to the ocelli. d, d.—Connecting cords between the cerebrum and cerebellum. d\*.-The connecting cord of these. B:-Cerebellum. e, e,-Nerves of the mandibles. f, f.-Nerves

of the maxillæ, Fig. 8.—Ventral cord of the fly Eristalis tenax. a, a.—Connecting cords with the cerebellum. A, A .- Nerves of the anterior legs. B, B .- Of the intermediate, C, C .- Of the posterior. b, b .-Branches of the muscles which pass into the abdomen. d .-First abdominal ganglion. c, c .- Branches of it. e .- Second abdominal ganglion. f, f, h, h, g, g.-Branches of it to the genitalia and other internal organs.

Plate 87. Fig. 1. A .- Brain of the larva of Calosoma sycophanta. A .- Cerebrum. a, a.-Optic nerves. b, b.-Nerves of the antennæ. d, d.-Branches to the frontal ganglion. D .- Frontal ganglion. F .- First ganglion of the sympathic system. B .- Cerebellum. e, e.-Nerves of the mandibles. f, f.-Nerves of the maxillæ. g, g.-Nerves of the labium.

Fig. 1. B .- I'art of the ganglionic ventral cord of the larva of CALOSOMA SYCOPHANTA. k.—Cerebellum. h, h.—Auxiliary connecting cord, with the first thoracic ganglion. n, n .- Auxiliary ganglia. A, A .- Nerves of the anterior legs. L .- First thoracic ganglion. i, i .- Auxiliary connecting cords of the first and second ganglia, forming small ganglia, m m. k, k .- Auxiliary connecting cords between the second and third ganglia. M. -Second thoracic ganglion. N .- Third. O .- Fourth. p, p, q, q, r, r, s, s.—Nerves of muscles. B, B.—Nerves of the intermediate legs. C, C.—Nerves of the posterior legs.

Fig. 2.- The ventral cord of Dytiscus MARGINALIS. A, A.-Nerves of the anterior legs. B, B .- The intermediate ones. C, C, -

The posterior ones.

| XXV1       | TABLE OF THE PLATES.  |                    |
|------------|---|--------------------|
|            | INSECTA.  |                    |
| Plate 87.  | Fig. 3.—Ventral cord of the larva of ERISTALIS TENAX.   |                    |
|            | Fig. 4.—Cerebrum of VESPA GERMANICA. a, a, a.—Nerves to the o   | celli.             |
|            | A, A Optic nerves. B, B Nerves of the antennæ, cu   | it off.            |
|            | c.—Branch to the cerebellum.  |                    |
|            | Fig. 5.—Cerebrum and sympathic system of the caterpillar of Lis   | ARIS               |
|            | Moni, Brandt. A, A Nerves of the eyes. B, B N   | erves              |
|            | of the antennæ. C, C.—Hemispheres of the cerebrum. a, a   | $, \alpha, \alpha$ |
|            | -Nerves which originate from the frontal ganglion ar  | id its             |
|            | branches. b*, b*.—First ganglion of the osophagus. b**,   |                    |
|            | Second gauglion of the esophagus. f.—Nervus sympatid.—Its first ganglion. e.—Its second ganglion.                               | uicus              |
|            | Fig. 6.—The same in the developed moth, marked as before.   |                    |
|            | Fig. 7.—The same of Melog Proscarabeus, Brandt, marked simila   | rlv.               |
|            | Vol. IV.  | Page               |
| Plate 88.  | Fig 1 - Paritio Larrentity Godard   | 278                |
|            | Fig. 2.—Caterpillar and Chrysalis of Papillo Machaon, Lin.  | . 279              |
|            | Fig. 3.—PARNASSIUS PHŒBUS, Fab. Godard  | . 279              |
|            | Fig. 2.—Caterpillar and Chrysalis of Papilio Machaon, Lin. Fig. 3.—Parnassurs Phonus, Fab. Godard Fig. 4.—Thais Cerisyi, Godard | . 279              |
|            |   |                    |
| Plate 89.  | Fig. 1.—PIERIS THIRIA, Godard   | . 279              |
|            | Fig. 2.—Caterpillar and Chrysalis of Pieris Brassicæ, Lin.  | . 278              |
|            | Fig. 3.—Heliconia Langsboreri, Godard   | 280                |
|            | Fig. 4.—Danaida Eunice, Godard  | . 280              |
| Plate 90.  | Fig. 1.—VANESSA CALLITHEA Godard  | . 281              |
| 1 14(0 00) | Fig. 1.—Vanessa callithea, Godard<br>Fig. 2.—Argynnis moneta, Geyer   | . 280              |
|            | Fig. 3 Caterpillar and Chrysalis of ARGYNNIS PAPHIA, Godard   |                    |
|            | Fig. 4.—NYMPHALIS ETHEA, Godard   | . 280              |
|            |   | . 282              |
| T11        |   | 000                |
| Plate 91.  | Fig. 1.—Satyrus Balder, Boisd.  | . 283              |
|            |   | . 283              |
|            |   | . 283              |
|            |   | . 283              |
| Plate 92.  | Fig. 1.—PAVONIA ACADINA, Godard Fig. 2.—Morpho actorion, Godard   | . 282              |
| 1 1010 02. | Fig. 2.—Morpho actorion, Godard   | 282                |
|            | Fig. 3 Anatomical details of Morpho Phidippus, Godard   | . 282              |
|            |   | . 283              |
|            |   |                    |
| Plate 93.  | Fig. 1.—URANIA BOISDUVALII, Godard  | . 285              |
|            | Fig. 2.—HESPERIA SABADIUS, DOV.   | . 285              |
|            | Fig. 3.—Caterpular and Chrysalis of HESPERIA TAGES, Fab.  | . 2%               |
|            | Fig. 4.—Caterpillar of HESPERIA LINEA, Fab.   | . 285              |
| Dloto Ot   | Fig. 1.—ERYCINA VIRGINIENSIS, Boisd.  | 90                 |
| Flate 54.  | Fig. 2.—Caterpillar Chrysalis and Anatomy of Erycina Lucina   | . 28-              |
|            |   | 28                 |
|            | Fig. 3.—MYRINA JAFFRA, Godard Fig. 4.—Polyommatus Thoe, Boisd.  | . 28               |
|            | Fig. 5.—Caterpillar and Chrysalis of Polyommatus fruni, Godard  | 1 28               |
|            | Fig 6 - Zephyptis amon Dalm   | . 28               |
|            |   | . 28               |
| 0d Di-     |   | . 287              |
| Zud. Pla   |   |                    |
|            | Fig. 2.—SMERINTHUS 10, DOV.   | . 288              |

Plate 95. Fig. 1.—Herialus lupulinus, Fab. Fig. 2.—Cossus Macmurtrei, Bdv Fig. 3.—Caterpillar of Cossus ligniperda, Fab.

| TABLE OF THE PLATES.  |          | xxvii         |
|---|----------|---------------|
| INSECTA.  |          |               |
| Plate 95. Fig. 4.—Stygia australis, Latr.                       | Vol. IV. | Page          |
| Fig. 5.—Zeuzera scalaris, Donov.                                |          | . 293         |
| Fig. 6.—Caterpillar of Zeuzera Æsculi, Fab.                     |          | . 293         |
| Fig. 7.—Caterpillar of HEPIALUS HUMULI, Fab.                    |          | . 293         |
| rig. 1.—Caterpinal of TEPTALUS HUMULI, Pab.                     | •        | . 292         |
| Plate 96. Fig. 1.—AGARISTA PALES, Bdv                           |          | 000           |
| Fig. 2.—Caterpillar and Chrysalis of AGARISTA GLYCINÆ,          |          | . 286         |
| Fig. 2. Coponis I recover Codes                                 |          | . 286         |
| Fig. 3.—Coronis Leachii, Godard Fig. 4.—Castnia acreoides, Bdv. |          | . 287         |
| Fig. 4.—CASINIA ACREOIDES, Duv.                                 |          | . 287         |
| Plate 97. Fig. 1.—THYRIS SEPULCHRALIS, Bdv.                     |          | 000           |
| Fig. 2.—ÆGOCERA RECTILINEA, Bdv.                                |          | . 289         |
| Fig. 2. VICENA RECITLINEA, DOV.                                 | •        | . 289         |
| Fig. 3.—ZIGÆNA PULCHELLA, Bdv.                                  |          | . 290         |
| Fig. 4.—ZIGÆNA FILIPENDULÆ, Lin                                 | •        | . 290         |
| Fig. 5.—PROCRIS NEBULOSA, Klug.                                 |          | <b>.</b> 290  |
| Fig. 6.—Syntomis myodes, Bdv                                    |          | . 290         |
| Fig. 7.—SYNTOMIS PHÆGEA, Fab.                                   |          | . 290         |
| Fig. 8.—ATYCHIA PUMILA, Och. Lat.                               |          | . 290         |
| Fig. 9.—Caterpillar and Chrysalis of AGLAOPE INFAUSTA           |          | . 290         |
| Fig. 10.—GLAUCOPIS FOLLETH, Feist.                              |          | <b>. 2</b> 90 |
| Fig. 11.—AGLAOPE AMERICANA, Bdv.                                |          | <b>. 2</b> 90 |
| Dieto 00 Fig. 1 Company P.                                      |          |               |
| Plate 98. Fig. 1.—SATURNIA BAUHINIÆ, Bdv.                       |          | . 294         |
| Fig. 2.—Caterpillar of SATURNIA LUNA, Fab.                      |          | . 294         |
| Fig. 3.—Chrysalis of SATURNIA PAVONIA-MINOR, Lin.               |          | <b>. 2</b> 94 |
| Fig. 4.—Bonbyx digramma, Bdv.                                   |          | . 295         |
| Fig. 5.—Caterpillar of Bombyx Pensylvanica, Bdy.                |          | . 295         |
| Fig. 6.—Lasiocampa proboscidea, Bdv                             |          | 295           |
| DI-4- 00 bi- Ei- 1 C T1   |          |               |
| Plate 98. bis. Fig. 1.—CHELONIA EVIDENS, Bdv.                   |          | 298           |
| Fig. 2.—Caterpillar of CHELONIA NUBILIS, Bdv.                   |          | 298           |
| Fig. 3.—Anatomical details of CHELONIA CHRYSORHE                |          | 298           |
| Fig. 4.—Callimorpha Lecontei                                    |          | 298           |
| Fig. 5.—Dicrangura borealis, Bdv.                               |          | 299           |
| Fig. 6.—Lithosia læta, Bdv.                                     |          | 298           |
| Fig. 7.—LITHOSIA LUTEOLA  |          | 298           |
| Fig. 8 — Caterpillar of Lithosia Pulchella .                    |          | 299           |
| Fig. 9.—Platypterix globulariæ, Bdv.                            |          | 299           |
| 21 4 00 Ti' 1 C   |          |               |
| Plate 99. Fig. 1.—SERICARIA RANÆCEPS, Bdv.                      |          | 297           |
| Fig. 2.—Caterpillar of SERICARIA TESSELLATA, Bdv.               |          | 297           |
| Fig. 3.—NOTODONTA ZICZAC, Lin.                                  |          | 297           |
| Fig. 4.—ORGYIA DETRITA, Bdv.                                    |          | 297           |
| Fig. 5.—Caterpillar and Chrysalis of Orgyla Gonostigma          | , Fab    | 297           |
| Fig. 6.—LIMACODES DELPHINII, Bdv.                               |          | <b>2</b> 97   |
| Fig. 7.—Caterpillar of LIMACODES STRIGATA, Bdv.                 |          | 297           |
| Fig. 8.—Caterpillar of LIMACODES INDETERMINATA                  |          | 297           |
| Fig. 9.—PSYCHE CALVELLA, Ochs.                                  |          | <b>2</b> 98   |
| Fig. 10. a, b, c, d.—Details of the Caterpillar of PSYCHE NI    | TIDELLA  | <b>2</b> 98   |
|   |          |               |
| Plate 100. Fig. 1.—NOCTUA IMPERATOR, Bdv.                       |          | 300           |
| Fig. 2.—Erebus Limacina, Bdv.                                   |          | 300           |
| Fig. 3.—Caterpillar of EREBUS PUTRESCENS, Bdv.                  |          | 300           |
| Fig. 4.—Caterpillar and Chrysalis of Noctua sponsa, Fa          | .b       | 300           |
| Fig. 5.—Pyralis fagana, Fab                                     |          | 302           |
| N. 101 T. 1 T.  |          |               |
| late 101. Fig. 1.—PHALÆNA MACHAONARIA, Bdv.                     |          | 303           |
| Fig. 2.—PHALÆNA GUTTARIA, Bdv.                                  |          | 303           |
| Fig. 3.—Anatomy of Phalena Favillacea, Hub.                     |          | 303           |

|             | INSECTA.  | Vol. IV.   |        |
|-------------|---|------------|--------|
| Plate 101.  | Fig. 4.—Caterpillar of Phalæna Grossulariata, Lin.    |            | 303    |
|             | Fig. 5.—HERMINIA SIDONIA, Cram.                       | -          | . 304  |
|             | Fig. 6.—Head of HERMINIA CRASSALIS, Fab               |            | . 304  |
|             | Fig. 7.—Botys dilucidalis, Bdv.                       |            | . 305  |
|             | Fig. 8.—Head of Botys cingulalis, Hub.                |            | . 305  |
|             | Fig. 9.—HYDROCAMPE AQUATILIS, Bdv                     |            | . 305  |
|             | Fig. 10Caterpillar of Hydrocampe Nympheata, Lat.      | r.         | . 306  |
|             | Fig. 11.—AGLOSSA DILUCIDALIS, Bdv.                    |            | . 300  |
|             | Fig. 12.—Galleria cereana, Fab                        |            | . 306  |
|             | Fig. 13.—Caterpillar of GALLERIA COLONELLA, Hub.      |            | . 306  |
|             | Fig. 14.—CRAMBUS RETUSALIS, Bdv.                      |            | . 307  |
|             | Fig. 15 Anatomy of CRAMBUS RADIELLUS, Hub.            |            | . 307  |
|             |   |            |        |
| Plate 102.  | Fig. 1.—ALUCITA ASPERELLA, Hub.                       |            | . 303  |
|             | Fig. 2.—Euplocamus anthracinus, Hub                   |            | . 30   |
|             | Fig. 3.—TINBA LAPEZANA, Fab                           |            | . 30   |
|             | Fig. 3. a.—Head of TINEA LONGICORNIS, Curtis .        |            | . 300  |
|             | Fig. 4ILITHIA CARNEA, Latr                            |            | . 308  |
|             | Fig. 4. a, b.—Anatomy of ILITHIA PINGUIS, Curtis      |            | . 309  |
|             | Fig. 5.—YPONOMEUTA PUSIELLA, Hub.                     |            | . 308  |
|             | Fig. 5. a, bCaterpillar and Chrysalis of YPONOME      | UTA PLU    | M-     |
|             | BELLA, Hub.   |            | . 300  |
|             | Fig. 6.—ÆCOPHORA LINNELLA, Clerk .                    |            | . 308  |
|             | Fig. 6. a, b.—Caterpillar and Chrysalis of ÆCOPHORA N | AMORELL    |        |
|             | Hub.; Tinea majorella                                 | INJOILE DE | 30s    |
|             | Fig. 7.—Adela Degeerella, Fab.                        | •          | . 309  |
|             | Fig. 8.—Pterophorus ptilodactylus, Hub.               | •          | 309    |
|             |   | ei.        |        |
|             | Fig. 8. a.—Head of Pterophorus spilodactylus, Cur     | .15        | . 309  |
|             | Fig. 9.—Orneodes HEXADACTYLUS, Latr                   | •          | . 310  |
| Plate 102   | Fig. 1. Days appearant. Main                          |            | . 32:  |
| 4 mic 100.  | Fig. 1.—DIXA NEBULOSA, Meig.                          | •          |        |
|             | Fig. 2.—Chionea araneoides, Dalm.                     |            | . 32   |
|             | Fig. 3.—Rhyphus fenestralis, Scop.                    | •          | . 32   |
|             | Fig. 4.—PLATYURA FLAVIPES, Meig.                      | •          | • 32   |
|             | Fig. 5.—Mycetobia thoracica, Guer.                    | •          | • 32   |
|             | Fig. 6.—Simulium ornatum, Meig                        |            | . 320  |
|             | Fig. 7.—DILOPHUS THORACICUS, Guer.                    | •          | . 326  |
|             | Fig. 8.—Anatomical details of Bibio venosus, Meig.    |            | . 320  |
| Dista 104   | Ti. 1 C TO C  |            |        |
| 1 late 104. | Fig. 1.—Stylops Dalii, Curtis                         |            | . 31   |
|             | Fig. 2.—Anopheles bifurcatus, Lin.                    | •          | 317    |
|             | Fig. 3.—Corethra plumicornis, Meig.                   | •          | . 319  |
|             | Fig. 4.—Anteunæ of Chironomus                         |            | . 319  |
|             | Fig. 5.—Psychoda palustris, Meig.                     |            | 320    |
|             | Fig. 6.—Ctenophora festiva, Meig.                     |            | . 320  |
|             | Fig. 7.—Head of a TIPULA                              |            | . 32   |
|             | Fig. 8.—Rhipidia maculata, Meig.                      |            | . 32   |
|             | Fig. 9.—Limnobia ocellaris, Lin.                      |            | . 322  |
| 701 . 202   |   |            |        |
| Plate 105.  | Fig. 1LAPHRIA HIRTICORNIS, Guer.                      |            | . 328  |
|             | Fig. 2.—Anatomical details of LAPHRIA NIGRA, Meig.    |            | . 328  |
|             | Fig. 3.—Ommatius conopsoides, Wied.                   |            | . 32   |
|             | Fig. 4.—Antennæ of an Asilus                          |            | . 33   |
|             | Fig. 5.—Antennæ of a Dasypogon                        |            | . 329  |
|             | Fig. 6.—Hybos FLA VIFIS, Macq.                        |            | . 3: ( |
|             | Fig. 7.—RHAMPHOMYIA PENNATA, Macq.                    |            | . 33   |
|             | Fig. 8.—TACHYDROMYIA ARROGANS, Lin.                   |            | . 331  |
|             | Fig. 9.—Panops ocelliger, Wied.                       |            | . 332  |
|             | Fig. 10 OGEODES GIBBOSUS, Meig.                       |            | . 332  |
|             |   |            |        |

| TABLE OF THE PLATES.                          |       |        |         | xxix    |
|---|-------|--------|---------|---------|
| INSECTA.                                      |       |        | Vol. 1  | V. Page |
| Plate 106. Fig. 1.—Toxophora Americana, Serv. |       |        | V 01. 1 | . 332   |
| Fig. 2.—USIA ÆNEA, Latr.                      |       | •      | •       | . 333   |
| Fig. 3.—PHTHIRIA PULICARIA, Meig.             | •     | . '    |         | . 333   |
| Fig. 4.—Bombylius Tricolor, Guer.             |       | •      | •       | . 333   |
| Fig. 5.—PLOAS LUSITANICA, Guer                | •     |        |         | . 334   |
| Fig. 6.—Anthrax aurantiaca, Guer.             |       | •      | •       | . 335   |
| Fig. 7.—Nemestrina longirostris, Wied.        | •     | •      |         | . 335   |
| 216.71 112.2221 2010                          |       | •      | •       | . 000   |
| Plate 107. Fig. 1.—Thereva confinis, Meig.    |       |        |         | . 336   |
| Fig. 2.—ATHERIX IBIS, Meig.                   | •     |        | 3       | . 336   |
| Fig. 3.—LEPTIS SERVILLEI, Guer.               |       | •      | -       |         |
| Fig. 4.—Dolichopus ungulatus, Fab.            | •     |        |         | • 337   |
| Fig. 5MEDETERUS NOTATUS, Fab.                 |       | •      | •       | . 338   |
| Fig. 6.—PLATYPEZA SOPHIA, Lepel               | •     |        |         |         |
| Fig. 7.—PIPUNCULUS CAMPESTRIS, Meig.          |       | •      | •       | . 340   |
| Fig. 8.—Scenopinus fenestralis, Fab,          | •     |        | •       | • 340   |
| 1 ig. o.—Scenor into tendernalis, 1 au,       |       | •      | •       | . 340   |
| Plate 108. Fig. 1.—TABANUS LATUS, Guer        |       |        |         | 0.43    |
| Fig. 2.—PANGONIA NIGRIPENNIS, Guer.           | •     |        |         | . 341   |
|   |       | •      |         | . 341   |
| Fig. 3.—Chrysops molestus, Guer.              | •     |        |         | . 342   |
| Fig. 4.—HEMATOPOTA LUSITANICA, Guer.          | •     | •      | •       | . 342   |
| Fig. 5.—Mydas bonariensis, Serv.              | •     |        |         | . 344   |
| Fig. 6.—Antennæ of a Cephalocera, Serv.       | •     |        | •       | . 344   |
| Fig. 7.—Chiromyza vittata, Wied.              | •     |        |         | . 344   |
|   |       |        |         |         |
| Plate 109. Fig. 1.—HERMETIA SINGULARIS, Guer. |       |        | •       | . 345   |
| Fig. 2.—Acanthomera Servillei, Guer.          | •     |        |         | . 345   |
| Fig. 3.—Head of Acanthomera Picta, Wei        | d. ,  |        |         | . 345   |
| Fig. 4.—Head of a Beris                       |       |        |         | • 346   |
| Fig. 5.—Cyphomyia auriflamma, Weid.           |       |        |         | . 346   |
| Fig. 6.—Stratiomys coronata. Serv.            |       |        |         | . 347   |
| Fig. 7.—EPHIPPIUM THORACICUM, Latr.           |       |        |         | . 347   |
| Fig. 8.—Anatomical details of an OXYCERA,     |       |        |         | . 348   |
| Fig. 9.—Anatomical details of SARGUS REAU     | MURI  | , Mei  | g       | . 348   |
| Fig. 10.—CHRYSOCHLORA HIRTICORNIS, We         |       |        |         | . 348   |
| Fig. 11.—Anatomical details of a VAPPO        |       |        |         | . 349   |
| Fig. 12.—DICRANOPHORA FURCIFERA, Wied         |       |        |         | . 349   |
|   |       | Ĭ      |         | . 010   |
| Plate 110. Fig. 1.—Volucella Bombylans, Meig. |       |        |         | . 351   |
| Fig. 2.—Helophilus Chiliensis, Guer.          |       |        |         | . 352   |
| Fig. 3.—SYRPHUS SENEGALENSIS, Guer.           |       |        | •       | . 352   |
| Fig. 4.—Anatomical details of Syrphus unic    |       | . Cur  | tia     | . 352   |
| Fig. 5.—PARAGUS BICOLOR, Latr.                | 01101 | ., oui | V15     | . 353   |
| Fig. 6.—Chrysotoxum arcuatum, Meig.           | •     | •      |         | . 354   |
| Fig. 7.—CERIA CONOPSOIDES, Meig.              | ,     | •      | ٠.      | . 354   |
| rig. 7.—OERIR CONGISCIBES, BICIG.             | •     | •      |         | . 504   |
| Plate 111. Fig. 1.—APHRITIS APIFORMIS, Deg    |       |        |         | 254     |
| Fig. 2.—MERODON EQUESTRIS, Meig.              | •     |        | •       | . 354   |
|   | •     | •      |         | . 355   |
| Fig. 3.—XYLOTA SEGNIS, Lin.                   | •     | •      | •       | . 355   |
| Fig. 4.—Head of a TROPIDIA                    | •     | •      |         | . 355   |
| Fig. 5.—MILESIA SPECIOSA, Fab.                |       |        | •       | . 355   |
| Fig. 6.—PIPIZA FASCIATA, Meig                 | •     | •      |         | . 356   |
| Fig. 7.—Rhingia campestris, Meig.             | •     |        |         | . 356   |
| Plata 119 Ein 1 Company to the Company        |       |        |         | 0.50    |
| Plate 112. Fig. 1.—CUTEREBRA APICALIS, Guer.  | •     |        |         | . 358   |
| Fig. 2.—ÆDEMAGENA TARANDI, Lin.               |       |        | •       | . 358   |
| Fig. 3.—Hypoderma bovis, Fab.                 | •     |        |         | . 358   |
| Fig. 4.—Cephalemyia ovis, Lin                 |       |        |         | . 358   |
| Fig. 5.—Æstrus equi, Lin.                     |       |        |         | . 359   |

| INSECTA.  |      |       |       | 77 1       | T T 7 | T           |
|---|------|-------|-------|------------|-------|-------------|
|   |      |       |       |            |       | Page        |
| Plate 112. Fig. 6.—Conops Rufipes, Fab.         |      | •     |       | •          |       | . 360       |
| Fig. 7.—MYOPA VARIEGATA, Meig.                  | •    |       | •     |            |       | . 360       |
| Fig. 8.—Stomoxys calcitrans, Lin.               |      | ٠     |       | •          | - •   | 361         |
| Plate 113. Fig. 1.—ECHYNOMYIA GROSSA, Fab.      |      |       |       |            |       | 363         |
| Fig. 2.—GYMNOSOMIA ROTUNDATA, Fab.              |      |       |       |            |       | 364         |
| Fig. 3.—MILTOGRAMMA, PUNCTATA, Meig.            |      |       |       |            |       | 363         |
| Fig. 4.—Phasia brachyptera, Meig.               |      |       |       |            |       | 364         |
| Fig. 5.—Lucilia mirabilis, Guer.                |      |       |       |            |       | 365         |
| Fig. 6.—Calliphora vomitoria, Lin.              |      |       |       |            |       | 367         |
| Fig. 7.—Head of ACHIAS OCULATUS                 |      | -     |       |            |       | 368         |
| Fig. 8.—LISPE TENTACULATA, Meig.                |      |       |       |            |       | 368         |
| Fig. 9.—Anthomyia pluvialis, Lin.               |      | •     |       | •          |       | 369         |
| Fig. 10.—EPHYDRA RUFITARSIS. Marq.              |      |       | •     |            |       | 370         |
| Fig. 11.—Anatomical details of EPHYDRA SI       | PILO | TA,   | Hal.  | •          |       | 370         |
| Dist. 114 Dis 1 M                               |      |       |       |            |       | 0-3         |
| Plate 114. Fig. 1.—THYREOPHORA CYNOPHILA, Panz. |      | •     |       |            |       | 371         |
| Fig. 2.—Scatophaga stercoraria, Lin.            |      |       | •     |            |       | 372         |
| Fig. 3:—Antennæ of a SPHÆROCERA.                |      |       |       |            |       | 372         |
| Fig. 4.—Sapromyza brunitarsis, Macq.            |      |       |       |            |       | 374         |
| Fig. 5.—Oscinis hypostigma, Meig                |      |       |       |            |       | 374         |
| Fig. 6.—Sepedon sphegeus, Fab.                  |      |       |       |            |       | 375         |
| Fig. 7.—Calobata ruficeps. Guer                 |      |       |       |            |       | . 376       |
| Fig. 8.—Diopsis fasciatus, Guer.                |      |       |       |            |       | 377         |
| Fig. 9.—Diopsis atricapillus, Guer.             |      |       |       |            |       | 377         |
| Fig. 10.—Anatomical details of Sepsis annu      | LIP  | es, l | leig  |            |       | 377         |
| Fig. 11.—TEPHRITIS OBLIQUA, Guer                |      |       |       |            |       | 378         |
| Fig. 12.—Anatomical details of TEPHRITIS C      | ORN  | UTA   | , Fal | b <b>.</b> |       | 378         |
| Plate 115. Fig. 1.—PLATYSTOMA LÆTA, Guer.       |      |       |       |            |       | 379         |
| Fig. 2.—Celyphus obtectus, Dalm.                |      |       |       |            |       | 379         |
| Fig. 3.—Phora abdominalis, Pall.                |      | •     |       |            |       | 380         |
| Fig. 4.—Anatomical details of HYPPOBOSCA        | FOI  | INA.  | Lin   |            |       | 384         |
| Fig. 5.—Ornithomyla chilensis, Guer.            |      |       | 23.11 | •          |       | 384         |
| Fig. 6.—Anapera tangerii, Guer.                 |      | •     |       | •          |       | 384         |
| Fig. 7.—Stenopteryx Hirundinis, Leach           | •    |       | •     |            |       | 384         |
| Fig. 8.—Melophagus ovinus, Lin.                 |      | •     |       | •          |       | 384         |
|   | •    |       | •     |            |       | 385         |
| Fig. 9.—Nycterybia Westwoodii, Guer.            | C    |       | - 77  | 70-6       |       | 385         |
| Fig. 10.—Anatomical details of Nycterybia       | DY.  | KESI  | 1, 44 | est.       | •     | 303         |
| -clocolo-                                       |      |       |       |            |       |             |
| ZOOPHYTES,                                      |      |       |       |            |       |             |
| ZUUTHIIES.                                      |      |       |       |            |       |             |
| ZOOPHYTES.                                      |      |       | 7     | Tol.       |       | Page        |
| Plate 1. Fig. 1.—ASTERIAS AURANTIACA, Lin.      |      |       | •     |            |       | 392         |
| Fig. 2.—Comatula carinata, Lam                  |      | •     |       | •          |       | 39 <b>3</b> |
| Plate 2. Fig. 1.—Echinus esculentus, Lin.       |      |       |       |            |       | 395         |
| Figs. 2, 3.—FLORICEPS SACCATA, Cuv.* .          |      |       |       |            |       | 419         |
| Fig. 4.—Stephanomia uvaria, Les.                |      |       |       |            |       | 429         |
|   |      |       |       |            |       |             |


<sup>\*</sup> An extraordinary species of Floriceps found in the liver of the Diodon Mola. It is enveloped in a membranous sac (fig. 2), which appears to be connected in some way with its body, and to enjoy the faculty of voluntary contractions. Fig. 3.—The sac opened and the animal exposed.

|          | PARTE OF THE PLATE  |          |           |        |
|----------|---|----------|-----------|--------|
|          | TABLE OF THE PLATES.  |          |           | XXX1   |
|          | ZOOPHYTES.  |          | Vol. IV.  | Page   |
| Plate 3. | Fig. 1.—Echinus verticillatus, Lam.   |          |           | . 395  |
|          | Fig. 2.—Echinoneus semilunaris, Lam.  |          |           | . 396  |
|          | Fig. 3.—GALERITES SEXFASCIATUS, Lam.  |          |           | . 397  |
|          | Fig. 4.—Scutella HEXAPORA, Lam.; Echinus h                                    | exaporus | , Seb.    | . 397  |
|          | Fig. 5.—FIBULARIA OVULUM, Lam.  | •        |           | . 398  |
|          | Fig. 6.—Spatangus pilosus, Val.   | •        | •         | . 398  |
| 21-4- 1  | Ein 1 Horomany payments Lin Moll  |          |           | 200    |
| riate 4. | Fig. 1.—HOLOTHURIA PHANTOPUS, Lin. Müll.                                      |          |           | . 399  |
|          | Fig. 2.—Holothuria squamata, Müll. Cuv. Fig. 3.—Holothuria elegans, Müll. Cuv | •        | •         | . 400  |
|          | Fig. 4.—Holothuria pusus, Müll.   |          | •         | . 400  |
|          | Fig. 5.—HOLOTHURIA CUCUMER, Risso .   | •        |           | . 400  |
|          | Fig. 6.—HOLOTHURIA EDOUARI, Less  |          | •         | . 400  |
|          | Fig. 7.—HOLOTHURIA EDULIS, Less   |          |           | . 400  |
|          | •   |          |           |        |
| Plate 5. | Fig. 1.—MINYAS CYANEA, Cuv.   |          |           | . 401  |
|          | Fig. 2.—PRIAPULA CAUDATA, Lam.; Holothuria                                    | priapus, | Müll.     | . 401  |
|          | Fig. 3.—Siponculus Edulis, Cuv. Pallas  |          |           | . 402  |
|          | Fig. 4.—Siponculus tigrinus, Risso .  |          |           | . 402  |
|          | TI 1 70 D.1   |          |           |        |
| Plate 6. | Fig. 1.—Bonellia viridis, Rol.  |          | ·         | . 402  |
|          | Fig. 2 —THALASSENA NEPTUNI, Gert.; Lumbricus                                  | thalasse | ma, Palla | is 403 |
|          | Fig. 3.—ECHIURUS PALLASII, Cuv.; Lumbricus E                                  | chiurus, | Gm. Palla |        |
|          | Fig. 4.—Sternaspis Thalassemoides, Otto                                       |          | •         | . 403  |
| Plate 7. | Fig. 1.—FILARIA MEDINENSIS, Gm  |          |           | . 405  |
|          | Fig. 2.—TRICHOCEPHALUS DISPAR, Rud.   |          |           | . 405  |
| *        | Fig. 3.—OXYURUS CURVULA, Rud  |          |           | . 406  |
|          | Fig. 4.—Cucullanus elegans, Rud   |          |           | . 406  |
|          | Fig. 5.—Ophiostoma sphærocephala, Rud.  |          |           | . 406  |
|          | Fig. 6.—Ascaris lumbricoides, Lin   |          |           | . 407  |
| D1-4 . 0 | D' 1 C Dul  |          |           | 40-    |
| riate o. | Fig. 1.—STRONGYLUS GIGAS, Rud   |          | •         | . 407  |
|          | Fig. 2.—Spiropterus storngulinus, Rud.<br>Fig. 3.—Physalopterus clausus, Rud. | •        | •         | . 408  |
|          | Fig. 4.—LIORHYNCHUS DENTICULATUS, Rud.  |          | •         | . 408  |
|          | Fig. 5.—LINGUATULA TENIOIDES, Rud.  | •        | •         | . 408  |
|          | Fig. 6.—LINGUATULA CUVIERII   |          | •         | . 409  |
|          | Fig. 7 PRIONODERMA ASCAROIDES, Rud.; Cuc                                      | ullanus  | ascaroide | • 403  |
|          | Gœtz  |          |           | . 409  |
|          |   |          |           |        |
| Plate 9. | Fig. 1.—LERNÆA BRANCHIALIS, Lin   |          |           | . 409  |
|          | Fig. 2.—LERNÆA MULTICORNIS, Cuv.  |          |           | . 410  |
|          | Fig. 3.—Penella filosa, Gmel.   |          |           | . 410  |
|          | Fig. 4.—Sphyrion Lævigatus, Cuv. Quoy, and                                    | Gaym.    | •         | . 410  |
|          | Fig. 5.—ANCHORELLA LAGENULA, Cuv.   |          | 1.        | . 410  |
|          | Fig. 6.—Brachiella THYNNI, Cuv.   |          | •         | . 410  |
|          | Fig. 7.—CLAVELLA HIPPOGLOSSI, Cuv.  | •        | •         | 411    |
|          | Fig. 8.—Condracanthus Triglæ, Cuv.  |          | •         | . 411  |
|          | Fig. 9.—Condracanthus zer, Laroche Fig. 10.—Condracanthus xyphiæ, Cuv.        | •        |           | . 411  |
|          | Fig. 11.—Nemertes Borlasii, Cuv.  |          | •         | . 411  |
|          | - Brazilian Parising  |          |           | . 411  |
| Plate 10 | . Fig. 1.—Echinorhynchus gigas, Gm.   |          |           | . 413  |
|          | Fig. 2.—H.ERUCA MURIS, Gm.  |          |           | . 413  |
|          | Fig. 3.—Amphistoma longicollis, Bl.   |          |           | . 414  |
|          | Fig. 4.—CARYOPHYLLÆUS MULABILIS, Bl.  | •        |           | . 414  |
|          | Fig. 5.—Monostoma, Bl.  |          |           | . 414  |
|          | Fig. 6.—Fasciola hepatica, Lin  |          |           | . 414  |

| ZOOPHYTES.   | Vol. IV. Pag  | çe |
|--|---------------|----|
| Plate 10. Fig 7.—Polystoma integerrimum, Rud.  | 41            | 5  |
| Fig. 8.—Polystoma pinguicola, Rud.   | 41            | 5  |
| Fig. 9.—Cyclocotylus Bellones, Otto  | 41            | 5  |
| Fig. 10.—Tristoma coccineum  | 41            | 5  |
| Plate 11. Fig. 1.—HECTOCOTILE OCTOPODIS, Cuv.  | 41            | 6  |
| Fig. 2.—Aspidogaster conchicola, Bær.  | 41            |    |
| Fig. 3.—Planaria aurantiaca, Risso .   | 41            |    |
| Fig. 4.—Planaria cornuta, Müll.  | 41            |    |
| Fig. 5.—Planaria lactra, Müll.   | 41            |    |
|  |               |    |
| Fig. 6.—PROSTOMA CLYPSINOIDES, Duges   | 41            |    |
| Fig. 7.—Derostoma notops, Duges  | 41            |    |
| Fig. 8.—Vertumnus thethidicola, Otto .   | 41            | 1  |
| Plate 12. Fig. 1.—Tænia lata, Rud. Cuv.  | 41            |    |
| Fig. 2.—Tænia solium, Lin. Cuv.  | 41            |    |
| Fig. 3.—Head of Bothryocephalus coronatus, B   | 1 41          |    |
| Fig. 4.— DIBOTHRYORHYNCHUS LEPIDOPII, Bl.  | 41            | 9  |
| Plate 13. Fig. 1FLORICEPS COROLLATUS, Cuv.   | 41            | 9  |
| Fig. 2.—Tetrarhynchus lingualis, Cuv   | 41            |    |
| Fig. 3.—Tentacularia Boscii, Cuv   | 41            |    |
| Fig. 4.—Cysticercus pisciformis, Lin.  | 41            |    |
| Fig. 5.—Cysticercus finna, Blum.   | 41            |    |
| Fig. 6.—Acrostoma amnii, Lesauv.   |               |    |
| Fig. 7.—Cænurus cerebralis, Gm.  | 42            |    |
|  | 42            |    |
| Fig. 8.—Echinococcus   | 42            |    |
| Fig. 9.—LIGULA SIMPLICISSIMA, Bloch  | 44            |    |
| Plate 14. Fig. 1.—Pelagia panopyra, Peron .  | 42            | 3  |
| Fig. 2.—CYANÆA LABICHE, Quoy and Gaym.   | 42            | 3  |
| Fig. 3.—EQUOREA CYANOGRAMMA, Quoy and Gaym.  | 42            |    |
| Plate 15. Fig. 1.—RHIZOSTOMA ALDROVANDI, Risso. Taken for  | rom a drawing |    |
|  | 42            | 2  |
| of M. Laurillard   | 42            | 0  |
| Fig. 2.—Cassiopea Borbonica, Delle Chiaie .  | 42            | 4  |
| Plate 16. Fig. 1.—Berenice Eurisochroma, Peron .   | 42            | 4  |
| Fig. 2.—GERYONIA PROBOSCIDALIS, Forsk  | 42            |    |
| Fig. 3.—Cephea papuensis, Less.  | . 42          |    |
| 116. OF THE PROPERTY AND ADDRESS OF  |               |    |
| Plate 17. Fig. 1.—Beroe Pileus, Gm   | 42            | .5 |
| Fig. 2.—Beroe elongatus, Risso; Idya elongatus   | 42            |    |
| Fig. 3.—Beroe costata, Reyn  | 42            | 6  |
| Fig. 4.—Callianira bucephalon, Reyn  | 42            | 6  |
| Fig. 5.—ALCINOE VERMICULATA, Rang.   | 42            | 6  |
| Fig. 6 OCYROE MACULATA, Rang   | 42            | 6  |
|  | 40            |    |
| Plate 18. Fig. 1.—Cestum veneris, Less.  | 42            |    |
| Fig. 2.—Porpita Chrysocoma, Less.  | 42            |    |
| Fig. 3.—Velella limbosa, Lam.  | 42            | 7  |
| Plate 19, Fig. 1.—Physalia Atlantica, Less   | 42            |    |
| Fig. 2.—Physsophora disticha, Less.  | 42            |    |
| Fig. 3.—PHYSSOPHORA NICEA, Laur.   | 42            | 9  |
| Fig. 3.—Physsophora Nicea, Laur.<br>Fig. 4.—Hippopodius Luteus, Quoy and Gaym.<br>Fig. 5.—Rhizophyza heliantha, Quoy and Gaym. |               | 9  |
| Fig. 5.—RHIZOPHYZA HELIANTHA, QUOV and Gaym.   | . 42          | 9  |
| Fig. 6.—Diphia dispar, Bory  | 43            | 0  |
|  |               |    |

| TABLE OF THE PLATES.   |        | xxxii    |
|--|--------|----------|
| ZOOPHYTES.   | Vol.   | IV. Prge |
| Plate 19. Fig. 7 CALPE PENTAGON 1. Quoy and Gaym.                                  |        | . 4.0    |
| Fig. 8 ABYLA TRIGONA, Quoy and Gaym.   |        | . 4.0    |
| Fig. 9.—CYMBA SAGITTA, Quov and Gaym.  | •      | . 430    |
| Fig. 10.—Cuboides vitreus, Quoy and Gaym.  | •      |          |
| - 18. 10. Ocholdus viikines, Quoy and Chym.  | •      | . 430    |
| Plate 20. Fig. 1.—ACTINIA CORALLINA, Risso   |        | . 432    |
| Fig. 2.—Thalassiananthos aster, Rup.   |        | . 432    |
| Fig. 3.—Discosmus nummiforme, Rup.   |        | . 432    |
| Fig. 4.—Zoanthus sociatus, Cuv.  |        | . 433    |
| Fig. 5.—Lucernaria campanula, Lamouroux .  |        | . 433    |
|  |        | • 100    |
| Plate 21. Fig. 1.—Tubipora Rubeola, Quoy   |        | . 436    |
| Fig. 2.—Tubularia indivisa, Lam.   |        | . 436    |
| Fig. 3.—Sertularia tamarındus, Ellis   |        | . 438    |
| Fig. 4.—Eucratra cornuta, Ellis .  |        | . 439    |
| Fig. 5.—Flustra Aragoi, Exp. d'Eg.   |        | . 439    |
| Fig. 6.—Cellepora pumicosa, Ellis  |        | . 440    |
| Fig. 7.—TUBULIPORA TUBULOSA, Gm.   |        | 440      |
| Fig. 8.—Corallina officinalis, Lin.  | •      | . 440    |
| Fig. 9 FLABELLARIA OPUNTIA, Ellis; Corallina opur                                  | otio . |          |
| Fig. 10.—Acerabulum Mediterraneum, Cavolini;                                       | Tubal  | . 441    |
|  | 1 ubus |          |
|  | •      | . 412    |
| Fig. 11.—POLYPHYSA ASPERGILLUM. Lamouroux  | •      | . 412    |
| Plate 22 Fig. 1 II Town II Com   |        | 40.1     |
| Plate 22. Fig. 1.—HYDRA VIRIDIS, Trembl. Cuv.                                      |        | . 431    |
| Fig. 2.—Hydra fusca, Trembl. Cuv.  |        | . 431    |
| Fig. 3.—Coryna multicornis, Forsk. Cuv.  |        | . 434    |
| Fig. 4.—Cristatella mucedo, Cuv.   |        | . 434    |
| Fig. 5.—Vorticella opercularis, Bory, Ræsel de Ros                                 |        | . 435    |
| Fig. 6.—Pedicellaria tridens, Müll. Cuv.   |        | . 435    |
| Plate 92 Pin 1 A Pilita and C 1  |        |          |
| Plate 23. Fig. 1.—Antipathes Myriophylla, Ellis and Sol.                           | •      | . 443    |
| Fig. 2.—Gorgonia verrucosa, Cavolini   | •      | . 4!3    |
| Fig. 3.—EUNICEA MAMMOSA, Lamouroux   |        | . 444    |
| Fig. 4.—Corallium Rubrum, Cavolini .   |        | . 414    |
| Fig. 5.—Isis Hippunis, Ellis and Sol   |        | . 445    |
| Fig. 6.—Fungia crassitentaculata, Quoy .   |        | . 445    |
| Fig. 7.—Turbinolia rubra, Quoy   |        | . 4.15   |
| Fig. 8.—Caryophyllia fasciculata. Lam  |        | . 445    |
| Fig. 9.—ASTREA CALICULARIS, Lam  |        | . 446    |
| Fig. 10.—MADREPORA ABROTANOIDES, Lam   |        | . 446    |
| Fig. 11MILLEPORA ALCICORNIS, Pail.   |        | . 447    |
|  |        |          |
| Plate 24. Fig. 1.—Pennatula Grisea, Gm   |        | . 448    |
| Fig. 2.—Virgularia juncea, Pall  |        | . 448    |
| Fig. 2.—VIRGULARIA JUNCEA, Pall. Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. |        | . 448    |
| Fig. 4.—KENILLA VIOLACEA, QUOY   |        | . 449    |
| Fig. 5.—Umbellularia encrinus, Ellis .   |        | . 449    |
| Fig. 6.—Alcyonium aurantiacum, Quov  |        | . 449    |
| Fig. 7 A large fragment of ALCYONIUM RAMOSUM, Quoy                                 | y .    | . 450    |
| Fig. 8.—THETHYUM LYNCURIUM, Marsigli .   |        | . 450    |
| 12: 0 C  |        | . 450    |
| Fig. 10.—Spongta manus, Bl   |        | . 450    |






Organ of Sutritues in Inserts



Organs of Nutrition in Insects






Organs of Natrition in Insects.

London: 6 Henderson, 2 Old Bailey






Organs of Marition in Insects.

London. 6. Henderson. 2. Old Bailey






Organs of Concration in Insects.




Inserta.Fl. D.




1 Therates basilis, dTr. 2. Inatenreal details of the Megacephala carolina Late. 3. Trycondyla aptera Late. 1. Clemostoma ichneumoneum Ilej. 5. Collinxis modesta Ilej. 6. Manticova maxillesa. Late. 7. Civindela tennipes base. 8. Head of the Oxycheila treetis. Ilej.





1. Month of the Anthra 20 guitura Late. 2 Graphipterus multiguitatus. Late. 3 Casumia senegulensis 8 Fary & Seri. 1 Brachinus Juriner Ilg. 5 Terchognathus neurginatus Late. 6 Month & Tarens of the Galerita americana Late. 7 Mond & Gorselet of the Euphinus elens Late. 8 Hellio costutus. Late. 9 Dripta enficellis. Dej. 10 Ağra splendida Late. 11 Lobia flavonaculata buer.






Primageno qua hermediano 2 Pambero a 3 Eleter terraciates 1 Ontis subfile 3 Eleviu bierria 6 Heliae contal 7 Emma renosa London Allenderson 2 Mt Bailes

2 Pamborus altern 1 Ordis subflavus 6 Hellue costatus.






1 Columb barbicornis (The Horned Goliath)

2 Buprestis scutellatus The armed Buprestis

3 Lucanus' semesims/The servital Lucanus) — A Ceusus becomes The two horned celonio.
5 Itispa Marginals The Marimalid Chemit Fly = 6 Helwis perforata. The perforated Eduar of New Holland. 7 Brentus Appendiculuius





Organs of Generation in Insects.

London, o. Henderson 2 Old Bailey





Organs of Generation in Insects

Tombon & motor on " and Ante.






Organs of Generation in Insects

in the late of the state of the state of




Insecta Pl.13.




1. Stagona l'integreu lig. 2. Oxystomus Sancti-Alihaen Lat. 3. Scapterus lineaux lief, 1. Eureladus gi-que llon. 5. Apotomus repres late. 6. Minder foet et the Oxselvieus thermeins Late. 7. Morin emplescher 8. Acanthucelis reprenens late. 9. Intenne et the Oxsero llogera, lief. 10. Intomus valuecus, late. B. Head of the Dittomus calculatus, late. 12. Oxeloxemus flecturen. Late.






L. Barpalus triveler, there 2. Trigomotoma viridicellis, Big. 3. Elytra of the Feromo invarient later, LEBera & Brisine of the Feromos medianient lat. 3. Cephialotes entjayes late. 4. Clinider Brisine, the Patrolons majores and a "Monemplese politiches Blas. 8 Blander foot & Jan. 9 the Alarias gibbus, East. 9. Internacy of the Sphodeus terricela Lat. 10. Binder foot of the Feromia betterfeta Lat. II Blader Tursus kiper of the Enermis myrecela male. 12. Bend of the larvicery patroneus, but 13. Centhos aliase-order lat. 14. Panagous patropromos Lat. 15. Omorphisms, attentic, more





Spheroderus middierlis Cherrol. 2. Calosoma injipenne liej. 3. Cychrus italicus lienelli. 4 Pamborus alternuus. Lat 5 Head of the Pogonophorus. 6 Hinder Tuenos of the Polophila. 7. Carabus rations. Lat 8 Polocium exampes hield. 9. Masorous lucetus lig. 10 Palpi of the principal Bembulous.





L'Dytiscus liberminieri Chevr. 3. Dytiscus serricornis. Phyk. 3. Minder hiot of the Colymbetes - 1. Hinder foot of the Hydropoxus planus. Putr. 5. Hygrobia Heemanni. Latr. 6. Notevus crassicornis Charo. 7. Haliplus elevatus. 8. Cyrinus subcutus. Dej.



Organs of Generation in Insects


Initial contract





Organs of Generation in Insects






Early points r(e) = l(a) + llevel of the Astrophysis almost us, <math>r(e) = s, applying subariens.

Earl Lathrechnus dengation law a Product and account of the Proceeds Replaced In Product the Expession 1. Alexander the Expession 1. Alexan






1 Head of the Prograths range on 2012 (Greenhilus rages 2, 1600). Lesteva dichrea bete 1 Micropeplus maillei Rg. 5 Aleochara visidis data bak ti kannechusa paradesia dirac 7 Omalium blathoides kõis. 9 Tachunus atri op 1 (18 ks i 9) Tachuporus marginutus kom




Insecto. P.1.21.



1 Bup of stree hierder Lat. 2 Anatomy of the Bup of trying Fab. 3. Bup of street is rubripennes, there
is the professor street halandie laws. 5 Aphanesticus emorgination Lat. 6 Teachy's cruentatu Fab.
7 Melasis hyprostoids, Oliv.




Insecta. Pl. 22.



I Eucucum's equientic Man. 2. Previous us histric Late 3. Instantical details of the Galba matmaratu-fine. L'Adeliocea childianii i bioe. 5. Balvedeves raficelles bioe. 6. Geophytim eleteroides Late. 7. Thosews demissional detaileria & Chelmonium undatumilate. 9. Cryptostoma denteroides Late. 18. Adelioceanis Late. 18. Adelioceanis bioe. 10. Newstodos filam Late. 12. Iliad of the Heinerthipus electrosciens Late. 18. Instanticelles Late. 19. Eletrophysicanis, bien. 15. Campellos and Chelmonium of the Universal development. 19. Campellos according to the historic development. 19.






LPhysodactylus Henungii Fich. 2.Cebrio fuscus borg. 3.Antenna of the Cebrio grans fem. 4.Antenna of the Anchastes Bruni Birky. 5.Callichapis borgi bacin. 6.Anatomical details of the Gallichapis Beginni, Late. 7. Rhipicera spanes, bace. 8. Antenna of the Burjecas fem. 9.Philodactyla elaterina Illia, 10. Elades pullidus, bat 31. Hinder foot of the Sexytes. 12. Eabrin pulnateis, borm.




Insecta, Pl.21




I levas betescimus Fib. 2 Head of the Incluspiters supported har. 3 Antenna of the Omalisms auturalis helf.
I Belas flowescens female. 5, male of the same species as fig. four. 6, Brilas refrechts by 7, Lamperis shorted
gas. Kirls. 8, Antenna of the Amyleters Bigl. 9, Antennaed details of the Chalopherus vigicolis, done 10, Kins
tricelas bor. Il Malthimus higuitums, Ohr. 12 Anthemical details of the Cockylocya autermata, burr.






1. Malachius rificellis Fab. 2. Dasytes trifuscialus bare, 3. Ivgia oblenga F. 4 Melyvis viridas 5. Melyvis abdoninalis F. 6. Pelecopluva nigredinata bare 7 Cylidrus Buqueti bare. 8. Tillus ribbirollis bare. 9. Tillus mifiscentus F. 10. Pruceru. 11. Axiana. 12. Eurypus. 13. Thanassimus bomberinas (be. 14 Thanassimus fermioarius F. 15. Opto. 16 (be us obricen). Cher 17 Cherus Alrenaius E. 18. Necrolius violacea k. 19. Necrolius apprellis F. 20. Emplima viridipenus kirbs






1. Primus dahens, there 2. Putilinus serrativernis, Chr. 3. Xyletinus pállens Ster. 3. ba e "Inatomical details of the Xyletinus pertinatus Lib. 4.0 chima sanguinicelhs Logi 5. Darcatama rabens there 6. Gibbium scotius, Chr. 7. Inatemical details of the Anahum pertinas, L. 8. Attachwerus mobircheules, biaer. 9. Heliocotus, Javanus, Cherr. 10. Isanwylan marale, Chr. 11. Tupos capitatus I. 12. Thesodes costatus, the




Animal Kingdom . Insecta.Pl.:




1. Mastigns tissens Aliq. 2. Seydinorius belwegii Far Let. 3. Anatomical details of the Seydinorius birticellis of 1. Hulaluptu 4 dentata E. 5. Histor manifularus, then 6. Anatomical details of the Histor proceedings 1. 7. Sphowites alaboratus F. 8. Secrephagus maritimus, Eakoch 9. Nevrophagus norman icus L. 10. Silphagumigen offern H. Nevrodes litteralis L. 12. Nevrophicus bedrophicides lichesche 13. Agyetes automate E. 11. Scaphidium myripes, there. 13. Scaphidium 4 macadatum ethic.





1 Colohicus marginatus. Let 2. Themalus marginicallis. Chev. 3. Amatemical details of the Thimalus linds duck? 3.4 ps forciutae the 5. Amatemical details of the Ips. 4 punctural liethet 6. Xitidula peruviano beer 1. Instrument details of the Xitidula imperialis. E. & Cerrus pulicarius. Lat. 9. Peturus tenuen tesues. E. D. Derne formeralis of here. Il Eryptophagus nigripennis. Park. 12. Amatemical details of the Cerptophagus populi. Ec. k.






L'Aspidiphorus orbiculatus fel 2 Deeme stes convivorus Eab. 3 Megatoma modata Lat. A Anatomical details of the Megatoma trifasciata F. S. Attagoms serva F. 6 Authornus expensis F. T. Anatom ical details of the No sudvadoon farciculare. Ot. 8. Averbars alpinus tiore. 9. Austonical details of the Byrchus Dennii Kich. 10 Trinodes hirtus. F. II Heterocerus marginatus. Fab. 12 Foot of the Berchus concolor, Sturm.



Insector, Pl.30.



Patamophilus orientalis, borr 2. Drvops proliferiornia, Fib. 3. Amatemical details of the Elanis Velekmari, Bim. 4. Macconveluis 3 tuberculatus, Mid. 3 Genrissius pojuncus, fiel. 6 Elaphurus ambilut, Fib. 6. Indivinited details of the Elaphurus franciaea, Fic. 8. Subrame of the Bydrawinis chamitus, Fib. 9. Palpi of the Ochthebius photomens, inct 10. In tourierd details of the Hydrawa testates a inct. 18. Specialisma subcata, fiore 12. Indiana ical details, of the 5 percebous subcata, fib. 13. Globaria mitida bias, 11 Hydraphilus opinipennia, borr 15. Spherialium (no biatum borr.)




Insecta.P1.31.



1. Atenchus Ægyptiorum, Lav. 2. Anatomical details of the Atenchus succe. Late. 3. Circellinin hemisphericum, Lav. 4. Coprobins viridis Lav. 5. Encysternus fudus, 6air. 6. Ontophagus ravus, buir. 1. Anatomical details of the Ontophagus vacca. Late. 8. Phaneus imperator thereol. 9. Oniticellus formosus, their, 10. Copris belluter, there, 11. Aphadius hipmatatus, Eabr.





Organs of Motion in Insects.






I Oryclos Therrelatii bair. 2. Ağacephula furcatu bair. 3. Scarabacus mentor bair. 4. hatomical ditads of the Scarabacus gedeon. Fabr. 5. Phileurus eribratus. Cheer. 6. Ilexodon exticulatus. Olivier. 7. Cyclocephala frontalis. Cheer. 8. Juntomical details of the Cyclocephala geminutu Juhr.




Animal Kingdom. Insecta. Pl 34



I.Lencothyreus mitheollis, bair, 2. Anatomical details of the Anaplognathus Latteellar (d), 3 (cent ates burbatus litely, 1. Apogonia geneellata litely, 5. Medolantha flevida boy, 6. Internated the Me Iolantha valgaris v. 7. Internated the Rhisotrogus pure latte 8 (craspis decent boy, 9. Anatomical call details of the Cexaspis alluda seev. 10. Areada Kichii Mac Logy, II. Servica flavorana tory, 12. Anatomical details of the Servica variabilis but, 13. Inplacephala farcata bair, 11. Macromosely, has saturalise there.






1. Pleetris tumentosa Lep & Serv. 2. Popilia netidicallis Core. 3 Anisophia attardis asses.

4. Euchlura viridum, bior. 5. Lepisia repicala. Serv. 6. Dierana velus na ber.


7. Hoplia farinosa, Ede. 8. Diehelus deutypes, Serv.





LGlaphyrns rufipennis 60rg. 2 Amphicoma hambylifarmis Pall 3 Amatemical details of the Amphicoma Lasserii. 4 Anthipma abdominalis Esch. 5. Chasmopterus havulus. 3llig. 6. Pachyenemus crassipes Ser. 7. Lepitrix abbreviatus. Sers. 8. Monochelus genager. Sers. 9. Anisonyax nasua Wed.





1. Cremastocheilus hirtus, begr & Perel, menogr. 2. Anatomical details of the Cremastocheilus elomantos, this 2. Trickius sebra, ellis 4. Anatomical details of the Trickius fusciones E. 5. Galis ath means, 6 & P. (the G. Platygenia mirica, Mack Loy. 7. Cremia Baxii, 6 & P. 8. Anatomical details of the Cremia mends. E. 9. Cymowets nervona, 6 & P. 10. Macromata agrega a 6 & P.




Inscrta. Pl.37.



Smodendron exlindricani. I Fib. 2 Ossalus scarabacides Fib. 3. Lucanus cinnemomens bace.
 Platreerus auriculatus berv. 5. Lamprima cenasLate. 6. Phalalatus Hamboldii Sch. 7 Passalus pentaphyllus. Palis Baw. 8. Anatonica al details of the Passalus interruptus. Fib.




Insecta. Pl. 38.




1. Pimelia vestitu, borg. 2. Juatomical details of the Pimelia sericea, 3. Exodius gibbus, Fabr. 4. Tophosis testudinarius, thr. 5. Ayetelia Juanotti, there. 5, e.d. Anatomical details of the Nyete lia heumipes, bare. 6 Hegeter tagentiales, borg. 7. Tentyvia punctipennis Lefebere, 8. Akis borgi, bore. 9 Elenophorus americanus, baccod. 10. Eurychura rugosula borg. 11. Juatomical details of the Eurychura videotic viliatus, 12 Adelastoma rugosa borg.






1. Eigenia orientalis, bory 2. Psanimeticus costatus buir 3. Scanvus ingosus, Late. 1 Scotobius granosus, lacerd 5 Sepidium vestiturus bory. 6. Teachynotus vittatus, Late. 7. Mohras Interpres, buir






1. Oanca setwa Riche 2. Acanthomova gravilla boir llerbst. 3. Misukampus Hoffmansegar bair. 1. Blaps mortisaga. Eds. 5. Meath & Antenno of the Blaps, sulcetta Fab. 6. Gamopus thialise, batr. 7. Anomalipes dentifiers to Tab. 8. Kiroselet of the Backha villosa Berbst. 9. Sectionus bristlenke boy. 10. Maach & Interno of the Asyala berigata Eds. 11. Tarsus & Internos of the Opatrinus chia trains. Bej. 12. Tarsus of the Belaphilus kispanicus. Bg. 13. Pedinus gibbens, koy. 14. Anatomical details of the Blaphilus paraetatus skis. 15. Platysechs, gages. Eich.






1. Crypticus gibbulus. Sch. 2. Opatrum. elangatum. bair. 3. Curticus celtis. berm. 4. Énatemical denils of the Orthocorus muticus. Let. 5. Chiroscolis bifonestratu. Lam. 6. Toxicum curvicorue. Chor. 7. Boros thornercus. bel. 8. Calcar elangatus. Harbst. 9. Tpis commissides. Fab. 10. Inatomical details of the Tenchmo molitor. Lin. 11. Heterotursus tenchricides bair. 12. Tenchmo obscurus. Eab.





1. Amaryginus caprinus, lieb. 2. Sphærotus carvipes, lieby. 3. Helops saturalis, tierm. 4. du atomied details of the Welops hadpes, F. 5. Leans pineline. 6. Stenotroche lux ariens Lu. 7. Strongelinus servativerne Cher. 8. Pitho depressus, F. 9. Cistelia serrata, ther. 10. Hallainenus humeralis, law 4. Indicanced details of the Orchesia microre-late.






Direwa discolor. Fab. 2. McLandvya rujipes. (herr. 3. Serropalpus Striatus. Latr. 4. Conopulpus flavicolle. Gyt. 5. Calopus servaticornis. F. 6. Dytilus lavis Fisch. 7. Edomern podagraria. Fab. 8. Stenostoma rostratum. Charp. 9. Myetexus pulverulentus Chevr. 10. Head of the Rhinomacer attelaboides. F. B. Rhinosinus ruficellis. F.




Insecta.Pl.44.



1. Lagria gigas buer. 2. Stativa caraboides, buer. 3. Perochwoa coccinea Fib. 4. Ripsphorns rufipennis, ther. 5. Myodites aniericanus buer. 6. Pelocotoma Frivaldyskut Sturm. 7. Mordella pieta, Chevr. 8. Seraptia dahia, Oliv. 9. Notoxus fasciatus (hevr. 10. Cissites testuccus, Latr.




Insecta.Pl.45.




Lattenus of the Cevacama Schriffer, Lin. 2. Hycheus to quitatus there 3, hatenus of the Actinoma 12 punctura there 1. Melabris newps there 5, thatanus of the Gaus affer, E. 6. Melae coedilinear Chantonical details of the Melae levelethe Rim. 8. Feterances variethels diver 9. Cantharies where rome there 10. Instanceal details of the Cantharies versicatoria. Il Zonitis puncticallis, there 12. Anatomical details of the Semognatha chrysomelina, E. 13. Leptopalpus Cheveluti, finer, 14. Gaarthian flavicalle there 15. Sitaris humerula, bib.






1. Reachus marginellus, Fabr. 2. Rhydrus bebleri, Eisch. 3. Anthrilms, Garnetic buern, d. Attelabus, fidentis, buer. 5. Rhydrita humapteris, Eirby, 6. Eurhimus venicus, buer. 7. Brentus utilicus, Int. 8. Coopenhalus fureillutus, Sob. 9. Antenna of the University concerns. Lat. 40. Cylus langicellis, Cher.










I Læmosaceus chevrolatii finer. 2. Bağous binodosus fell. 3. Brachaneus indigena fell L Balaninus micum, Lin. 5. Heilipus peplus, Sch. 6. Aleides preustus, 6667-7 Myurbians albolineatus, 8 Cionis pulverosus, Pareys, 9. Tachygomis horridus there




Insecta.Pl. 19



1. Cholus flave fasciatus, Chere. 2. Camptochynchus flathacius, term. 3. Centriuus curvivostris, Chere. 4. Zvýob s rabricellis, Chere. 5. Centerhynchus sii Chere. 6. Hydaticus camarii, Sch. 7. Diarymevus altus beem. 8. Mecopus trilineatus, buce. 9. Gorýus bispinosus, Chere. 10. Tylodes prinicides, byl.






1. Anchomus suillus, Fab. 2. Rhina barbirostris, Fab. 3. Calandra Guerini, Chevr. 4. Calan den tuitense buer. 5. Belorhynus acutus, buer. 6. Cercidocerus nigrolateralis, buer. 7. Cossonns ephippiger. Guer. 8. Dryophtorus lyntexilon . Fabr.

9 Trigonotorsus calandroides, liner.






L. Scalytus flavicarnis they. 2. Antenna of the Hybrigus piniperda. 3. Intenna of the Camptoe exus amerjennis, th. 4. Phonoterbus eleve. Lat. 5. Antenna of the Tamicus bespinus blog. 16 Phytypus Beve bine; 7. Month of the Phytypus selvene; 7. Month of the Phytypus elevene; 16 Phyty




Insecta.Pl.52.



1. Cheujus mandibularis, 607. 2 Auatemical details of the Cheujus depressus, Fab. 3 Brontes spinicallis, 607. 4 Anatomical details of the Brontes fluvipes, Fab. 5. Dendrophagus crenatus, Payk. 6. Spondylus buprestaides, Fab. 7. Parandra lineala, 607. 8. Prionus Desmarcati buer. 9. Anacolus sanguineus, 800. 10 Prionapterus staphilinns, 600.




Inserta.Pl.53



1.Lissanotus mifusciatus bory. 2. Megindorus stigmu. Fab. 3. Tachydor es nigrofusciatus bory. Adminued detuits of the Trachydores succinctus. Fab. 5. Lophonoverus barbicornic elliv. 6. Calliebroma, opeciesa bory. 7. Acanthopterus tripmictutus, bory. 8. Anatomical detuits of the Acanthopterus Indonésis bore. 9. Internae of the Cerember beros. Fab. 10. Instrumed details of the Cerember Calliebroma. benipterus, Oliv.




Animal Kingdom. Insecta. Pl 51.




1. Ceranilws enjoyemis boy: 2. Cevanilws speculifer boy: 3 Cevanilws hirtipes ellir 4 Calhilium insubrecum Liegler, 5 Certallium raficelle Eth. 6 Obvium ferriqueum Eth. 7 Rhinotragus coccineus boy: 8 Nevydalis major Lin 9 Stempterus elegans kling.




Insecta. Pl. 50.



L'Acrovinus trochleures boys, 2. Lamia aurocineta boys, 3. Tetraopes dimediatas boys, 4. Saperda albicane buer, 5. Anatomical details of the Saperda atkusoni boris, 6. Anatomic of the Distichecera nuculicellis hirby, 7. Thus sistemus bromalatus buer, 8. Tragecerus bidentatus Jonos, 9. Leptocera bilineata boys.




Animal Kingdom. Insceta Pt 57




1. Megalupus miljaseintus, birg. 2. Sagra cyanen Balm. 3. Amazanical details of the Sagra splendida. F. 4.Or sudavia violueni (ber. 5.) Psimmuvelius hipanetumi. Elember. 6. Diametri pinnera (cd. 7. Inaneuri rad details of the Danacia sogitativie Eds. 8. Einder Tarens of the Beamain vooteree (cd.) 9.Petamistes ensages, dib. (D. Crinevers Buryens due. H. Anchemin brade-Eds. 12. Megascelis prosens schere.





LAlmenus carallims Vines 2 Occoephala corrugera inici. 3. Ihspa Fabricii, linic. A Anatomy of the first of the Chalegus spinipos Inl. 5. Cassida. Vedescon, albert longicornis Inl. 6. Anatomical details of the Cassida discore I labe. 1. Antenna of the Cryptneephalus speciesus, bair. Vey Impercey. 8. Clythra Perdecon, boy. 9. Chlumys coprocabllus, D. Lampa counts correspond to the Cassida sheppardis libry, "anto pygnocas Robot." Mog. 2nd (LINIX). 12. Enryope proceedatas the Is. Enrodpus counts. Edit.






1. Colaspis illustris, Cheer. 2. Podontia affinis, berm. 3. Phyllochavis bicureta, buer. 4. Phyllochavis splendens, buer. 5. Doryphora multipunctuta Cheer. 6. Palper of the Doryphora admica. Cheer. 7. Paropsis 8 lineatu, bery. 8. Timarcha balearica bery. 9. Chrysomela humeralis, bery. 10. Palper of the Chrysomela sanguinelenta J. 41. Phædan evanopterus buer.

12. Prasocuvis honoveriona. Fahr






1. Adoxivm basale, 6ner. 2. Anatomical details of the Adoxivm hipmetatum ther. 3. Galexus dimiliata, 6ner. 4. Anatomical details of the Galexus viburai Back. 5. Antenna of the Galexus a maculatus. I. 6. Lupexus cinctellus there. 7. Anatomical details of the Lupexus brassicar. Bacs. 8. Octobomotes 4 lineatus, there. 9. Octobomotes theracieus, Boss. 10. Octobomychis figuratus, there. II. Psylloidos Anglica, Cheer. 12. Dibolia berealis there. 13. Alfica Chevrolatii, buer.


14. Longitarsus dorsalis. Fab.






1 Excyrlus bengalensis, 6uer. 2 Aegythus surinamensis, Edir. 3. Explax brunnipes, there. 4. Autennar of the Traplax nigriperanis, Eds. 5. Langurin, africana, there. 6. Phalachrus granulatus, 6uer. 7 Eunur plus, bamatus, 6uer. 3. Dup's a trimaenlatu. Magarle. 9. Endunychus tribialis, there. 10. Anatamical demile, of the Lycoperdina biristar Edir. 11. Lycoperdina lata, there. 12. Esthophilus rapicalis, Dabl.





1. Coccinella furcifera bur. 2. Anatonical details of the Coccinella cecllota Im. 3. Cacidula litura. Eth. 4. Scymnus gnettatus Illig. 5. Chypeastex pusillus byl. 6. Metopius curculioneides boy. 7. Chemium. 8. Dionix, 9. Pythiuus, 10. Pselaphus heise i Herbst. Il Brynxis Lefeborii, lube. 12. Brynxis Longicornis Louel. 13. Bryaxis shiremuch, dub. 14 Eupheetus Kirhin Domy. 15. Instantical details of the Eupheetus natus Rich. 16. Claviger foecolatus Illil. 17. Ptillium pisicular. Rubst.






1. Forticula Sympophon Serv. exoccipennis Serv. 2. Anatomical details of the Forticula accicularia.

Lin. 3. Blatta Theraspis Serv. pieta. Eds. 4. Anatomical details of the Blatta Ogyptic co. Eds. 5. Exapusa lobipes, Olivier. 6. Anatomical details of the Empusa properata. Eds. 7. Anatomical details of the Mantis religiosa. Lin.






1. Phasma annulata Ser. 2. Antenna of the Bacillus. 3. Head of the Cephocrana. 4. Bacteria scalrosa, Perch. 5. Anatomical details of the Cladoxerus rescipennis, buer




Insecta. Pl. 64.



1. Gryllus Serveillei Suie. 2. Austomical details of the Gryllus composteris. Eds. 3. Gryllutalpa diductelus. Inter. 4. Instantical details of the Gryllotalpa valqueris. 5. Triductyclus fusciatus Perch. 6. Myranecophi. In nervorum. Busic. 7. Lucusta cyclivosoma, Engelopolius. 8 Pneumoxa manis. Eds. 9. Acyvlium tursatum. Sers. 10. Instantical details of the Acyvlium magnatarium.



Insecta.Pl.65.




LSentellera Dives, bur. 2. Pentatoma polofa, bur. 3. Anatomical details of the Fentatoma grisco.

Lite. UTesseratoma Someratii, Serv. 8 SErry. 5. Phlica cassideides Serv. 8 SErry. 6 Covens i disgin
oras, bur. i.a. Antenna of the Conocerus. 6. b. Antenna of the Syrumastes. 1. Antenna of the Bollymenia. 9 Anisoscelis profamas Eds. 10 Alydos manulicares bure.

H. Neide's tipulario Latr.




Animal Kingdom.




I Lygen's Payi Guer 1. Instructed debits of the Lygen's apterns, Z. 3. Macrochevaia grandis, brye. I Salda cythrocycluda, Serv. 5. Head of the Byodocha tipulatides, Int. 6. Astenium increatialis, burr. 7. Mexis pulatellus, bur. 8. Interior of the University Interior of the Hereveyissreom is, Int. 10. Macrocycphalus officis burr. 11. Interior of the Processing Service F. 12. Interior of the Tradity Service F. 13. Interior of the Tradity Service F. 14. Interior of the Acada's Getterias. 15. Availus Interior F. 16. Interior of the Acada's Getterias. 15. Availus Interior F. 16. Interior of the Acada's Getterias. 18. Acada's Interior F. 16. Interior of the Acada's Getterias. 18. Availus Interior F. 16. Interior of the Acada's Getterias. 18. Acada's Interior F. 19. Planting Interior Interior F. 19. Planting Interior F. 19. Acada's Acada's Getterias. 19. Planting Interior F. 19. Planting In





I. Desmocceus eyaneus Fab. 2. Vesperus graeus Guer. 3. Rhaginar hifusciatum Fab. 4. Rhamnusium salieis Eab. 5. Toxotus meridianus Fab. 6. Pachyta haportu Guer. 7. Stennderus cerambaides. hidy. 8. Leptuva annulata. Gov.






1. Hydrametva Stannerum, Im. 2. Gerris marginana, bier. 3 Velia rivulorum, Eibr. 1. Galgalins fluens bier. 5. Naucoxis Theyi, bier. 6. Internar of the Sphoevodenia retundata, Lap. 7. Nopa grisea buer. 8. Banatva filifornis, Eibr. 9. Corxia cuba, buer. 10 Notowesta furcata Eib.




Insectal Pl.68.






Insecta Pl. 69.




1 Membraeis movima theo 2 Durnis diffris thair 3 Bocidium proximum than 4 Centrotus underrage on 3 3 1911 of diseases of the Centrornause F. 6. Anatomized details of the Atalion relicalation hat, 7 Leady where PS: Coreopus Urvillei Serv 9 Anatomized details of the Coresampum denta Finz 10 few onta which may II I still agentate Can 12 Anatomized the Livia 13 Thirps hazatat F. 14.





1. Libellula indica Fahr. 2. Nempha of the Libellula depressa. Lin. 3. Ilinder claws of the Exbure of Equip (1. Ageinn chinensis line: Eab. 5. Ilinder claws of the Ageinn view Eab. 6. Nempha and Australia of the Ageinn puella Lin. 7. Ephenwera limbata. Serv. 8. Larva of the Ephenwera vialities, 9. Ephenwera limbata. 5 and perfect the Liberary of the Ephenwera vialities, 9. Ephenwera limbata. 5 and perfect the Republic of the R






1. Nemoptera artensa. Oliv./halterata Fah/ 2. Bittaens tipularius. Latr.

3. Anatomical details of the Panorpa communis Jin. 4. Borons hieralis lin.






Organs of Motion in Insects.




Insecta.Pl.73



1 Mernicleo Ver, horoun, beer 2 is rea of the Mernicleo farmicarius L. 3. Ascalaphus Brasiltanus baer. A Hemerabius capitatus Fahr. 5. Anatomy of the Hemerabius of Egypt. 6. Sial as Intarius Late.




Insecta.Pl.14



1. Cimbex lateralis, base, 2. Anatomy of the Perga. 3. Schizovera furcata, Fab. 4. Anatomy of the Hylot. 3. Anatomy of the Tenthredo, 6. Cladius pallipes, Lep. 7. Anatomy of the Cladius difference 8. Instanty of the Athalia, 9. Anatomy of the Pterygophorus, 10. Anatomy of the Lophyrus, 11. Anatomy of the Famphilius, 12. Xyela posilla, Dal. 13. Cephus flaviventris, Lef. 14. Larva &c. of the Cephus pygon. 15. Anatomy of the Xyph 16. Anatomy of the Oryssus, 17. Sirvx Lefebyre, 18. Anatomical details of the Sirva.






Themse little Guer 2 add once, of the Evansa appeading a ten. Fab 3.Pelectinus, reference Las Memor paras.

Ser 5 Stephanos furcatus Ser 6.Ophon marquiatus, Feb 7 Joppa peas, ver 8 Johnson van cresorius (ras 0 10 taxtes aranus Cas).






Accoming arater Rossi 2 Agailing purpaine Rab 3. Brocon ernator. Rab 4. Anatomical details of the Bracon deat groter. In 5 Nicio nominator late 6 Microgaster deprenator late 7. Anatomical details of the Microgaster disprise Lin 8 Helesing puntar Serv 9 Sigalphus urerator. Late 10 Chelonus occulator Jurno (LAlysia mandicator Rab.




Insecta.Pl.77.



1. Cymps quereus toju: Eds. 2. Ibaba cultellulu: F. 3. Figites sociellures but 4. Chaleix businerii baix 5. Jandenried details of the Chaleix medeanti fait 6. Chaleix bandatus baix 7. Lemeospis pediculuto baix 8. Thorse antha batixilli baix 9. Head of the Agam. 10. Head of the Dichimus Bolm. II Euvertoma cooperai fait 12. Perilampus violuceus Eds. 13. Jahrenne of the Chemymus 11. Internae of the Euvertos. 43 Europhus pectanicornis Eds.




Animal Kingdom. Insecta. P1.78.




I. Devinus curser, Ibil 2, Helorus anomalipes, Pana, 3, Spacasion frontale Lat. el. Galesus fiscoponies, but 5, Platygaster boscii dur. 6, Myniar publiebilus, Wilk, Libratoni ent details of the Velex rhitier Ibil, 8, Interno é die Unetus, 9, Chrysis maxicana, buer. 10, Inatemical details of the Wedyelmun, II. Cleptes thoración bap.






 Formica rafu, L. 2. Atta? armigera, Lat. 3. Cyptocecus atratus, Latrel. 4. Mutilla sense, bair. 5. Juntamical details of the Mutilla ephippion, Eds. 6. Myrmosa melanocephalas, Lat. 7. Methoca iclineanumides, Lat. 8. Tengyra Sarviali, Lat. 9. Myzine valvalus, Lat. 10. Scolia formesa, baer. II. Sapyga varia, Lat.





4. Guidenz Interalis, Guer. 2. Juntomy of the Perga. 3. Sylvizoveva furvata. Euk. 4. Juntomy of the Hylot. 5. Juntomy of the Teuthrecto. 6. Cladius pultipres. Lep. 7. Juntomy of the Unitive shifterines 8. Juntomy of the Athalia. 9. Juntomy of the Proxygophurus. 10. Juntomy of the Applyrus. B. Juntomy of the Eniphilius. 12. Xyela pusilla Int. B. Cephus flaviventers. Lef. 4. Larva 8c. of the Cephus pignib. Juntomy of the Xyph. 16. Juntomy of the Oryssus. 17. Syrvx Lefebyce. 18. Juntomical details of the Syrva.






L. Pomptins viations, F. 2. Sphex aurunita, buir. 3. Ammophilus Apiculis, buir. 1. Ampulex compressiventers, buir. 5. Polopeus lunatus, F. 6. Bembex peruviana, buer. 7. Anatomical details of the Bembex. 8. Anatomical details of the Monedula. 9. Lycops auruventers, buer. 40. Binetus pictus, Junie.




Insecta.Pl.81



1. Astata buops, Spin. 2. Oxybelus uniglumis, Eab. 3. Trypoxylon figulus Lat. 4. Gorytes unstaceus, Lat. 5. Cruhro cephaletes, L. 6. Mellinus arvensis, L. 7. Pseu ater. Lat. 8. Anatomical details of the Phillanthus androgymus, Ressi. 9. Cercexis hifusciata buce, 10. Anatomical details of the Cercexis lata. F.






- 1. Celonite's apiformis, Lat. 2. Ceramins fonscolombii. Klug. 3. Synagris Calida Fab 4 Eumenes Savigny i Guer. 5. Odynerus elegans, buer. 6. Polistes Lefebyrii Guer
  - 7. Polistes nidulans. Fab.


London, & Henderson, 2 Old Bailey.






Andrena femoralis, buer, (uba) 2. Anatemical details of the Andrena Eirbii (but. 3. Nomia crassipes, (liv. 4. Panurgus ater. Lat. 5. Xylocopa auripennis, Lep. 6. Ceratina viridis buer. 7. Megnehile centumentaris I. 8. Anthidium diadema. Latr. 9. Cerlioxys rutipes buer. Cuba 10. Anatomical details of the Colloxys victis, (urt.






1. Epcolus variegatus, I. 2. Crocisa pulchella buér, 3 Melluturga clavicaruis, Iat., 4. Authophora apicalis, buer, Caba 5. Inatomical details of the Authophoxa Moverthana Niely 6. Centris elypeata. Lepel, 7. Macroc eva Lasnierii buer, Caba





1. Acanthopus splendidus, Klug ? Englossa dentata, Lat. 3 Bombus Vahlhamii Guer. 4. Apis Adansonii Lat 5. Anatomical details of the Apis mellifica. L. 6. Meli pona fulvipes Guer. tuku 7. frigona fusciata, Guer.





Organs of Sensation in Insects.





Organs of Sensation in Insects





1. Papilio latreillie v. sard 2. laterpillar & Chrysulis of the Papilio machaond.

3. Parnas sms pharlms, Fibr. ledard. 1 Thais (croy): liedard





U. Previs therein Godard 2. Caterpellar & Chrysalis of the Pierrs brassica: L. 3. Heliconia Lungsdurfii Godard. 4. Danaida camer, Godard.



Animal Kingdom . Insecta. Pl. 90



I Vances & callethen bedard. 2 Argymus maneta, beyon. 3. Cateepillar & Chrysuliz of the Argymis paplia bedard. I Nymphalis ethen bodard. 5. Cateepillar & Chrysuliz of the Nymphalis ilin. bodard.





1 Satyrus Balder Boied. 2 Vaterpillar & Chrysalis of Satyrus jurtina Godard. 3. Emmenia torea, Godard. 4 Erybia carelina Godard.





1. Pavonia acadena bodard. 3. Morpho actorion, bodard.
3. Anatomical details of the Mospho philippine bodard. 1. Brassolis asyra bodard.






1 Urania Beveduvalu 6, 2 Hesperia sahaduse Edv. 3 Caterpillar & Chrysolis of Hesp. tages Fab. 1 Caterpillar of Hesp. Linea Fab.




Insecta.P1.94



1 Eryxina virginiensis Ibrisd. 2. Caterpillar Chrysalis & Anatomy of the Eryxina Incina. 3. Myrina Jaffra, bedard. 4. Polyommatus Thoé, Beisd. 5. Caterpillar & Chrysalis of the Polyommatus pruni Codard. 6. Zephyrius amer. Dalm. 7. Anatomy of the Polyommatus roscus, bodard. 9 Eycana, hersf



Insecta.Pl.94




1. Splunz jasninearum Bdv. 2. Smermthus 10. Bdv.

3. Sesia asilipenms Blv

London is Hender son ? Old Bailes




Insecta.Pl.95.



1 Hepadins Injudinine Eds. 2. Cossas Macmartrei Eds. 3. Caterpullar of the Cossas ligniperda Eds. 4. Stygia unstralis late 5. Zenzeen scalaris Donov. 6. Enterpullar of the Zenzeen assenti Eds. 7. Caterpullar of the Hepialus humuli Eds.





1 Ağarısta Pales Bdv. 2. Caterpillar & Chrysalis of the Ağarısta glycine Lewis-3. Coronis Leachii Godard. 4.Castnia derovaides, Bdv.


London: 6 Hender con 1 Old Bailey.





i Theris sepulchralis, Bdv. 2. Egoveva rectilinea Bdv. 3. Jagwaa pulchella. Bdv. 1. Jagwaa filipendula. Lin. 5 Procris nebulosa , Klug. 6. Syntomis nivodes Bdv. 7. Syntomis phagea. Fub 8. Atychia pumila. Och. Lat 1. 9. Caterpillar & Chrysalis of the Aglaupe infansta. 10. Glaucopis Folletii. Feist 11 Ağlaope americana. Bdv.





1. Saturnia bauhinia-Bih. 2. Enterpillar of the Saturnia luna Eab. 3. Chrysalis of the Saturnia pa vonia minor Lin. 4. Bombyx digramma. Bih. 5. Caterpillar of the Bombyx pensylvanica. Bih. 6. Lasiocampa proboxeidea. Bih.





1. Chelonia evidens Bdv. 2. laterpillar of the Chelonia unbilis. Blv. 3. Anatomical denuts of the Chelonia etrysorhum. 4. Callinumpha Lecontei. 5. Bie ranouwa horratis. Bdv. 6. lathosia leta. Bdv. 7. Lithosia luteo la. 8. laterpillar of the Lithosia pulchella. 9. Platypterix globularies. Bdv.





1. Sericaria vanaceeps. Bdv. 2. Caterpillar of the Sexicaria tessellata. Bdv. 3. Notodonta ziczae. Lin 1. Orgyia detrita. Bdv. 5. Caterpillar & Chrysalis of the Orgyia ganastigma. Eds. 6. Limacodes delphuii Bdv 7. Caterpillar of the Iamacodes strigata. Bdv. 8. Caterpillar of the Limacodes indeterminata. 9. Psyche culvella. Ochs. 10. Parts of the Caterpillar of the Psyche nitidella.





1 Noctua Ophideres Imperator Bdv. 2 Evebus Amacina Bdv. 3. Caterpillar of Evebus Omoptera patrescens Bdv. 4 Caterpillar Ethyssalis of Noctua Catocala spensa Fab 5 Evralis Tagana Fab.



Insecta.Pl.101.




1. Phabana machannaria Bhr. 2. Phabana guttaria Bhr. 3. Anatomy of the Phabana fiviliacea Bhr. 1. Gaterpillar of the Phabana graculariata L. 5. Hermmia ridoriu lean. 6. Head of the Herminia crassatic Edd. 7. Balva distordatic Bhr. 8. Head of the Bolva cingulaic Bhr. 9. Hydracampe agant itis Bhr. 90. (arequitlar of the Hydracampe nympteata Lat. 11. Anglassa ditacolatis, Bhr. 12. Galleria cereana End. 3. interpliar of the Galleria celenella Bhr. 11. Crambias reticalis Bhr. 45. Anatomy of the Crambias redictlas Bhr.





1 Muerta apprella Ilabn, 2 Emplocamus anthracinto-Ilabn, 3 Timea tapezana Eab, 3 a Ileato of Tim tengicernic durins, 4 Ilithus carriea Latr, 4 a b. Anatomy of Il pinguis durins, 5 Syponomenta proteidle Ilab 5 à b. Caterpillar & Chrysottos or Vy pinnocleta II 6. September 2 a bette proteidle Ilab 5 a b. Caterpillar & Chrysottos or Va Adela Despertita Fab. 8 Pterophorus pitteducities and September 2 and 6 Pterophorus pitteducities. Blab 8 a Head of Pterophorus pitteducities.






1. Dixa nebulosa Meig. 2. Chianca arancoules. Balm. 3. Rhyphus fenestralis, Seep. 4. Platyura flavipes, Meig. 5. Mycetobia thoracien bair. 6. Simulium ornatum, Meig.


7. Dilophus theracieus, iner. 8. Anatomical details of the Bibio venesus. Meig






1 Stylops Balii, fart. 2. Anophele's hifureatus, 2., 3. Covethya plumicernis Meig. 4. Antenna of the Chiromonus, 5. Psychoda palustris Meig. 6. Ctenophova festiva Meig. 7. Head of the Tipula, 8. Rhipidia maculata Meig. 9. Limnohia occiliars. 1.






1. Laphwia hirticurnis, bair. 2. Anatomical details of the Laphwia nigra Moig. 3. Ommatins conopscules, Word. 5. Antenna of the Dasynogon. 6. Whos flavipes, Mag. 7. Rhamphomyia pennata. Mag. 8. Tachydromyia (steus) arragans Ein. 9. Pamps acclliger, Word. 10. Ogeodes gibbosus, Meig. 4. Antenna of the Axilus.






1 Toxophora americana Serv. 2. Usia anca, lat. 3, Philinria pulicaria, Meig. 4. Bombelius tricolor, ouer. 5, Ploas huntanica cuer. 6, Ambrea auruntiaca, Guir. 7, Nemestrina. Ionairontris Wed.






Thereva continis Moia 2 Atherix ibis, Moia 3 Lepús Servillei Guer A. Dolichopus ungulatus Fab.
 Medeterus notitus Fab. 6 Platypeza sophia, Jopel 7, Pipunculus campestris, Moia 8. Seeno pinus tenestralis, Eab






1 Tahanus laus Guer 2 Pangonia nigripennis viner 3 Chry ops medican der 4 Heenat opera lustitunica Guer, 5 Mydas bonariensis vert 6 Antennie of the Cephalover (Ser. 7 Chromyza vittatu. Wied





1. Hermetia singularis over, 2 Acauthomera Servillei Guer, 3 Head of the Acauth pieca Weid. 4. Head of the Beris, 5. Cyphomyra aurillanma Wied. 6. Statiomyra coronata Ser am. ber: 7. Ephip pium thoracciam. Lat 8 Anatomical details of the Oxyc era. 9 Anatomical details of the Sargus Reaumarii Meig. 10. Chrysochlora hirtor rius Weid. 11 Anatomical details of the Vappo. 12. Diera nophoralizedera Weid.






1. Volucella bombelans, May 2. Belophilus viderans (inc.; 3. Syrphus xenegalensis, Guer, 4. Anotomical details of the Syrphus (scera) uniceder Carl. 5. Pavagus bicoler Lat. 6. Chysodoxum arruatum, May, 7. Certa Coneps ordes, May.


London & Henderson 2.Old Bailey





1 Aphritis apifermis de beer. 2 Mevodon equestris, Mig. 3 Xylota seguis, I. 4 Mend of the Tropida. 5 Milesia speciusa Eds. 6 Pipiza fusciata, Moy. 7 Rhangia campestris, Moy.






1 Cuterebra *apicalio (bue*r. 2. Ædemagena *taramli, l.*, 3. Hypoderma *borix F.* 4. Cephalemyia *cris: l.*, 5. Æstrus *equi. L.* 6. Comops *rulipes: F.* 7. Myopa *variegata Meig.* 8. Stomoxys *calcutrans. l.* 




Inserta.Pl.113.




 Echymonyia grassa, Eth. 2. Gymnosoma retundata, Eth. 3. Miltogramma punctuta Meig. 4. Phasia brachyptera Meig. 5. Lucilia mirabilis. 6. 6. Culliphova venitaria, L. 7. Mend of the Achia's oculatus. 8. Lispe tentaculata Meig. 9. Authomyia pluvialis. L. 10. Ephydica metausis. Mog. 11. Automical debuls of the Ephydica Spileta-Mal.






1. Thyreophora cynighthi Rom. 2. Scatnphaga Sterioraria, l. 3. Internac of the Sphaerocera. I. Sapromyza brimilireia, Macq. 5. Oscinis (chlurepec hypostignia Meq. 6. Sepedon sphegens, lib. 7. Calobata turneptera rujiceps buer 8. Biopsis fusciatus buer 9. Diopsis atricapillus buér. 40. Inatemical details of the Sepsis minulipus Men. II. Tephritis obliqua bea 12. Inatuminal details of the Tephritis esemia but






1. Platystoma lieta bur 2. Celyphus obtectus, bilm. 3. Phova abdeminalis, bill. 4. Inatemi cal details of the Hyppobosca equina L. 5. Ornithamyia chilensis, buir, 6. Anapera tangerii, buir, 7. Stenoptevyx hirandinis Loub, 8. Melophagus evinus, L. 9. Nyeterybia Restwoodii buer 10. Anatemical details of the Nyeterybia Sylvsii, Bist





1 Asterias mirantinea. Lin. 2. Comatula carinuta. Lam?






1. Echinus esculentus, Lin. 2. & 3. Floriceps saccata, Cuy.
4. Stephanomiu uvaria, Les


London; G. Henderson, 2, Old Bailey.





1 Echinus verticellatus, Lam. 2 Echinoneus semilunaris, Lam. 3 Galerites sexfusciatus Lam. 4 Semella hexapera, Lam. 5 Fibularia ovulum, Lam. 6. Spatanĝas pilosus Wil.






Holotharia phantiques Im Mull. 2. Holotharia squamata Mull. lin. 3. Holotharia elegans Mull. lin.
 Holotharia fuens, Mull. 5. Holotharia eucumer, Risse. 6. Holotharia eucuari Less. 7. Holotharia edulis. Less.


London: 6. Henderson, 2.01d Bailey.





1 Minyas *comea - 2* Pri ipula *seconta Lam (H.Prio) i -*3 Siponeulus *e letto Tellus -* 4 Siponeulus *tigrinia (E. a.* 






1. Bonellia viridis Rel. ? Thalassenia neptuni bertner L. Thalassenia. Fallas


3 Echiweus Pallasii Ach | L'Echiweus 6m Palla | 4 Sternaspis thalassemendes. Otto





Filaria medinensis, 6a. 2. Trichocephalus dispar, Rud. 3. Oxyuvus curvula, 8ad. 4.
 Cucullanus elegans, 8ad. 5. Ophiostoma sphwreeephala, Rud. 6. Ascaris hanhriceides L.





Stronglus gigus, Rud. 2. Spropterus. variantimis Rud. 3 Physiopterus clausus, Rud.
 Liarlynchus denticulatus, R. 5 Jang. Sud. varieules, R. 6. Linguatula, Viv. netes.
 Proponerina asenvade. Rud.






I Lernava hom the school of bernava multivernis, for 3. Penella tilissa fond. I. Sphyrion lexiquatus (in the come of Auchorella Ingenila for 6. Brachi ella themis two 7 Clavella hope grows to 8 Confracanthus triple two 9. Confracanthus zei Larcele. 10. Confracanthus viplene (in 11. Nemertes 16.7) is the




Zoophytes. Pl.10




1. Echinarhynchus gigas, 6m. 2. Hæruca muris, 6m. 3. Amphistoma langicollis, Bl. 4. Carcophyllaens mulabilis, Bl. 5. Monostoma, Bl. 6. Fasciola lepatica, L. 7. Polystoma integerrimum, Bul. 8. Polystoma pinguicela. 9. Cyclacotyle's Bellones, Ota. 10. Tristoma foecineum.





Rectocotile octopodis.
 Aspidogaster conchicola Daer.
 Planaria cornuta. Mull.
 Planaria lactea. Mull.
 Prostman obspsinoides. Doges.
 Derostoma notops. Doges.
 Vertumnus thethidicola. Ptv.





I Terria lata Bul inc. 2. Tarris schrim be in a Head of the Hothgeocephalus corenitus Bl

4 Dibotheyo hynchus legislegii Bl.






Floriceps corollatus. 2. Tetrachynchus lingualis. 3 Tentacularia Boscii. 4 Cysticereus piscifiermis. 1. 5. Cysticereus finna. Blum. 6. Acrostoma annii. Jesaur.

7. Carmens cerebralis, 6m 8. Echimococons. 9. Ligula simplicissima Bl.





Pelagia panapera, Term. 2. Cyanxoa Labiche, Oug & bigm.
 S. Equores cranogramma, Cug & bigm.

London w.Hinderson, 2 Old Bialey.





1. Rhizostoma aldrevandi Risse, from a drov? of M. Lawillard.

2. Cassiopea berbusica, Bellechinic, lw.

London: 6 Henderson, 2. Old Brilley.






1. Herenice vari - chrenia Fron - 2 Geryonia preboseidalis Frisk.


3 Cephea paparasi - Los

I will be Heart and a first to










1. Cestum veneris Lessyeur. 2. Porpita chrysocoma. Less 3 Velella limbosa. Lam.

London, G. Henderson, 2. Old Bailey.





1. Physialia atlantica, Less. 2. Physiophora disticha, Less. 3. Physiophora nicea, Law. 4. Jüppopodius Intens, they& hom. 5. Rhizophyra helianthu, they& hoyen. 6. Diphia dispur. Rev. 7. Calpe pentagena, Cucy& hoyen. S. Alyla trigena, Cucy & hoyen. 9. Cymba sagitta, Cucy& hoyen. 10. Cubuiles vitrens, Cucy& hoyen.





L'Actinia corallina, lisso. 2 Thalassionauthos actar llappel 3 Discosmus minimiferme llap 4 Zoanthus secutios, for 3 Lucernavia companida Luneavew



Animal King Im



Tubipora rubcola, Quez. 2. Tubularia indivisi Lum. 3. Seviuleria himarinda. (th. 1 Eucr. tea e crinita Ellis. 5 Finstia Inigri. Leg. dEg. 6. Cellepora puniciona Ples. 7. Les aporte indida.
 Gird. 8. Corradina officinalis Lin. 9. Plabellaria en in. Ellis 10. A se bullo e étere en le Phyphysia impropriet un Lomeira.
 Il Pslyphysia impropriet un Lomeira.





1. Hydra viridis, Trembl (uv. 2 Hydra fusca Tr (uv. 3 Coryna malticorms Fork liv. 4 Crista tella mucedo, liv. 5 Vorticella opercularis Bory Rosel. 6 Pedicellaria tridens. Mall. (uv.





 Antipathes myriophylla Ellis & Sol. 2. Goggenia verrue osa Good. 3. Eunicea mammesa. Lamour 4. Corallium rubrum Good. 5. Isis hyppuris. Ellis & Sol. 6. Fungia crassitentaculum Cooy. 7. Turbinolia rubra Gooy. 8. Caryophyllia fusciculum, Lom. 9. Astrea calicularis. Lom. 10. Madvepova abrotumendes. Lom. 11. Millepova alcientus. Pull.





1. Permatula grisea, 6mel 2 Nii gulava juneea, Pall 3, a fragment of the Vivgulavia unrabilis, Mall 4. Renilla violacea, Quey. 5. Unibellutaria enermia Ellis. 6 Alexonium aurantiaeum. Quex. 1 a large frag meni of the Alexonium ramosum. Quex. 8. Thethyrum feacurrum, starnoli. 9. Sponigis, oculata Pollas 10 Spongra mienus #1







## PROPERTY OF Z. P. METCALF

